

**2011**

**NEW JERSEY**

**ENERGY MASTER PLAN**

**December 6, 2011**

**Chris Christie, Governor**

**Kim Guadagno, Lieutenant Governor**

**Lee Solomon, President - NJ Board of Public Utilities**

## TABLE OF CONTENTS

1	Introduction.....	1
2	Executive Summary .....	3
3	Energy Master Plan Background .....	11
3.1	The 2011 Update Process .....	11
3.2	CEEEP Analysis .....	12
3.3	Implementation of the EMP.....	13
4	New Jersey’s Electric Industry .....	14
4.1	The New Jersey Power System.....	14
4.2	The PJM Market .....	16
4.2.1	Transmission System .....	17
4.2.2	Energy Market .....	20
4.2.3	Capacity Market.....	21
4.3	EDECA and Deregulation .....	22
4.4	New Jersey Market Dynamics .....	23
4.5	Load Growth.....	28
4.6	Existing In-State Capacity .....	31
4.7	Generation Addition and Retirement.....	34
4.7.1	Development of New Generation Facilities.....	34
4.7.2	Generator Retirements .....	35
4.8	Pricing Dynamics.....	37
4.9	Retail Electricity Market and Customer Classes .....	38
4.9.1	Basic Generation Service Auction Process.....	39
4.9.2	Competitive Retail Supply.....	41
4.9.3	Renewable Portfolio Standard .....	46
4.10	Understanding Retail Electric Costs.....	48
4.10.1	Basic Generation Service Components.....	50
4.10.2	State and Federal Charges and Policies .....	51
4.11	EE and DR Program Evaluation .....	55
5	Natural Gas and Other Fuels.....	56
5.1	New Jersey Gas Distribution Companies .....	56
5.2	Sources of Natural Gas .....	56
5.3	Home Heating Oil.....	58
5.4	Transportation Fuels .....	59
5.5	Fuel Market Outlook.....	61
5.6	Understanding Retail Natural Gas Costs .....	63
5.6.1	Basic Gas Supply Service Components.....	64
5.6.2	Distribution Charges .....	65
5.6.3	State and Federal Charges and Policies .....	65

6	Recent Legislative and Regulatory Initiatives .....	68
6.1	Initiatives to Promote a Diverse Portfolio of Efficient Generation Resources.....	68
6.2	Initiatives to Promote Renewable Energy .....	70
6.3	Initiatives to Promote Energy Efficiency and Conservation .....	73
6.4	Other New and Pending Legislation.....	73
6.5	State Strategic Plan.....	74
7	2011 Plan for Action.....	75
7.1	In-State Electricity Resources.....	77
7.1.1	Advantages of a Diverse Supply Portfolio.....	78
7.1.2	Advantages of New Baseload and Mid-Merit Generation.....	78
7.1.3	Nuclear Generation to Satisfy the Global Warming Response Act.....	80
7.1.4	Transmission Solutions and Out-of-State Resources.....	80
7.1.5	Policy Direction and Recommendations.....	81
7.2	Cost-Effective Renewable Resources .....	86
7.2.1	Subsidies for Renewable Resources .....	86
7.2.2	Solar PV Development .....	87
7.2.3	Solar RPS and Economics .....	91
7.2.4	Onshore and Offshore Wind Development.....	100
7.2.5	Biomass Potential in New Jersey .....	102
7.2.6	Policy Direction and Recommendations.....	105
7.3	Cost-Effective Conservation, Energy Efficiency, and Peak Load Reduction .....	110
7.3.1	Peak Demand and Energy Reduction Goals .....	110
7.3.2	Energy Efficiency and Conservation .....	111
7.3.3	Peak Demand Reduction.....	114
7.3.4	Policy Direction and Recommendations.....	116
7.4	Innovative Energy Technologies and Businesses.....	121
7.4.1	Energy Technologies to Simulate Economic Growth.....	121
7.4.2	Innovative Technology Opportunities in Transportation.....	131
7.4.3	Policy Direction and Recommendations.....	134

## TABLE OF FIGURES

Figure 1. EDC Service Territories .....	15
Figure 2. Transmission System in New Jersey .....	16
Figure 3. New Jersey, EMAAC, and MAAC .....	17
Figure 4. Susquehanna-Roseland Transmission Project.....	18
Figure 5. New Jersey Generating Capacity (1990-2009).....	24
Figure 6. New Jersey Electric Generation (1990-2009) .....	25
Figure 7. New Jersey Electric Imports (1990-2009).....	26
Figure 8. PSEG and Tetco M3 (Jan 09-Sep 11).....	27
Figure 9. RPM Clearing Prices for New Jersey and PJM.....	28
Figure 10. New Jersey Peak Load Forecasts and Goals .....	29
Figure 11. New Jersey Energy Demand Forecasts .....	30
Figure 12. 2010 Existing Capacity in New Jersey by Fuel Type (MW and %) .....	31
Figure 13. 2011 New Jersey Energy Generation by Fuel Type (MWh and %).....	32
Figure 14. New Jersey in-State Annual Power Plant CO <sub>2</sub> Emissions.....	33
Figure 15. New Jersey Average Wholesale Prices and Average Retail Rates.....	37
Figure 16. NYMEX Forward Curves for Western Hub and PSEG, April 8, 2011 .....	38
Figure 17. FP BGS Auction Results and Forward Energy Price .....	40
Figure 18. Total MW Load and Load Served by TPSs.....	41
Figure 19. Percentage of Residential Customers Served by TPSs.....	42
Figure 20. Percentage of C&I Customers Served by TPS .....	43
Figure 21. 36 Month Forward Energy Prices for PJM Western Hub (On-Peak).....	44
Figure 22. Average of 3 x 36 Month Forward Prices .....	45
Figure 23. Comparison of 3x36 Month Forward and 12 Month Forward Prices .....	45
Figure 24. U.S. States with Solar Provisions in Their RPS Policies .....	48
Figure 25. Average EDC 2010 Electric Rate Components (cents/kWh).....	49
Figure 26. Breakdown of Basic Generation Service in Average 2010 Electric Rate .....	50
Figure 27. Percentage Composition of Typical Electrical Bills .....	52
Figure 28. Natural Gas LDC Service Territories.....	56
Figure 29. Interstate Pipelines Serving New Jersey.....	57
Figure 30. Gasoline and Diesel Rack Prices, Newark New Jersey.....	60
Figure 31. Average Monthly Prices for WTI and Henry Hub .....	61
Figure 32. NYMEX Forward Price Curves for WTI and Henry Hub .....	62
Figure 33. Average LDC 2010 Rate Components.....	63
Figure 34. Percentage Composition of Typical Natural Gas Bills.....	66
Figure 35. Installed PV Capacity in Top 10 States.....	88
Figure 36. Cumulative Solar PV Capacity in New Jersey by Program (Sept 2011) .....	89
Figure 37. New Jersey SREC Price as a Percentage of SACP .....	93

Figure 38. Solar Alternative Compliance Payments by State.....	95
Figure 39. Number of SRECs Traded and SREC Prices in New Jersey.....	96
Figure 40. Solar Retail Module Price Index .....	97
Figure 41. Solar PV System Costs by Market Segment .....	97
Figure 42. New Jersey Onshore and Offshore Wind Resource Map.....	100
Figure 43. Class 1 and Class 2 REC Prices .....	104
Figure 44. Demand Side Participation in RPM from 2007/08 BRA to 2014/15 BRA.....	115

**TABLE OF TABLES**

Table 1. Nuclear Plants in New Jersey ..... 32

Table 2. Status of Generation Interconnection Requests in New Jersey ..... 34

Table 3. Rate Components of an Average Residential Monthly Bill ..... 50

Table 4. BGS Components of an Average Residential Monthly Bill ..... 51

Table 5. State and Federal Policy Rate Components (cents/kWh) ..... 53

Table 6. Residential Sector Energy Consumption, New Jersey and USA (trillion Btu) ..... 58

Table 7. Transportation Sector Energy Consumption, New Jersey and USA (trillion Btu)..... 59

Table 8. State Tax Rates on Transportation Fuels (cents/gallon) ..... 60

Table 9. 2010 Average Natural Gas Bill Components (\$/Therm)..... 64

Table 10. Summary of Solar Rebate and SREC Programs..... 90

Table 11. New Jersey Solar Installations by Market Segment ..... 91

Table 12. Levelized Cost of Generation ..... 92

Table 13. Current SACP and Proposed 2017-2026 Schedules ..... 94

## TABLE OF ACRONYMS

ACE	Atlantic City Electric Company	EDECA	Electric Discount and Energy Competition Act
ARRA	American Recovery and Reinvestment Act	EE	Energy Efficiency
BAU	Business As Usual	EMAAC	Eastern Mid-Atlantic Area Council
bbl	Barrel	EMP	Energy Master Plan
BGS	Basic Generation Service	EPA	Environmental Protection Agency
BGSS	Basic Gas Supply Service	ESIP	Energy Savings Improvement Programs
BPU	Board of Public Utilities	FERC	Federal Energy Regulatory Commission
BRA	Base Residual Auction	FTR	Financial Transmission Rights
C&I	Commercial and Industrial	GT	Gas Turbine
CC	Combined Cycle	GW	Gigawatt
CEEEP	Center for Energy, Economic, and Environmental Policy	GWh	Gigawatt Hour
CEP	Clean Energy Program	HTP	Hudson Transmission Project
CHP	Combined Heat and Power	HV	High Voltage
CIEP	Commercial Industrial Energy Price	HVAC	Heating, Ventilation and Air Conditioning
CNG	Compressed Natural Gas	IDER	Integrated Distributed Energy Resources
CO	Carbon Monoxide	IECC 2009	International Energy Conservation Code
CO <sub>2</sub>	Carbon Dioxide	ILR	Interruptible Load for Reliability
CORE	Customer On-Site Renewables	JCP&L	Jersey Central Power & Light Company
CSP	Curtailment Service Provider	kW	Kilowatt
DAM	Day-Ahead Market	LCAPP	Long-Term Capacity Agreement Pilot Program
dc	Direct Current	LDC	Local Distribution Company
DCA	Department of Community Affairs	LFG	Landfill Gas
DEP	Department of Environmental Protection	LMP	Locational Marginal Price
DG	Distributed Generation	LNG	Liquefied Natural Gas
DOE	Department of Energy	MAAC	Mid-Atlantic Area Council
DOT	Department of Transportation	MMBtu	Million British thermal units
DR	Demand Response		
EDA	Economic Development Authority		

MOPR	Minimum Offer Price Rule	REIP	Renewable Energy Initiative Program
MW	Megawatt	REMI	Renewable Energy Manufacturing Incentive
MWh	Megawatt Hour	RGGI	Regional Greenhouse Gas Initiative
NGV	Natural Gas Vehicle	RPM	Reliability Pricing Model
NJAES	New Jersey Agricultural Experiment Station	RPS	Renewable Portfolio Standard
NJ-RAGP	New Jersey Regional Anemometer Grant Program	RTEP	Regional Transmission Expansion Plan
NO <sub>x</sub>	Nitrogen Oxides	RTM	Real-Time Market
NREL	National Renewable Energy Laboratory	RTO	Regional Transmission Organization
OCE	Office of Clean Energy	SACP	Solar Alternative Compliance Payment
OREC	Offshore Wind Renewable Energy Certificate	SEAFCA	Solar Energy Advancement and Fair Competition Act
OWEDA	Offshore Wind Economic Development Act	SO <sub>2</sub>	Sulfur Dioxide
PJM	Pennsylvania-New Jersey-Maryland Interconnection, LLC	SOCA	Standard Offer Capacity Agreement
PPL	PPL Electricity Utilities Corp.	SREC	Solar Renewable Energy Certificate
PRD	Price Responsive Demand	Tetco M3	Texas Eastern Market Zone 3
PSE&G	Public Service Electric and Gas Company	TPS	Third-Party Supplier
PSEG	PSE&G Zone	TO	Transmission Owner
PV	Photovoltaic	Transco	Transcontinental Gas Pipe Line
R/ECON	Rutgers Economic Advisory Service	TRC	Total Resource Cost
RCRA	Resource Conservation and Recovery Act	UCAP	Unforced Capacity
RECO	Rockland Electric Company	USF	Universal Services Fund
		WTE	Waste to Energy
		WTI	West Texas Intermediate



## **GLOSSARY AND DEFINITIONS**

### **Basic Generation Service (BGS)**

The EDCs obtain wholesale power supplies to serve customers who do not shop for their own power through annual BGS auctions.

### **Board of Public Utilities (BPU or Board)**

The BPU regulates the EDCs and gas distribution companies, participates in the PJM planning process, and advocates for New Jersey's interests before FERC. The BPU administers the BGS auctions; administers the Clean Energy Program, and approves ratepayer-supported utility programs.

### **Base Residual Auction (BRA)**

Under the RPM construct, PJM conducts annual BRAs to set capacity prices on a locational basis.

### **British Thermal Unit (Btu)**

A BTU is a standard measure of energy and provides a basis to compare energy sources and uses.

### **Capacity**

Power plant size or capacity is measured in megawatts (MW).

### **Capacity Factor**

Capacity factor is the ratio of the actual output of a power plant divided by the theoretical output of the plant if it had operated at full nameplate capacity the entire time.

### **Clean Energy Program (CEP)**

New Jersey's Clean Energy Program is a statewide program that offers financial incentives, programs and services for New Jersey residents, business owners and local governments.

### **Clearing Price**

The price as determined by a PJM, or other entity-administered auction, or marketplace.

### **Combined Cycle (CC)**

CC plants consist of one or more GTs generating electricity where exhaust is captured in a heat recovery steam generator to produce steam that generates additional electricity without the need for additional fuel.

### **Combined Heat and Power (CHP)**

CHP plants, also referred to as cogeneration, provide electric and thermal energy, thus obtaining high overall efficiency from the fuel.

### **Compressed Natural Gas (CNG)**

Natural gas can be stored under pressure in specialized tanks to substitute for gasoline or other fuels. Although its combustion does produce greenhouse gases, it is a more environmentally clean alternative to diesel fuel or gasoline and much less expensive.

**Delivery Year**

PJM defines a Delivery Year as the twelve month period from June 1 through May 31.

**Demand Response**

Measures consumers take to minimize their demand for energy. It includes curtailment of energy or the use of on-site generation of electricity at critical times

**Department of Environmental Protection (DEP)**

The DEP issues permits for air pollution control, water pollution control, land use, and the management of other environmental impacts. DEP administers New Jersey's auction and compliance program.

**Dispatch**

New Jersey's generating units are economically dispatched along with virtually all other plants in the PJM system by PJM operators according to plants' energy bids that are a function of the plant's efficiency, fuel price, and other operating costs.

**Distributed Generation**

Small-scale electricity production that is on-site or close to the primary users and is interconnected to the utility distribution system

**District Energy System**

Systems that provide energy from a centralized location rather than multiple localized facilities. District energy systems tend to be more efficient and less polluting than multiple local energy generation systems

**Electric Discount and Energy Competition Act (EDECA)**

New Jersey's Electric Discount and Energy Competition Act deregulated the State's electricity industry.

**Electric Distribution Company (EDC)**

Atlantic City Electric (ACE), Jersey Central Power & Light (JCP&L), Public Service Electric & Gas Company (PSE&G), and Rockland Electric Company (RECO).

**Eastern Mid-Atlantic Area Council (EMAAC)**

EMAAC is part of PJM that includes all of New Jersey, Philadelphia Electric, and Delmarva Power & Light. PJM evaluates reliability, sets capacity prices, and plans transmission upgrades for this region.

**Federal Energy Regulatory Commission (FERC)**

FERC has jurisdiction over the interstate sale and transmission of electricity and natural gas, and regulates PJM.

**Gas Turbine (GT)**

GTs operate in simple-cycle mode and typically operate as peaking plants with low capacity factors.

**Gigawatt**

A Gigawatt (GW) is a unit of electrical capacity equal to 1,000,000,000 watts.

**Gigawatt-day**

A unit of energy, especially electrical energy, equal to the work done by one Gigawatt acting for one day.

**Gigawatt-hour (GWh)**

1 GWh is a unit of electrical energy equal to 1,000 MWh or 1 million kWh.

**High Voltage (HV)**

HV transmission normally refers to lines rated 110 kV and above. PJM's highest voltages for its backbone transmission system serving New Jersey are 345 kV and 500 kV.

**kilowatt (kW)**

A kW is a unit of electrical capacity equal to 1,000 watts. It is estimated that a typical residential home (without electric heating) can have a peak load as high as 8 kW.

**kilowatt-hour (kWh)**

A kWh is a unit of electrical energy equal to 1,000 watt-hours. According to the DOE, the average New Jersey residential home consumes almost 700 kWh/month.

**Long-Term Capacity Agreement Pilot Program (LCAPP)**

New Jersey enacted the LCAPP legislation to facilitate the development of 2,000 MW of baseload and mid-merit generation facilities for the benefit of in-State electric customers.

**Local Distribution Company (LDC)**

Elizabethtown Natural Gas, New Jersey Natural Gas, Public Service Electric and Gas, and South Jersey Gas.

**Locational Marginal Price (LMP)**

LMPs are wholesale energy prices set by PJM at each node throughout its system based on generator and demand-side energy bids and the expected load. PJM operates a Day-Ahead energy market and a Real-Time balancing energy market. In the predominant Day-Ahead market, all dispatched plants receive the same LMP (with adjustments for losses and congestion) equal to the bid of the last, most expensive dispatched plant, regardless of their own bid prices.

**Mid-Merit**

Among conventional generation technologies, mid-merit generation, such as a CC plant, is moderately expensive to construct, moderately expensive to operate, and has considerable flexibility. Mid-merit plants are most often dispatched to meet on-peak loads, generally weekday days.

**Minimum Offer Price Rule (MOPR)**

An RPM price mitigation mechanism to prevent subsidized capacity resources from submitting uneconomic bids and artificially lowering market capacity prices.

**Megawatt (MW)**

A MW is a unit of electrical capacity equal to 1,000 kilowatts or 1,000,000 watts.

**Megawatt-day**

A unit of energy, especially electrical energy, equal to the work done by one Megawatt acting for one day.

**Megawatt-hour (MWh)**

A MWh is a unit of electrical energy equal to 1,000 kWh.

**Nameplate Capacity**

Nameplate capacity is the intended technical full-load sustained output of a power plant as indicated on a nameplate that is physically attached to the plant and is expressed in MW or kW.

**Office of Clean Energy (OCE)**

The New Jersey Office of Clean Energy oversees the CEP.

**Oil-to-Gas Price Ratio**

The ratio between crude oil (\$/barrel) and natural gas (\$/MMBtu) prices.

**Offshore Wind Renewable Energy Certificate (OREC)**

ORECs are a specific type of REC created in New Jersey for offshore wind.

**Peakers**

Among conventional generation technologies, peaking plants, such as GTs, are the least expensive to construct, the most expensive to operate, and can run for just a few hours per day.

**Pennsylvania-New Jersey-Maryland Interconnection, LLC (PJM)**

Pennsylvania-New Jersey-Maryland Interconnection, LLC is the RTO responsible for planning and operating the electric transmission grid across thirteen Mid-Atlantic and Midwestern states and the District of Columbia. PJM is also the independent system operator that administers the wholesale power markets in its territory to assure bulk system reliability.

**Reliability Must Run**

Generators operating under Reliability Must Run Agreements receive payments to generate power as needed to ensure system / grid reliability.

**Reliability Pricing Model (RPM)**

PJM's capacity pricing mechanism that attempts to set "market-based" capacity prices for different regions based on supply-side and demand-side factors submitted in annual auctions.

**Renewable Portfolio Standard (RPS)**

An RPS is a state requirement that mandates the increased production of energy from renewable energy sources, such as wind, solar, biomass, and geothermal, to meet a specified goal. Twenty-nine states and the District of Columbia have RPS requirements.

**Regional Transmission Organization (RTO)**

A Regional Transmission Organization, *e.g.* PJM, is an entity responsible for planning and operating regional electric transmission grids.

**Regional Transmission Expansion Plan (RTEP)**

The RTEP identifies transmission system upgrades and enhancements to meet operational, economic and reliability requirements.

**Secondary General Service**

Refers to PSE&G general lighting and power, ACE monthly secondary general service, and JCP&L and RECO secondary general service.

**Solar Alternative Compliance Payment (SACP)**

The SACP is an alternative compliance payment specifically for SRECs.

**Solar Renewable Energy Certificate (SREC)**

An SREC is a tradable certificate that represents the clean energy benefits of electricity generated from a solar energy system. An SREC is generated after 1000 kWhs are produced by the solar system. SREC quantities are established by New Jersey's RPS, and SREC prices are established by the competitive market, up to the SACP ceiling.

**Third-Party Supplier (TPS)**

A BPU-registered company that sells electricity or natural gas supplies directly to an energy user. This entity includes, but is not limited to, marketers, aggregators and brokers.

**Total Resource Cost (TRC)**

TRC is a test to gauge the cost-effectiveness of energy policy programs based on the expected costs and benefits for both participating and non-participating customers.

**Unforced Capacity (UCAP)**

UCAP is a capacity rating that accounts for the availability of a capacity resource. For example, a 100 MW resource with 90% availability provides 90 MW of UCAP.

## 1 Introduction

The purpose of the 2011 Energy Master Plan is to document the Christie Administration's strategic vision for the use, management, and development of energy in New Jersey over the next decade. As required by law, the EMP includes long-term objectives and interim measures consistent with and necessary to achieving those objectives.

The Administration will manage energy in a manner which saves money, stimulates the economy, creates jobs, protects the environment, mitigates long-term cumulative impacts, and is consistent with the goals of the State Strategic Plan. Thus, the specific recommendations in this 2011 EMP focus on both initiatives and mechanisms which set forth energy policy to drive the State's economy forward, but do not lose sight of environmental protection imperatives. Efforts to promote economic development will include increasing in-state energy production, improving grid reliability, and recognizing the economic, environmental, and social benefits of energy efficiency, energy conservation, and the creation of jobs.

To that end, the Administration has formulated five overarching goals that the State should pursue:

1. **Drive down the cost of energy for all customers** – New Jersey's energy prices are among the highest in the nation. For New Jersey's economy to grow energy costs must be comparable to costs throughout the region; ideally these costs should be much closer to U.S. averages.
2. **Promote a diverse portfolio of new, clean, in-State generation** – Developing efficient in-State generation while leveraging New Jersey's infrastructure will lessen dependence on imported oil, protect the State's environment, help grow the State's economy, and lower energy rates. Energy diversity is essential. Concentrating New Jersey's energy future on any one form of energy is ill-advised. Picking "winners" and "losers" should not be the State of New Jersey's job, but formulating incentives to foster the entry of both conventional and renewable technologies is required when market based incentives are insufficient.
3. **Reward energy efficiency and energy conservation and reduce peak demand** – The best way to lower individual energy bills and collective energy rates is to use less energy. Reducing energy costs through conservation, energy efficiency, and demand response programs lowers the cost of doing business in the State, enhances economic development, and advances the State's environmental goals.
4. **Capitalize on emerging technologies for transportation and power production** – New Jersey should continue to encourage the creation and expansion of clean energy solutions, while taking full advantage of New Jersey's vast energy and intellectual infrastructure to support these technologies.
5. **Maintain support for the renewable energy portfolio standard of 22.5% of energy from renewable sources by 2021** – New Jersey remains committed to meeting the legislated targets for renewable energy production. To achieve these

targets, New Jersey must utilize flexible and cost-effective mechanisms that exploit the State's indigenous renewable resources.

To advance these five overarching goals, this 2011 EMP has formulated an action plan consisting of a number of concrete policy options and recommendations. The majority of the individual recommendations will serve to advance more than one of the five EMP goals. For example, measures that reduce peak electric demand clearly are integral to Goal #3, but will also help drive down electricity prices (Goal #1) and contribute to achieving the State's greenhouse gas reduction targets (Goal #5). For this reason, the policy options and recommendations are grouped by subject area in four sections of this report, as follows:

- Section 7.1 covers challenges and opportunities associated with the State's portfolio of **conventional generation and other infrastructure resources**.
- Section 7.2 discusses the expansion of State's indigenous **renewable resources** while rationalizing the incentives for renewable project development.
- Section 7.3 covers **energy efficiency, conservation, and demand response**, and
- Section 7.4 discusses **innovative technology** opportunities.

By way of background, Section 3 of this 2011 EMP describes the EMP development process. Sections 4 and 5 provide broad background information regarding New Jersey's electricity and fuel sectors, respectively, discuss market and industry developments since the 2008 EMP, and identify the resources that are at the State's disposal to effectuate the EMP goals. Section 6 summarizes energy legislation enacted since the 2008 EMP and the progress to date of implementing these laws.

State law requires the EMP to be revised and updated at least once every three years. This provides policy makers with the opportunity to view the results achieved against stated objectives, and to adjust energy goals and the policy options to reach them in light of changed economic and environmental circumstances. While there are numerous policy options, none is without costs and risks. It is therefore the Christie Administration's intention that the long-term goals and implementation strategies set forth in this 2011 EMP be flexible enough to respond to market changes and new information about the relative merit of competing energy technologies and strategies.

## 2 Executive Summary

Recent global events have reminded the world that there are no easy options in confronting our dependence on oil, nuclear power, and the mining of coal. BP's deadly explosion and oil spill at the deepwater Macondo platform in the Gulf of Mexico, the release of radiation at the stricken Fukushima Daiichi nuclear plants in Japan, and the tragic loss of life at the Upper Big Branch coal mine in West Virginia underscore the reality that technology choices present risks to society and the environment. Closer to home, the debate over extracting natural gas from Marcellus shale in Pennsylvania, West Virginia and New York requires that we deal with the environmental ramifications attributable to reliance on an abundant, indigenous fuel. The pros and cons of both supply-side and demand-side resource options must be examined as New Jersey develops a diverse and cost-effective portfolio of energy technologies that meet the State's economic, environmental and reliability objectives.

New Jersey has implemented policy initiatives that incorporate both supply-side and demand-side resources for electricity production. These policy initiatives have heightened New Jersey's reliance on natural gas as a less carbon-intensive fossil fuel, and expanded the amount of renewable resources in response to aggressive renewable portfolio standards (RPS). The Christie Administration is committed to continuing by example the Garden State's national leadership in furthering environmental objectives in a manner that saves money, stimulates the economy, and creates jobs. The emphasis going forward is placed upon increasing in-State energy production, improving grid reliability, and recognizing the significant economic and environmental benefits of energy efficiency, conservation, and renewable energy sources.

The high cost of electricity coupled with New Jersey's current fiscal challenges reminds policy makers that the method for achieving the RPS should be flexible, not rigid or absolute. The Administration is committed to the formulation of incentives that promote a renewable energy portfolio that is comprised of cost-effective energy alternatives. Mid-course corrections that foster RPS objectives should safeguard New Jersey's pocketbook, while encouraging the environmental, economic and reliability benefits associated with green technologies and demand-side initiatives. Supply-side resources that generate "bang for the buck" should not be left out of the public debate for innovation and carbon reduction because of concerns about risk. In the hunt for the optimum blend of supply-side and demand-side resources, the Christie Administration calls for rigorous testing of the net economic benefits to New Jersey. New Jersey needs to formulate a vision of what its energy infrastructure will consist of in the first half of the 21<sup>st</sup> century. Every step of the way, informed decision-making requires a rigorous assessment of the program options and goals set forth in the 2011 EMP.

New Jersey's 22.5% RPS target in 2021 is a long stride in the march toward deep structural changes in New Jersey's energy infrastructure in the 21<sup>st</sup> century. The Christie Administration recognizes that New Jersey must take a far longer view than ten years in order to pour the energy foundation for a clean and secure energy future for decades to come.

The Administration aspires to fulfill 70% of the State's electric needs from "clean" energy sources by 2050. This is achievable if the definition of clean energy is broadened beyond renewables to include nuclear, natural gas, and hydroelectric facilities. At the same time, coal is a major source of CO<sub>2</sub> emissions and will no longer be accepted as a new source of power in the



State. New Jersey will work to shut down older, dirtier peaker and intermediate plants with high greenhouse gas emissions.

In the alternative, if 70% of the State's electric needs are to be derived from carbon-free energy sources by 2050, then the technology bandwidth narrows. Tension will be created among the environmental, reliability and economic criteria that protect ratepayer interests. Simply put, something has to give. The only carbon-free technologies are renewables and nuclear power. Solar photovoltaic (PV) power is expensive and intermittent. While New Jersey has high quality, harvestable offshore wind, it too is intermittent and expensive. In addition, there are practical limits to the heavy concentration of offshore wind in one location. The potential for importing wind from other PJM states raises additional concerns about reliability, the siting of new high voltage (HV) transmission lines, PJM's ability to integrate intermittent generation, and the export of green industry jobs out of New Jersey. Hence, solar and wind require the addition of other conventional or innovative technologies to ensure grid security.

The Christie Administration's overarching goals for the EMP are as follows:

1. Drive down the cost of energy for all customers;
2. Promote a diverse portfolio of new, clean, in-State generation;
3. Reward energy efficiency and energy conservation and reduce peak demand;
4. Capitalize on emerging technologies for transportation and power production; and
5. Maintain support for the renewable energy portfolio standard of 22.5% of energy from renewable sources by 2021.

To that end, specific highlights of New Jersey's program initiatives formulated to achieve these goals are set forth below.

### **Expand In-State Electricity Resources**

New Jersey needs to expand electricity generation resources to improve reliability and to lower costs, consistent with environmental and economic development objectives. New Jersey's policy initiatives are centered on balancing these objectives in a cost-effective manner with respect to economic and political realities. Renewable energy resources, distributed generation (DG), and clean conventional generation projects can help New Jersey flourish while protecting the environment.

- *Construct New Generation and Improve PJM Rules and Processes*

New Jersey's Long-Term Capacity Agreement Pilot Program (LCAPP) has resulted in contract awards for three new in-State combined-cycle (CC) generation projects that use clean-burning natural gas. These high-efficiency projects total 1,949 MW, only 51 MW shy of the procurement target set forth by the Legislature. The expected net savings of \$1.8 billion in wholesale energy costs over the 15-year contract period constitute a much needed economic shot-in-the-arm for ratepayers in New Jersey. This number is stated *before* counting the income benefits ascribable

to job creation, especially during the manpower-intensive construction phase. In addition to the reduction in wholesale energy costs, the addition of LCAPP capacity will yield valuable environmental benefits by helping to modernize the resource mix in New Jersey, thereby reducing the State's reliance on older, less efficient generation that burns coal, oil and natural gas, as well as imports by wire from resources elsewhere in PJM. The Federal Energy Regulatory Commission (FERC) recently implemented rule changes aimed at the LCAPP resources. These rule changes may undercut New Jersey's realization of LCAPP's economic and environmental benefits. Therefore, the Board of Public Utilities (BPU or Board) should pursue remedies to preserve New Jersey's sovereign right to plan its energy future in the 21<sup>st</sup> century.

- *Assess the Implications of Lost Nuclear Capacity*

The retirement of the 654-MW Oyster Creek facility in 2019 will result in the removal of a carbon-free baseload resource. Nuclear power, if constructed and operated safely, can be a long-term cost-effective hedge against fossil fuel price volatility, while providing thousands of jobs. The events in Japan represent a siren for redoubled vigilance and federal regulatory oversight regarding the safety of all nuclear reactors in the U.S. While the prospect of new nuclear generation to replace Oyster Creek is not achievable by the end of the decade, New Jersey should remain committed to the objective assessment of how nuclear power fits into the diversified resource mix to meet economic, reliability and environmental goals. To that end, New Jersey should continue its coordination with the U.S. Department of Energy (DOE) regarding the steps needed to accelerate a federal solution to the problem of storing radioactive waste.

- *Expand Distributed Generation and Combined Heat and Power*

Both distributed generation (DG) and combined heat and power (CHP) resources improve system reliability and utilize fuel more efficiently, especially for commercial and industrial (C&I) customers. The Christie Administration is committed to developing 1,500 MW of new DG and CHP resources where net economic and environmental benefits can be demonstrated.

- *Support Behind-the-Meter Renewables*

Behind-the-meter solar PV customer installations achieve carbon reduction, while supporting the potential growth of the State's solar manufacturing industry. However, these behind-the-meter solar programs are costly for non-participants, *i.e.*, ratepayers who do not host a solar installation, yet pay for the subsidies in their monthly electric bills. The Board is currently conducting a regulatory review of solar PV to ensure that State-sponsored programs represent worthwhile initiatives that achieve a sensible balance among competing resource planning, economic, and environmental objectives from both a participant's and a non-participant's perspective.

- *Promote Effective Use of Biomass and Waste-to-Energy*

Agricultural and forest residues, along with municipal and industrial waste, are underutilized resources that can be used to fuel power plants. New Jersey is reassessing the existing renewable energy incentives to utilize indigenous biomass resources more effectively and will pursue opportunities for public/private partnerships to build and operate biomass-to-power fuel plants.

At the same time, fostering more complete use of the State's underutilized biomass resources cannot subvert the goal of preserving valuable farmland.

- *Promote the Safe Expansion of the Natural Gas Pipeline System*

Although the certification of expanded or new pipeline facilities is the responsibility of the FERC, not the BPU, the Christie Administration is committed to the expansion of the existing pipeline network that serves gas utilities and power plants throughout New Jersey if it is done safely and in compliance with environmental regulations. Therefore, expanding New Jersey's gas infrastructure must incorporate the most advanced construction design techniques in order to safeguard New Jersey's natural and cultural resources, while preventing any adverse impact on safety and homeland security. Adding pipeline deliverability is a necessary complement to New Jersey's reliance on natural gas for electricity generation. It will lower wholesale power costs while strengthening the foundation for economically and environmentally sound programs aimed at lessening the State's dependence on oil.

Likewise, New Jersey's gas utilities are encouraged to evaluate the economic and environmental merit of distribution system expansions. This is needed where natural gas is not available presently, or where there is a relatively high saturation of oil-fired heat. South Jersey, in particular, lacks adequate natural gas infrastructure to support new, gas-fired generation as well as substitution for other fuels in the residential and commercial sectors. Expansion of the natural gas pipeline system will strengthen New Jersey's ability to achieve innovations in transportation fuels, as well.

### **Cost Effective Renewable Resources**

New Jersey's electric ratepayers have some of the highest retail rates in the U.S. Rates may decline if the price of Basic Generation Service (BGS) – which reflects the regional wholesale market for electricity – is reduced, and as new HV transmission upgrades alleviate congestion in New Jersey – tempering the run-up in capacity prices in PJM. Renewable energy sources, particularly solar, may provide optimum benefits in reducing peak demand since peak demand periods generally coincide with periods in which solar facilities are producing at their highest capacity. Renewable resources, however, are limited by immature storage technologies and high costs; much more needs to be done to ease the economic burden borne by electric ratepayers throughout New Jersey. Solar and offshore wind have great commercial potential, but their implementation must not create an undue economic burden for retail customers. Therefore, solar and offshore wind applicants must demonstrate that the net economic benefits of their projects are of sufficient “quality” to offset the costs.

- *Accelerate the RPS*

A temporary acceleration of the RPS would provide some interim relief for the current market in SRECs and an opportunity for the industry to adjust. This acceleration would require increasing the RPS over the next three years and reducing the outlier years of the RPS schedule to minimize the impact to ratepayers.

- *Reduce Solar Alternative Compliance Payments*

To minimize the rate impact of an RPS acceleration and the cost burden borne by non-participants in New Jersey's solar market, the State has initiated action that will reduce materially the SACP.

- *Return to the Percentage Obligation for Solar*

The Solar Advancement Act should be amended to change from the explicit GWh requirement for solar energy to the original requirement defined as a percentage of total energy. A fixed GWh schedule cannot predict and accommodate the likely changes in the economy and energy demand that will occur over time and neglects opportunities for new renewable technologies which may be developed during the same period.

- *Promote Solar Installations that Provide Economic and Environmental Benefits by Limiting SREC Eligibility*

Projects that offer a "dual benefit" should take priority for approval and any legislative expansion of SREC eligibility by modifying the definition of "distribution system" should also provide the BPU with the ability to review and approve subsidies for grid-supply projects to ensure compatibility with land use, environmental and energy policies. Additionally, the development of solar projects should not impact the preservation of open space and farmland.

- *Increase Transparency*

Participants in New Jersey's solar industry will benefit if all proposed projects, other than residential, are required to register with the BPU. The increased transparency will assist in development of economic forecasts and planning for the future of the program.

- *Expand Opportunities for Solar*

The State will consider programs to allow New Jersey residents who have been unable to take advantage of individual PV systems to do so and will support an extension of the long-term contracting programs offered by the electric distribution companies.

- *Maintain Support for Offshore Wind*

Although New Jersey's onshore wind potential is resource constrained, the Garden State has great offshore wind potential. New Jersey may be one of the first states to support the construction of one or more offshore wind facilities, but it must not rush headlong into long-term contracts between offshore wind developers and EDCs until the State has determined there are net economic benefits realizable through this promising technology. The Christie Administration supports the Board's due diligence process to safeguard the economic interests of ratepayers throughout the State while promoting job creation and environmental benefits associated with this promising technology.

Codification of the statutory requirements of the Offshore Wind Economic Development Act (OWEDA) provides a framework for approving applications and setting offshore wind

renewable energy certificate (OREC) prices to promote the financeability of offshore wind projects. The Christie Administration remains supportive of offshore wind development. The Board has sole jurisdiction to approve an OREC price that will allow the applicant to satisfy the cost-benefit standard set forth in OWEDA, including adjusting the OREC price as required. In reaching a determination of net economic benefits, the Board must consider the resultant benefits to wholesale energy and capacity prices attributable to wind, income effects ascribable to construction and operation of offshore wind projects, and consequent environmental benefits. In the years ahead, New Jersey should monitor technology and operating developments in Europe and China, as larger wind turbines yield potential cost and performance advantages over existing technology.

### **Promote Cost-Effective Conservation and Energy Efficiency**

The State has implemented a variety of energy efficiency (EE) and conservation programs, as well as CHP programs. The array of conservation and CHP programs are a cost-effective way to reduce energy costs and carbon emissions. However meritorious EE and CHP programs may be, the Administration is committed to a top-down reassessment of program efficacy. Changes since the 2008 EMP require that the 20% energy reduction goal be modified, but cost-effective programs can still reduce the State's energy use, thereby fostering economic development and promoting the State's environmental goals. Some of these programs, such as CHP, may *increase*, not decrease the State's use of natural gas.

- *Promote Energy Efficiency and Demand Reduction in State Government Buildings*

New Jersey will lead by example and continue to improve the EE of State owned and operated buildings through the newly established State Energy Office in the BPU. In addition to existing programs, the State will take advantage of recent ESIP legislation that allows State agencies to contract with third parties with "know-how" and financial resources to implement and fund EE measures in government owned and/or operated buildings without upfront capital investment. Operating costs will be lowered by using performance-based contracting for capital improvements to energy equipment such as lighting upgrades, heating, ventilation and air conditioning (HVAC) replacement, and the installation of building automation systems.

- *Incorporate Aggressive Energy Efficiency in Building Codes*

The State has a number of measures to encourage EE in new and existing buildings. Incorporating more aggressive EE requirements within the New Jersey Building Code will assist in reducing energy use without jeopardizing economic development or environmental goals.

- *Redesign the Delivery of State Energy Efficiency Programs*

There are several innovative alternatives to optimize existing EE programs including revolving loan programs and improving the mechanisms for delivering the programs in a more efficient manner. These alternatives should be implemented if they are cost-effective and benefit all ratepayers.

- *Monitor PJM's Demand Response Initiatives*

PJM is in the process of implementing many incentives and resources to support demand response (DR) to make it easier for those resources to participate and be rewarded through PJM's energy and capacity markets. New Jersey should monitor actively how new incentives inspired by FERC's recent rulemaking affect incremental DR in order to maximize the State's participation in these programs.

- *Improve Natural Gas Energy Efficiency*

We encourage increased natural gas use for power generation as well as for residential and commercial applications, in lieu of oil. The use of high efficiency natural gas appliances is encouraged, including the substitution of natural gas furnaces and hot water heaters for distillate oil use.

- *Expand Education and Outreach*

Implementation of any of these measures will require educating all consumers about energy conservation measures that they can implement, as well as EE tools available from State agencies, utilities, non-profits, and membership organizations.

### **Support the Development of Innovative Energy Technologies**

New Jersey has many options to develop new, clean, cost-effective sources of electricity, utilize fuels more efficiently, and lessen reliance on gasoline and diesel fuel as the primary transportation fuel. These energy technologies would reduce emissions of air pollutants and greenhouse gases. Active support of innovative energy technologies will create jobs as well as help businesses throughout the State. Testing and verification of these technologies by independent third parties will assist the State and other technology users in making choices.

- *Improve Transportation Efficiency and Emissions Reductions*

The disparity between oil and natural gas prices warrants technology substitution for diesel engines, particularly for dedicated fleet vehicles that start and return to the same depots each day and have a limited driving radius. Similarly, plug-in electric and electric hybrids have enormous potential to increase mileage efficiency and drastically reduce emissions from the transportation sector if our base load energy comes from cleaner and renewable sources. Although NGVs have been commercialized around the globe for decades, NGVs have not established significant market share in New Jersey. The auto industry, worldwide, has made strides in the development of electric-hybrid and electric vehicles. However, in New Jersey, we face challenges related to our aging grid infrastructure, and the need to reduce reliance on high emission sources of energy, particularly from out-of-state coal resources. The Christie Administration is committed to change by promoting the infrastructure needed throughout the State to induce heavy vehicle class conversion from expensive and polluting diesel fuel to less costly and clean CNG; to facilitate the infrastructure needed to support broader use of alternatively fueled vehicles by fleet owners as well as individuals; and for new and cleaner in-state power generation and the improvement of

our electric grid which will be needed if and when the electric vehicle industry develops a market on a state and national scale.

- *Future Use of Fuel Cell Technology*

Fuel cells hold promise for emission-free DG, transportation applications and even energy storage, but they are expensive. Fuel cells can reduce the need for new transmission and distribution investments. Technology progress may improve the economic performance of fuel cells. New Jersey should continue to monitor fuel cell performance benchmarks.

- *Future Use of Energy Storage Technologies*

Energy storage has a promising future, especially when coupled with intermittent resources like solar and wind. The new technologies include compressed air energy storage, flywheels, advanced battery systems and plug-in hybrid electric vehicles. New Jersey should continue to monitor the evolving development and improvement of energy storage technologies.

- *Evaluation of Smart Grid Demonstrations*

New Jersey expects that smart grid technology will be an integral part of the energy balance throughout the State. An ongoing demonstration project will allow parties to evaluate its cost effectiveness before we make any policy decisions.

- *Dynamic Pricing and Smart Metering*

New Jersey should consider expanding the implementation of smart meters and gradually exposing customers with lower energy demands to real-time pricing in order to encourage wiser energy use and reduce retail prices for all residents.

- *Other Renewable Technologies*

Tidal/micro hydro technology, wave, geothermal heat pump systems and advanced solar technologies, as well as numerous new building materials and controls can significantly reduce energy use.

- *Partnerships to Leverage Research and Development*

Partnerships with New Jersey's existing business incubators, higher education institutions and entities like NJCAT, will be significant in the development and testing of many new energy technologies.

### **3 Energy Master Plan Background**

New Jersey's Energy Master Plan Statute, N.J.S.A. 52:27F-14, was enacted in 1977 as a response to the energy crisis of the mid-1970s.<sup>1</sup> The statute called for a 10-year "master plan" for the "production, distribution, and conservation of energy in New Jersey." Although the statute calls for the creation of a new EMP every ten years, and an update every three years, after the initial EMP was published, revisions were issued only sporadically, most recently in 1995 and then in October of 2008. This 2011 EMP serves as the three-year update to the 2008 EMP.

The Statute further requires the EMP to include long-term objectives and the implementation of interim measures consistent with those objectives, and to give due consideration to the energy needs and supplies in the "several geographic" areas of New Jersey. Finally, the Statute calls for consultation and cooperation among the various federal and State agencies with an interest in the production, distribution, consumption, or conservation of energy.

#### **3.1 The 2011 Update Process**

In April of 2010, during the BPU's Sustainable Energy and Economic Policy Forum at the State Theatre in New Brunswick, Governor Christie outlined an energy policy that emphasizes in-state production of both renewable and traditional energy sources to create a stronger economy and jobs. He directed the BPU to revisit the 2008 EMP in light of current economic realities, thereby initiating the current EMP revision process.<sup>2</sup>

Immediately following the April conference, the BPU convened an internal task force to review the 2008 EMP goals and the State's ability to achieve those goals in light of current economic conditions and policies. The BPU worked with the Rutgers Center for Energy, Economic, and Environmental Policy (CEEPP) and the Rutgers Economic Advisory Service (R/ECON) of the Center for Urban Policy Research at the Edward J. Bloustein School of Planning & Public Policy, who used the R/ECON statewide economic model to evaluate EMP goals.<sup>3</sup>

On June 24, 2010, the BPU held an Electric Generation Capacity conference (also referred to as the "Technical Conference") to discuss and address concerns related to the construction and operation of new generation in New Jersey. Over the summer of 2010, BPU staff worked with CEEPP to collect and analyze energy data, and to develop models that would help frame the current situation with regard to energy pricing, use, and development. As part of this process, BPU and Rutgers convened a series of meetings organized by CEEPP to discuss the relative successes of current programs with interested parties and to consider policy changes.

---

<sup>1</sup> The EMP Statute can be found at: <http://www.state.nj.us/emp/archives/empstatute.html>.

<sup>2</sup> This revised 2011 EMP is intended to be reviewed and revised again in three years.

<sup>3</sup> From its inception in 2003, CEEPP in conjunction with R/ECON has and continues to emphasize transparency in its analysis and has third parties review and critique data, analysis, and findings. The R/ECON model provides policymakers with a tool for analyzing New Jersey's economy, including the energy sector. Many charts and data used in this 2011 EMP rely on the R/ECON model.



In August, CEEEP released the 2010 EMP Assumptions document that provided updated data (from the 2008 EMP) for current electric and gas rates, fuel prices, generation technology costs, and projections for New Jersey customers. This document was updated again on February 14, 2011. In August and September of 2010, the BPU hosted three stakeholder meetings around the State on the EMP assumptions, issues, and potential new directions.<sup>4</sup> Comments were received from over fifty organizations, companies, and individuals during these meetings and in follow-up communications.

Since the release of the Draft 2011 EMP on June 2, 2011, the BPU hosted three public hearings. The hearings were held over the summer, with over 400 individuals participating. The BPU received comments (verbal and written) from over 300 companies, associations and individuals.

In addition, the BPU assembled four working groups designed to solicit more specific recommendations on the topics of clean energy funding, alternatively fueled vehicles, innovative technologies, and biomass. The work groups were comprised of subject matter experts from various industries, academia, and membership organizations. The work groups completed their reports in September 2011 and hearings were held on their recommendations in October and November 2011.

Incorporated in this EMP are many of the comments and recommendations received through the above mentioned hearings and reports.

### **3.2 CEEEP Analysis**

CEEEP began the analysis for the 2011 EMP understanding that, in this context, planning should be a continuous process that articulates fundamental objectives, establishes measurable targets, assigns resources and responsibilities for meeting those targets, and reevaluates and adjusts the EMP's strategies over time. CEEEP developed and analyzed a considerable amount of energy data to inform the EMP process, and not to be dispositive. The engineering, economic, and policy issues in the energy field are so complex and intertwined that there is not a single "right" solution that the modeling is supposed to calculate. The data collection and analysis provides a means to test and understand the EMP's themes and strategies, narrow areas of disagreement, identify uncertainties that matter, identify key tradeoffs, and establish the conditions under which certain outcomes can occur. CEEEP's analysis is intended to support the EMP planning process, not to determine specific policy design.

The EMP process must account for future uncertainties, determine when conditions depart substantially from what past assumptions, and make changes as appropriate. As CEEEP noted in 2008, a cursory review of energy events over the last several decades reveals that the unexpected is the norm, not the exception. In the 1970s and early 1980s, there were oil shortages and concerns about oil prices reaching \$100/bbl.<sup>5</sup> Natural gas was not permitted to be used to generate electricity, and the price of natural gas was administratively controlled. In 1979, the

---

<sup>4</sup> Stakeholder meeting transcripts and other EMP documents can be found at: <http://www.state.nj.us/emp/>.

<sup>5</sup> The average price of domestic crude oil increased from \$19/bbl in 1970 to \$99/bbl in 1980. See Section 5 for historical oil and natural gas prices.

meltdown at Three Mile Island precipitated a halt in the construction of new nuclear power plants.

Oil prices came back down by the late 1980s, the Clean Air Act was considerably expanded in 1990, and wellhead natural gas price controls were removed in 1985. After a period of relative calm, natural gas prices spiked in the winter of 2000 and have been volatile ever since. Even so, natural gas became the dominant fuel for new CC generation plants.<sup>6</sup> While there had previously been increasing consideration for new nuclear plants, high capital costs and renewed safety issues have dampened any enthusiasm for the time being. More recently, concerns about emissions of greenhouse gases like carbon dioxide (CO<sub>2</sub>) and methane, are leading to the development and improvement of new technologies, including hybrid vehicles, fuel cells, carbon sequestration, biomass and municipal solid waste plants, wind turbines, and solar power.

### **3.3 Implementation of the EMP**

Implementation of New Jersey's energy goals will require the support and cooperation of all State agencies, together with energy developers and suppliers, power plant owners, PJM, FERC, all levels of government, and ratepayers. Governor Christie has directed all State agencies to work together to begin the implementation process.

The BPU will continue to serve as the lead implementing agency for the EMP. In doing so, the BPU will, among other things: Coordinate with appropriate state agencies, energy providers and other stakeholders as needed; track and report on progress through annual reporting to the Governor and posts to the BPU website; and work with the legislature to develop or modify existing and future programs that support these energy goals.

---

<sup>6</sup> Relative to other plant technologies, CC plants are inexpensive to build and operate, are efficient, and have flexible operating characteristics. The BPU's 2011 LCAPP resulted in the selection of three in-state gas-fired CC plants.

## 4 New Jersey's Electric Industry

The EMP is centered on New Jersey's electricity industry. The State, through the BPU, has the regulatory authority to compel or incentivize the four EDCs to take actions that foster the environmental, economic, and reliability goals of the State. These goals include job creation and employment. As of May 2011, New Jersey's retail electric rates remain among the most expensive in the nation.<sup>7</sup> Residential and industrial rates are the sixth most expensive, , while commercial rates are the seventh most expensive.<sup>8</sup> For New Jersey's economy to grow, electricity costs must be comparable to costs throughout the region, and ideally to the U.S. as a whole. Electric energy costs have a significant effect on the economic well being of commercial and industrial (C&I) customers. High electricity prices discourage new manufacturing and commercial entry, and may cause electricity-intensive industries to relocate. Against the backdrop of the recent recession, businesses hesitate to expand in part due to high electricity prices. Moreover, high residential rates not only affect the cost of living in New Jersey, but deplete disposable income. Thus reducing money spent on goods and services throughout the State.

Available to New Jersey policymakers are a number of policy initiatives that can influence the cost of electricity. Many components of the cost are part of the legacy of building out the State's energy infrastructure over the years. Other components reflect regional and global market dynamics underlying the availability and price of fossil fuels over which the State has little control. For example, the price of oil is largely beyond the State's control. Likewise, developments affecting the production of natural gas in shale formations are outside the purview of the BPU. Similarly, the certification of new interstate pipelines is a FERC jurisdictional matter, but there are actions New Jersey and local municipalities can take to ensure that safety and environmental goals are protected. Finally, the approval of new transmission lines often depends on the cooperation of Federal agencies, including FERC. These commodity and infrastructure developments affect New Jersey's electric industry, and must therefore be monitored closely by New Jersey stakeholders in order to maintain a good balance among infrastructure options available to meet environmental, economic and reliability objectives.

### 4.1 The New Jersey Power System

Retail electric service in New Jersey is provided by the four EDCs:<sup>9</sup>

- Atlantic City Electric Company (ACE);
- Jersey Central Power and Light (JCP&L);
- Public Service Electric and Gas Company (PSE&G); and

---

<sup>7</sup> EIA. Table 5.6.B. Average Retail Price of Electricity to Ultimate Customers by End-Use Sector, by State, Year-to-Date through May 2011. [www.eia.doe.gov/cneaf/electricity/epm/epmxf1file5\\_6\\_b.xls](http://www.eia.doe.gov/cneaf/electricity/epm/epmxf1file5_6_b.xls).


<sup>8</sup> Id.

<sup>9</sup> In addition to the four EDCs, there are electric municipal utilities that serve load for their customers that are not regulated by the BPU.

- Rockland Electric Company (RECO).

The service territories of the four EDCs are shown in Figure 1.

**Figure 1. EDC Service Territories**




The New Jersey transmission system, shown in Figure 2, is owned by the EDCs and controlled by PJM<sup>10</sup>, the federally-approved RTO that ensures the reliability and security of the bulk electric power system.<sup>11</sup> PJM also coordinates the flow of electricity power to and from adjoining power systems, including New York. The transmission system allows power to be delivered to customers from in-state and out-of-state generation resources. New Jersey's high degree of electrical connectivity with contiguous states in PJM is illustrated in the transmission map below. As discussed in Section 4.2.1, New Jersey also has a number of HV transmission links with New York.

---

<sup>10</sup> The Members' Committee of PJM, which elects the PJM Board, establishes the schedules and by-laws, and votes on PJM policies, is dominated by suppliers, generation owners and transmission owners. Of the 439 voting members, only 17 are end-use customers, and only nine are consumer advocates.

<sup>11</sup> As an RTO, PJM is regulated by FERC rather than the state public utility commissions.

**Figure 2. Transmission System in New Jersey**



The long-term adequacy of New Jersey’s electric resources must consider the forecasted demand, new resources, power plant retirements, and a broad array of other factors that bear upon reliability. While it is PJM’s responsibility to assure there are enough generation, transmission and demand-side resources to meet customer demand in the face of many uncertainties affecting grid security, the State can affect the timing and location of many supply and demand-side resources that bear on reliability and security of supply.

#### **4.2 The PJM Market**

New Jersey’s four EDCs are participants in PJM, the largest regional electricity market in the U.S. PJM encompasses all or part of thirteen states and the District of Columbia.<sup>12</sup> PJM is a non-profit organization charged with the operation of the wholesale competitive market across the aforementioned market area, management of the electric grid, and long-term planning and resource coordination. PJM has a broad array of management responsibilities to ensure security of electricity supply. Meeting customer supply can be accomplished by proximate generation or transmission from remote generation located outside of New Jersey. PJM plans years in advance for transmission needs and guarantees rich returns to transmission developers. Significant economic and reliability benefits accrue to PJM members and their customers through the


<sup>12</sup> The PJM Region includes all or parts of Delaware, District of Columbia, Maryland, New Jersey, Ohio, Pennsylvania, Virginia, West Virginia, Illinois, Indiana, Kentucky, Michigan, North Carolina and Tennessee.

centralized security-constrained economic dispatch of power plants as well as the ongoing long-term planning process coordinated by PJM.

New Jersey makes up a relatively small portion of PJM. According to PJM's 2009 411 Report, which provides data on each of the over 1,000 generating units located within the region, PJM's total installed nameplate generating capacity is 177,942 MW. Less than 10% of the total installed generation capability is located in New Jersey, *i.e.*, 17,394 MW.

Within PJM, New Jersey is located within the Mid Atlantic Area Council (MAAC) service area, a region that includes Delaware as well as parts of Pennsylvania and Maryland. MAAC is viewed as a separate region because of transmission constraints between it and the rest of PJM. Additionally, transmission constraints within MAAC make subdivision of the region into smaller areas useful. New Jersey is located in Eastern MAAC (EMAAC). Figure 3 shows the nested structure of New Jersey, EMAAC and MAAC.

**Figure 3. New Jersey, EMAAC, and MAAC**




#### **4.2.1 Transmission System**

PJM operates the HV transmission system that gives EDCs and other suppliers access to cost-effective energy resources and assures them of adequate reliability. PJM is responsible for grid

reliability and implements transmission projects when regions are forecasted to have inadequate capacity supplies relative to their peak load requirements.<sup>13</sup> For example, PJM determined through its reliability review process that new transmission was required to serve northern New Jersey. To that end, PSE&G, in conjunction with PPL Electricity Utilities Corp. (PPL), developed the Susquehanna-Roseland 500kV transmission project. This line is designed to bring electricity east from Pennsylvania, and relieve a number of reliability planning violations identified by PJM starting in the summer of 2012.

**Figure 4. Susquehanna-Roseland Transmission Project**



Both the BPU and the Pennsylvania Public Utility Commission approved the line in February 2010. However, PSE&G and PPL, the transmission owners (TOs) responsible for construction, indicated that the line will not be in service until June 1, 2014, and perhaps later due to permit delays related to a 1.65 mile line segment requiring National Park Service approval.<sup>14</sup> The National Park Service has indicated that the review will be completed no earlier than January 2013. Currently, the best estimate for the in-service date of the New Jersey portion of Susquehanna-Roseland project is June 2014 for the eastern portion between Roseland and Hopatcong, and June 2015 for the western portion between Hopatcong and the State border. PPL is now targeting an in service date of April 2015 for the Pennsylvania portion of the line.

<sup>13</sup> PJM's development of its annual Regional Transmission Expansion Plan (RTEP) is a public, stakeholder process.

<sup>14</sup> That segment traverses parts of the Delaware Water Gap National Recreation Area, the Appalachian National Scenic Trail and the Middle Delaware National Scenic and Recreational River.

The delay of the Susquehanna-Roseland line will create reliability problems in the State. PJM claims to be addressing this delay.<sup>15</sup> Despite the Federal “fast track” designation for this project, no action has been taken and the draft environmental impact statement issued by the National Park Service states that the “no build” option is preferable, thus leaving the development of this line in doubt. To hedge against uncertainty about the timing of new transmission, uncertainty about load growth and generator retirements, New Jersey should continue to encourage the development of new generation that meets the economic, environmental, and reliability goals set forth in this EMP.

PJM has planning criteria and study mechanisms to ensure that power exports to New York do not degrade reliability in New Jersey. The 660-MW Neptune HVDC project, which links New Jersey and Long Island, has been in operation since 2007, and required the construction of transmission upgrades to assure system reliability in New Jersey. The 300-MW Linden Variable Frequency Transformer project, which links New Jersey and Staten Island, also required transmission upgrades. The 660 MW Hudson Transmission Project (HTP), which has encountered market-related delays, has an uncertain completion date. If constructed, HTP would link New Jersey with mid-town Manhattan, and will require \$172 million in PJM transmission upgrades to support HTP’s firm withdrawal rights in the amount of 320 MW.<sup>16</sup> However, the transmission upgrades to ensure grid security and stability objectives in New Jersey are not designed to protect New Jersey ratepayers from economic consequences.

FERC has promulgated policies that it claims are sufficient to motivate transmission owners to develop new transmission projects. FERC encourages investment in transmission infrastructure through lucrative financial incentives – a mark-up to the customarily set equity rate of return. Other incentive-based rate treatment can include: (i) 100% of prudently incurred Construction Work in Progress in rate base; (ii) recovery of prudently incurred pre-commercial operations costs; (iii) use of a hypothetical capital structure; (iv) accelerated depreciation for rate recovery; (v) recovery of prudently incurred costs that are cancelled or abandoned; (vi) deferred cost recovery; and (vii) any other incentives determined to be just and reasonable and not unduly discriminatory or preferential. FERC’s transmission rate design policy has resulted in a number of proposed “backbone” transmission projects in PJM that are designed to alleviate congestion, and hopefully render more efficient the generation and use of energy resources throughout the market area.

The BPU has evaluated the provision of contemporaneous recovery to EDCs and LDCs for capital improvements to their electric and gas distribution systems, including: (i) full recovery of investments without the necessity of filing a base rate case; and (ii) an after-the-fact prudence review and true-up to reconcile estimates with actual costs. Annual adjustments would continue until the EDC’s next base rate case, at which time unrecovered costs would be rolled into and collected through base rates.

---

<sup>15</sup> In its 2010 RTEP, PJM reported that they have developed an operational solution to address the reliability criteria violations that would be expected to occur in 2012 without the line, including extending the Reliability Must Run agreement of the Hudson Unit # 1 into 2012.

<sup>16</sup> Any additional withdrawals above the 320 MW firm withdrawal level would be scheduled on an interruptible basis.



## 4.2.2 Energy Market

PJM is responsible for the administration of the energy and ancillary services market as well as the capacity market. Wholesale energy markets are cleared on an hourly basis by PJM, thus setting energy prices on a locational basis across the market area. Wholesale energy prices are commonly referred to as Locational Marginal Prices (LMPs). Auction clearing prices are the result of PJM's matching bids received by generators to supply energy for a given hour, to demand for energy (system load), in that hour.

LMPs are generated in two separate but inextricably linked markets – the Day-Ahead Market (DAM) and the Real-Time Market (RTM). The DAM is conducted one day prior to the delivery. Thus, bids for supply are received from generators on Thursday for delivery on Friday. Prices are set based on the bids received and PJM's *expectation* of the following day's demand, which is based primarily on a one-day-ahead weather forecast. On the day of delivery, deviations in the amounts of supply and demand cleared in the DAM can occur. Weather may change unexpectedly, causing demand to increase or decrease. Suppliers may not be able to meet their obligations due to unscheduled outages. These and other factors mean that the system requires a reconciliation market to deal with variances between expected conditions and actual delivery day conditions. This is the role of the RTM.

The RTM is held on the day of delivery and works similarly to the DAM in that bids are received from suppliers and demand is calculated by PJM. In the RTM, the only quantities participating are those that are required to offset variances between expected and actual conditions. For example, if weather on the day of delivery is hotter than had been expected the day before, demand will be greater than the amount that cleared in the DAM. Thus, the RTM will be utilized to procure energy required to meet the excess demand. Only resources that did not clear in the DAM are allowed to participate in the RTM. Hence, prices in the RTM tend to be more volatile than those in the DAM. However, over time the price differences between the two markets converge. Most energy is transacted in the DAM rather than the RTM, which is in part why RTM prices tend toward greater volatility.

In PJM, energy prices for load are set at 16 different localities. Four of the highest-priced of the 16 PJM localities are located in New Jersey, and are the franchised service areas of PSE&G, JCP&L, ACE, and RECO. Transmission constraints across the region limit the extent to which energy can flow from one area to another. These transmission limitations coupled with PJM operating criteria result in energy price separation – prices are typically higher in New Jersey than in adjoining areas due to the State's high demand and higher cost generation available to serve load. Prices are generally lower in other areas such as western and central Pennsylvania, where demand is comparatively low and many more inexpensive generating assets are located. LMPs, by design, assign the highest value to energy delivered to constrained areas. The theory of LMP is to send economic signals to market participants to add new generation where it is needed most. In other words, the higher the energy prices in an area, the greater the demand for additional power development, and *vice versa*. While there is much public debate about the theory of LMP, New Jersey maintains that it does not provide effective market signals that result in new resources when and where they are needed most.

### 4.2.3 Capacity Market

The other key market administered by PJM is the capacity market, for which prices are set by the Reliability Pricing Model (RPM). Capacity is the ability to generate electricity when needed. Resources that are paid for capacity obligations commit to being available to PJM to generate or to reduce load when called on. Some resources, such as inefficient peaking units, will only be required to generate during the few hours a year when demand is highest. The market needs those resources to ensure reliability during high-load hours. However, since peakers do not run many hours – and when they do run PJM imposes maximum limits on their bid amounts – there must be another revenue stream available to peakers to ensure that the resources are available when needed. PJM’s RPM is designed to produce the other revenue stream in addition to profits from energy and ancillary sales. All generation resources that participate in the RPM and clear the auction receive these capacity revenues. According to the theory underlying RPM, price outcomes by capacity zone in PJM are designed to produce market signals that result in new resources where and when they are needed most.

Under RPM, capacity prices are set for each Delivery Year by auctions held three years in advance.<sup>17</sup> Prices are set by the intersection of bids received from generators and demand-side resources and an administratively-determined demand curve designed to procure enough capacity to maintain reliability standards, based on the then-prevailing PJM load forecast. There are actually multiple auctions. Most capacity is procured in the Base Residual Auction (BRA), which is held every May, three-years preceding the Delivery Year. Following the BRA, additional auctions are held before the Delivery Year to account for changes in the demand forecast, changes in the amount of supply available, and other factors that would cause a variance from conditions expected in the BRA. For each auction, suppliers submit offers to sell capacity to PJM and bids are stacked to form an upward sloping supply curve. Clearing prices are determined by the intersection of that supply curve and the demand curve.<sup>18</sup> Like the energy market, RPM is locational. New Jersey is located in EMAAC, which is itself located within MAAC, as indicated in Figure 3. Depending on market conditions and local and regional transmission constraints, New Jersey ratepayers may pay a capacity price for EMAAC, MAAC, or PJM as a whole.

A key goal of the capacity market is to induce the entry of new generation when needed. To date, RPM’s success is a subject of much controversy. In PJM’s report on the results of the 2014/15 BRA, held in May 2011, PJM noted that since the first BRA for the 2007/08 Delivery Year, the system has seen about 21,000 MW of new capacity, about 80% of which is DR. The remainder is comprised of new generation assets.<sup>19,20</sup> However, many market participants argue

---

<sup>17</sup> A Delivery Year runs from June to the following May of each year. For example, April 2011 is near the end of the 2010/11 Delivery Year.

<sup>18</sup> PJM refers to the demand curve as a Variable Resource Requirement curve. It is established so that if the system requires resources in the delivery year to meet reliability standards based on the then-prevailing load forecast, clearing prices will be high to induce entry. If the market has an excess, prices will be low. Price signals are designed to induce entry as well as cause retirements.

<sup>19</sup> Values are net of generator retirements.

<sup>20</sup> Source: PJM 2014/15 RPM Base Residual Auction Results, p. 15

that RPM has not brought enough generation into the markets where and when needed. A key finding of the June 2010 BPU Technical Conference was that generators proposing new projects are not able to obtain financing at reasonable rates to develop new assets due to uncertain capacity revenues. Under existing rules, PJM does not allow new resources to lock-in capacity prices for more than one year, at a time. Most generation assets must be developed under a long term contract to ensure that revenue streams will be sufficient to attract financing. New Jersey's recent LCAPP proceeding was an attempt to address the problem that BRA capacity price outcomes are not bankable and do not support new generation entry in and around New Jersey.

In response to New Jersey's LCAPP initiative, PJM sought FERC approval to make a rule change affecting capacity markets.<sup>21</sup> The rule change was focused on changes to the Minimum Offer Price Rule (MOPR). Previously, as a result of a settlement approved by FERC, many new generators had been allowed to submit bids of \$0/MW-day, ensuring that the corresponding capacity would clear an auction and thus receiving capacity revenues at the prevailing clearing price. This also ensured that the inclusion of new resources in the supply mix would put downward pressure on BRA clearing prices, all other things being equal. PJM's proposed revisions to the MOPR would make it more difficult for new entrants to submit low bids into RPM if the market already has an excess of capacity.

On April 12, 2011, FERC accepted PJM's proposed changes to MOPR, effective immediately. Although the decision left open the possibility of a Section 206 filing, and PJM's addressing the issue via a stakeholder proceeding at some later time, FERC's Order accepting PJM's proposed changes to MOPR imperils New Jersey's ability to realize the economic, environmental and reliability benefits intended under LCAPP. The selection process culminated in the award of three contracts covering 1,945 MW of state-of-the-art CC plants.<sup>22</sup>

In addition to energy and capacity, PJM also administers other markets, such as ancillary services and Financial Transmission Rights, which establish rates for charges associated with market operation.<sup>23</sup> These markets, however, make up a relatively small portion of all-in costs for ratepayers.

#### **4.3 The Electric Discount and Energy Competition Act (EDECA) and Deregulation**

Prior to deregulation in the mid-1990s, New Jersey's electric utilities were responsible for the generation, transmission, and delivery of electricity under the regulation and oversight of the BPU. Vertically-integrated electric utilities built, operated, and maintained power plants with the expectation that the BPU would allow them to recover prudently incurred costs, including a return on investment. Once plants were constructed, the electric utilities were largely insulated from the risk that their respective investments were imprudent, thereby causing the utility's

---

<sup>21</sup> Docket Nos. EL11-20-000 and ER11-2875-000.

<sup>22</sup> According to Levitan & Associates, Inc., the LCAPP Agent, the present value of the benefits under the SOCA's amount to \$1.8 billion. See Agent's Report, March 21, 2011, p. 69.

<sup>23</sup> Ancillary services are services provided by generators that support grid operation, such as voltage support or the ability to provide reserves for the system in the event other resources suddenly go offline. FTRs are rights purchased at auction to move electricity across congested transmission lines.

investors to bear cost responsibility. By the mid to late 1990's, many states throughout the U.S, including New Jersey, embraced a new regulatory structure centered on deregulation of the generation segment of the business, but a continuation of the traditional cost of service regulation approach for the wires segment of the business, *i.e.*, transmission and distribution. Today, the BPU has limited or no regulatory authority over the owners of power plants in New Jersey. Transmission owners are regulated by FERC. The BPU's regulatory authority is limited to the EDCs that are responsible for the distribution of electricity throughout New Jersey, including the array of social programs and renewable technologies required to meet New Jersey's RPS.

EDECA has its origins in the Energy Master Plan Committee's Phase I Report that was published in March 1995. The report presented a vision for the State that was based on energy markets guided by market based principles and competition." The report "provided a policy framework for the transition from power industry monopolies to competitive markets." The BPU was asked to assess possible long-term changes to the structure of the electric power industry in order to lower electricity costs. The Board then initiated a Phase II proceeding that concluded with the Final Report issued in April 1997.<sup>24</sup>

New Jersey enacted EDECA in 1999, the fourteenth state to restructure its electricity industry.<sup>25</sup> Under EDECA, the electric utilities divested their electric generation assets. Electric services were unbundled and retail choice was implemented allowing ratepayers to select their suppliers. EDECA also required that electricity rates be reduced for four years. Since then, the wholesale price of electricity (including the energy, capacity, and ancillary service components) has been set through competitive market mechanisms administered by PJM. PJM's competitive market mechanisms are subject to FERC jurisdiction. Since divestiture New Jersey's ratepayers no longer bear the risks of power plant construction and operation – those risks and responsibilities have been assumed by generators in PJM.<sup>26</sup> In theory, but not in fact, new generation resources are developed when and where there is need based on capacity and energy market signals administered by PJM.

#### **4.4 New Jersey Market Dynamics**

The generation fleet in New Jersey operates on a relatively diverse mix of fuels. As of 2008, the New Jersey fleet was 55% gas-fired, based on generation capacity, 22% nuclear, and 11% coal fired. New Jersey's increased dependence on natural gas fired generation is a relatively recent development, but one that is consistent with trends in New England and the downstate New York market as well. Figure 5, below, shows how the composition of New Jersey's generation fleet has changed since 1990<sup>27</sup>. In the last twenty years, natural gas generation capacity has increased from about one-third to over one-half the State's generation capacity. This rapid growth in gas-

---

<sup>24</sup> The Board directed the State's electric utilities to submit restructuring proposals that were the subject of wide-ranging, contested adversarial proceedings before the Office of Administrative Law and the Board.


<sup>25</sup> Many other states have deregulated the generation of electricity, including Pennsylvania, Maryland, Delaware, and New York.

<sup>26</sup> Generators may be independent or affiliated with EDCs.

<sup>27</sup> Source: EIA

fired generation is similar to other states in the Northeast and elsewhere in the U.S. in response to the performance of CC plants, the availability and pricing of natural gas, and the comparatively low capital cost of building CC plants or quick start peakers.

**Figure 5. New Jersey Generating Capacity (1990-2009)**




Over this period, the amount of oil fired generation has declined significantly, reflecting the weak economics and comparatively poor environmental performance associated with oil-fired generation. Oil-fired generation is, nevertheless, an integral part of New Jersey’s state-wide reliability requirements. Oil-fired generation is available during cold snaps when limitations on the availability of natural gas can reduce or preclude gas-fired generation in the DAM or RTM. Over the last two decades, the amount of coal and nuclear generation has remained relatively constant. Since 1990, New Jersey has relied largely on new gas-fired generation to meet load growth and maintain reliability. However, the recent addition of renewables coupled with other demand side technologies portends greater supply and demand diversity on a going forward basis.

While natural gas fired capacity accounts for over one-half the State’s generating capacity, only about 33% of total energy produced was derived from gas-fired plants in 2009. As shown in Figure 6, more than one-half of the State’s total energy generation was derived from nuclear plants, a carbon free resource. The State’s coal plants accounted for only 8% of total generation.

The relative amount of energy produced by fuel type is shown in Figure 6, below.<sup>28</sup>

**Figure 6. New Jersey Electric Generation (1990-2009)**




The generation indicated in Figure 6 includes only generation from assets located in New Jersey. This amount is not enough to satisfy total electricity demand throughout the State. Total electricity demand is approximately 40% higher than indigenous generation capability. To fill that gap, electricity is imported from neighboring states. Figure 7, below, compares the contributions of imports to in-state generation for the period 1990-2009<sup>29</sup>.

---

<sup>28</sup> *Ibid*

<sup>29</sup> *Ibid*

**Figure 7. New Jersey Electric Imports (1990-2009)**



The degree to which New Jersey has relied on imports has varied over this period. While about 25% of State-wide use was via imports in 2009, one decade earlier total imports were about one-half of the State’s needs.<sup>30</sup> Imports have remained and are expected to remain a substantial portion of New Jersey’s energy balance, approximating at least 25% per year. New Jersey’s ability to import more or less energy from elsewhere in PJM is a valuable option that helps maintain the State’s ability to meet its total electricity requirements in a cost efficient manner. To the extent new efficient generation is added in New Jersey, reliance on imports by wire from other PJM states will likely be reduced, and *vice versa*.

Gas fired generators submit bids into the DAM and RTM that reflect the total marginal cost to generate the delivered cost of natural gas, plus an adder to account for variable O&M, among other things. If a generator is not selected in the DAM or RTM, the unit does not run. If the unit is selected, the unit runs and may then set the LMP paid to all generation. The highest cost generator in any hour sets the marginal price that is paid to all generation that participates in the DAM or RTM.

Nuclear and coal plants, on the other hand, bid into the LMP markets differently. Nuclear units have very low marginal costs, and typically bid zero as a price taker in any hour.<sup>31</sup> Generally,


<sup>30</sup> The heavy reliance on imports in 1996 coincides with the state’s nuclear fleet generating at levels well below normal, as indicated in Figure 6.

<sup>31</sup> Gas turbines (GTs) and, to a lesser extent, CCs have high variable costs and low fixed costs, i.e. the cost of owning the plant (primarily capital costs). Nuclear and coal plants, on the other hand, have low variable costs reflecting their low cost of fuel, but much higher fixed costs. As such, nuclear and coal plants can rationalize

coal plants are also price takers depending upon limitations on the dispatch regime of the plant. Unlike nuclear, coal plants do not have a very low marginal cost of producing energy. In some hours coal plants in PJM and New Jersey may set the LMP.

In New Jersey, the marginal bid is usually one submitted by a gas-fired plant. As a result, the State’s electricity prices are highly correlated to natural gas prices. Sometimes more expensive oil-fired generation sets the energy price. Since gas is more expensive than other fuels, except oil, New Jersey’s wholesale rates are higher than other states in PJM, where there is greater fuel diversity and excess generation relative to state-wide load. Figure 8, below, compares average daily LMPs in the franchise territory of PSEG to daily gas prices for Texas Eastern Market Zone 3 (Tetco M3), a key regional gas index, since the beginning of 2009<sup>32</sup>:

**Figure 8. PSEG and Tetco M3 (Jan 09-Sep 11)**



Capacity costs in New Jersey are also high when compared to the rest of PJM. Because of constraints on transmission into MAAC and further constraints into EMAAC, prices for those two regions can be high. Ratepayers in New Jersey pay the higher of the MAAC, EMAAC, or unconstrained PJM price. Figure 9, below, shows the history of prices for New Jersey since RPM was put into place (note that since RPM is a forward market, capacity prices are known through 2014/15). For purposes of comparison, the price paid by unconstrained regions of PJM is also indicated.


---

operating at very low margins due to their low variable costs and have a strong incentive to run in as many hours as possible as they need to maximize revenues to cover their fixed costs.

<sup>32</sup> Source: PJM, Bloomberg LP



**Figure 9. RPM Clearing Prices for New Jersey and PJM<sup>33</sup>**



In some years, clearing prices for New Jersey are significantly higher than those for the unconstrained areas of PJM, *i.e.*, the majority of the market area. In other years, the differences can be large. In 2013/14, the difference was nearly 800%, with PJM clearing at \$27.73/MW-day and EMAAC / NJ clearing at \$245/MW-day. In the most recent 2014/15 auction, most of New Jersey paid the same price as the rest of PJM.

#### **4.5 Load Growth**

Native New Jersey load is served over PJM's HV transmission systems owned by the four EDCs and interconnected to the overall PJM system. The PJM market is designed to set wholesale energy and capacity prices to encourage new supply-side and demand-side capacity resources where and when needed. If capacity is forecasted to be insufficient, PJM's ongoing transmission planning process may support new transmission projects to meet load growth requirements. If capacity is forecasted to be sufficient, New Jersey may not require new capacity for reliability.


Forecasting peak load and energy demand always presents challenges. Since the 2008 EMP, the State economy has suffered a major recession which has lowered the peak load and energy demand forecasts for New Jersey. Figure 10 shows PJM's peak load projections for the four New Jersey EDCs prepared in 2008 and 2011. Between these two forecasts, PJM revised its

<sup>33</sup> Source: PJM

annual growth rate from 1.7% to 1.1%, respectively, a significant decrease. For comparative purposes, Figure 10 presents the actual historic peak load for the 2002 through 2010 period.<sup>34</sup>

The 2008 EMP estimated that a 5,700 MW peak load reduction relative to Business as Usual (BAU) could be accomplished by 2020 through specific initiatives taken by consumers to reduce or shift load during hours of highest consumption.<sup>35</sup> The result of a 5,700 MW reduction from the 2008 projected peak load in 2020 of 25,557 MW would be a peak load of 19,857 MW; both points from 2008 are shown in Figure 10. The targets that were set forth in the 2008 EMP have been revised to reflect PJM’s most recent peak demand forecasts. The State’s peak demand reduction goal in 2020 is 3,634 MW, or a reduction of 17% relative to PJM’s 2011 demand forecast.

**Figure 10. New Jersey Peak Load Forecasts and Goals**




<sup>34</sup> 2010 shows two values: the CEEEP-R/ECON Model data value which is based on PJM weather normalized data and the metered load value which is based on the four EDCs actual peak loads as sourced from the PJM website at <http://www.pjm.com/markets-and-operations/compliance/nerc-standards/historical-load-data.aspx>

<sup>35</sup> Analysis for the 2011 Draft New Jersey Energy Master Plan Update – February 28, 2011

Figure 11 shows New Jersey’s historical energy consumption since 2002 and PJM’s energy forecasts prepared in 2008, 2010, and 2011.<sup>36</sup> Due to changes in underlying factors, PJM’s energy forecasts have declined over time: PJM’s 2008 and 2010 forecasts had a 1.7% average annual energy growth rate, while the 2011 forecast had a 1.6% average annual energy demand growth rate. Figure 11 also shows the CEEEP analysis of the 2008 EMP projections that assumed a number of EE and DR programs. Based on the 2008 EMP projections, the targeted average annual energy demand growth rate was -0.8% for the 2010-2020 period after accounting for reductions in New Jersey energy use from these programs. The State’s energy use goal remains the same as the 2008 EMP, but the 2020 target now represents a smaller percentage reduction relative to the most recent PJM forecast.

**Figure 11. New Jersey Energy Demand Forecasts**



Notwithstanding the reduction in PJM’s load forecasts, New Jersey’s energy and peak demand reduction targets remain aggressive. It is important to note that the short-term reduction in peak demand due to the economic recession is not expected to continue. Larger homes and advances in technology, including an increase in the number of computers, plasma televisions, and similar


<sup>36</sup> 2010 shows two values: the estimate from the CEEEP-R/ECON Model data and the metered value which is based on the four EDCs actual energy demands as sourced from the PJM website at <http://www.pjm.com/markets-and-operations/compliance/nerc-standards/historical-load-data.aspx>

devices, as well as the needs of a recovering business sector, will increase the State’s overall growth in demand in the long term.

#### 4.6 Existing In-State Capacity

As previously discussed, the current in-state installed capacity by fuel type is shown in greater detail in Figure 12<sup>37</sup>. In this figure the composition of “other” technology types, including renewables is shown. New Jersey generating capacity totals 17,227 MW, about 84% of New Jersey’s peak load of 20,548 MW in 2010.<sup>38</sup> The energy generated by these plants in 2011 is shown in Figure 13.<sup>39</sup> Nuclear plants generated the most energy, over 50% of the State’s total generation. Natural gas-fired plants provide about 38%, and coal-fired plants provide a little over 8% of the state’s generation. New Jersey’s in-state generation was equivalent to about 75% of the State’s 2010 total energy requirements.<sup>40</sup> Over one-half of that generation was produced from carbon-free sources, predominantly nuclear; it includes a very small but growing solar and wind component.

**Figure 12. 2010 Existing Capacity in New Jersey by Fuel Type (MW and %)**




<sup>37</sup> Source: 2010 PJM Regional Transmission Expansion Plan, Figure 14.17

<sup>38</sup> Based on the peak load as reported at <http://www.pjm.com/markets-and-operations/compliance/nerc-standards/historical-load-data.aspx> (See Demand Forecast Section). It is difficult to draw conclusions about New Jersey’s ability to satisfy its in-state demand due to the dynamic power flows into and out of the state.

<sup>39</sup> Source: EIA: [http://www.eia.doe.gov/cneaf/electricity/page/eia906\\_920.html](http://www.eia.doe.gov/cneaf/electricity/page/eia906_920.html)

<sup>40</sup> Based on in-state generation of 65,604.968 GWh and Energy Demand of 84,087.946 GWh as reported at <http://www.pjm.com/markets-and-operations/compliance/nerc-standards/historical-load-data.aspx> (See Demand Forecast Section)

**Figure 13. 2011 New Jersey Energy Generation by Fuel Type (MWh and %)**



New Jersey has four operational nuclear plants as listed in Table 1.<sup>41</sup> Applications for 20 year license extensions for the Hope Creek and Salem nuclear plants were filed with NRC in August 2009. A decision by the NRC is pending. Oyster Creek, an older nuclear plant design, had its license renewed in April 2009, but is scheduled to retire in eight years. The possible replacement of Oyster Creek capacity is addressed in Section 7.1.2 of this Report.


**Table 1. Nuclear Plants in New Jersey**

	<b>Capacity</b>	<b>Average Capacity Factor (2008-2010)</b>
Hope Creek	1161 MW	95.7%
Oyster Creek	615 MW	92.9%
Salem 1	1174 MW	92.9%
Salem 2	1158 MW	88.3%

<sup>41</sup> Source: Nuclear Energy Institute Fact Sheet

As shown in Figure 14, in-state generation facilities produced about 16.2 million tons of CO<sub>2</sub> in 2009.<sup>42</sup> This equates roughly 700 lb/MWh, which is one of the country’s lowest overall average CO<sub>2</sub> emissions rates and reflects the state’s generation mix. Compared to the U.S. as a whole, New Jersey has a relatively low proportion of coal-fired generation, and a relatively high proportion of carbon-free and low carbon sources. However, when accounting for the total electric energy use in New Jersey, total CO<sub>2</sub> emissions associated with New Jersey’s electric load has been estimated to be around 30 million tons. This is because energy imports from elsewhere in PJM are associated with more carbon-intensive sources, in particular, coal. This is consistent with the transport of air pollutants from central and western PJM, such as nitrogen oxides (NO<sub>x</sub>) and sulfur dioxide (SO<sub>2</sub>), downwind to New Jersey.<sup>43</sup>

**Figure 14. New Jersey’s in-State Annual Power Plant CO<sub>2</sub> Emissions**



<sup>42</sup> Source: EIA <http://www.eia.gov/environment/emissions/state/excel/NewJersey%202009.xls>

<sup>43</sup> See, for example, information provided by DEP at: <http://www.state.nj.us/dep/baqp/model.html> and Ozone Transport Commission, “The Nature of Ozone Air Quality Problem in the Ozone Transport Region: A Conceptual Description,” October 2006, revised August 2010.

## 4.7 Generation Addition and Retirement

### 4.7.1 Development of New Generation Facilities

Development of new generation in New Jersey and the rest of EMAAC has been slow. Since 1999 PJM has received interconnection requests for 504 new generating resources or incremental additions to existing resources in New Jersey.<sup>44</sup> Of these requests, only 9% are in-service and 1% are under construction. 67% of the requests have been withdrawn from the interconnection queue.

**Table 2. Status of Generation Interconnection Requests in New Jersey<sup>45</sup>**

	<b>Capacity (MW)</b>	<b>Percent</b>	<b>Number</b>
Active	11,888	23%	258
In Service	4,590	9%	52
Under Construction	590	1%	34
<u>Withdrawn</u>	<u>35,338</u>	<u>67%</u>	<u>160</u>
Total	52,407	100%	504

New Jersey has questioned the effectiveness of the PJM market structure because there has been a lack of new generation in EMAAC. Even though capacity prices in EMAAC have been high, developers have not been willing to add new generation plants in New Jersey without a guarantee of realizing a higher return on investment.

At a technical conference of industry experts conducted by the Board on June 24, 2010, many participants agreed that the current wholesale market construct was not providing adequate revenues for new generation development. Profits from energy sales in the wholesale energy market coupled with capacity based operating revenue from the BRA have not been stable, secure, and of sufficient term to attract investment in new generation. Other stakeholders have questioned the need for new capacity in EMAAC voicing skepticism over the need for capacity claiming EMAAC prices have been lower than that required to support new entry. Finally, the expected addition of the Susquehanna-Roseland HV transmission project in 2015 will reduce congestion in the region, thereby lessening the need for new generation.

Capacity revenues to existing generation make it easier for incumbent generation to remain in the resource mix. However, many stakeholders have asserted that RPM is not providing incentives to develop new generation. Even PJM acknowledged that RPM should provide a better long-term price signal. In fact, PJM indicated that it had petitioned FERC with a long-term price

---

<sup>44</sup> Source: PJM 2010 Regional Transmission Expansion Plan, Section 14.7.2

<sup>45</sup> This data includes solar and conventional electricity requests to PJM. It does not include connection requests to export power to New York.

signal as part of RPM, a proposal that the BPU supported. FERC, however, did not approve this feature of PJM's proposal.

In order to overcome the financial impediments associated with the BRA, in January 2011 the New Jersey legislature created LCAPP "to ensure sufficient generation is available to the region, and thus the users in the State, in a timely and orderly manner." On March 29, 2011, the Board awarded SOCAs to three in-state CC generators: Hess Newark Energy Center; NRG Old Bridge Clean Energy Center; and CPV Woodbridge Energy Center. If these new CC generators are commercialized, the Board anticipates that the three projects will produce significant energy price savings throughout New Jersey as well as provide reliability, and economic development and employment benefits during the construction and operating periods, respectively. The potential for other economic benefits exists as well. The PJM IMM conducted an analysis of adding 1,000 MW or 2,000 MW of capacity in New Jersey and requiring it to offer at \$0/MW-day in the BRA.<sup>46</sup>

In addition to LCAPP, New Jersey has a long history of supporting solar and wind energy development. OWEDA was designed to support at least 1,100 MW of offshore wind generation through the OREC program. Offshore wind is renewable, has no carbon output, and has the potential to develop a manufacturing and support industry in New Jersey. Under OWEDA, all three of these elements are important in the review of any proposed project. The BPU has released rules to implement the OWEDA that balance the cost-benefit and the overall impact upon the State. These impacts must include economic and environmental costs and benefits, and job creation, among other things.

#### **4.7.2 Generator Retirements**

Generator retirements can reduce system reliability. When power plants retire, usually there is an increase in wholesale energy and capacity prices. Since 2003, approximately 1,150 MW of capacity have been retired in New Jersey, with an additional 654 MW of capacity expected to retire by 2013, according to the PJM 2010 Regional Transmission Expansion Plan Report. Oyster Creek is scheduled to retire in 2019.<sup>47</sup>

---

<sup>46</sup> Source: The Independent Market Monitor for PJM, "Impact of New Jersey Assembly Bill 3442 on the PJM Capacity Market," January 6, 2011.

"An analysis of the impact of adding 1,000 MW of capacity in New Jersey, paying it through an out of market subsidy, and requiring it to offer at zero shows that the result would be a reduction in capacity market revenues to PJM suppliers of more than [\$1 billion] per year, including about [\$600 million] in EMAAC and about [\$400 million] in rest of MAAC. The reduction in capacity payments to suppliers in New Jersey would be about [\$280 million]."

"An analysis of the impact of adding 2,000 MW of capacity in New Jersey, paying it through an out of market subsidy, and requiring it to offer at zero shows that the result would be a reduction in capacity market revenues to PJM suppliers of more than [\$2 billion] per year, including about [\$1 billion] in EMAAC, about [\$700 million] in rest of MAAC and about [\$125 million] in rest of RTO. The reduction in capacity payments to suppliers in New Jersey would be about [\$560 million]."

<sup>47</sup> Events at the Fukushima Daiichi Nuclear Power Station in Japan may have repercussions with respect to the relicensing or early retirement of other nuclear units in New Jersey and elsewhere in the U.S.



Older fossil-fuel plants in New Jersey and PJM as a whole are coming under increasing economic pressure due to age, energy prices, and stricter environmental regulations. This group of plants consists almost entirely of small units (less than 200 MW) that are more than 40 years old, and face a combination of environmental capital expenditures and/or tighter margins on energy sales. Energy and capacity revenues may be barely sufficient to cover ongoing operation and maintenance costs for aging plants.

Across PJM the retirement of older fossil-fired plants is likely to accelerate over the next decade due to environmental regulations proposed by the U.S. Environmental Protection Agency (EPA) that could require expensive retrofits.<sup>48</sup> Regulations may require some plants to install expensive retrofits, and may also materially increase operating costs. In many cases, the capital investment and increased operating costs cannot be justified on the basis of going-forward earnings by the plant owner, and a decision will be made to retire the plant instead of undertaking the required retrofits. Regulations that are expected to have the greatest impact on plant retirements over the next several years are as follows:

- Section 316(b) of the Clean Water Act – requires that the location, design, construction and capacity of cooling water intake structures reflect “best technology available” for minimizing adverse environmental impact. Following prolonged court challenges and rulemaking delays, draft regulations were released by EPA on March 28, 2011, and must be finalized by July 2012. EPA elected not to mandate cooling towers (other than for new units), and instead proposed a combination of national performance standards and a consideration of site-specific factors in determining best technology available;
- Title I of the Clean Air Act – provides regulatory authority for EPA to mandate “Maximum Achievable Control Technology” standards for Hazardous Air Pollutants, including mercury. In a proposed rulemaking issued March 16, 2011, EPA established emission limits for existing coal-fired and oil-fired plants, which will require, at a minimum, SCR and flue gas desulphurization (scrubbers), and potentially activated carbon injection and upgrades to plant particulate control systems. The EPA has delayed the November 16, 2011 implementation date because of the high volume of public comments received;
- Clean Air Transport Rule – the program proposed by EPA on July 6, 2010 would reduce emissions of SO<sub>2</sub> and NO<sub>x</sub> across the eastern U.S. by 2014 with the goal of

---

<sup>48</sup> Under the federal Clean Air Act, Clean Water Act, and the Resource Conservation and Recovery Act (RCRA), EPA has promulgated regulations applicable to the permitting and performance requirements for operation of existing electric generation facilities, as well as new plants. These federal regulations are intended to achieve federal standards with respect to ambient air quality, and to protect water quality and the diversity of aquatic life. New Jersey’s environmental standards applicable to power plants have generally been more stringent than the federal rules. New Jersey has been in the vanguard with respect to state-led initiatives to achieve healthy air quality and protect its waters and other natural resources. For example, New Jersey was one of the first states in the U.S. to adopt rules requiring stringent mercury emission limits for coal-fired power plants. New Jersey’s environmental programs have been effective in reducing State-wide emissions from power plants and modernizing the State’s electric generation fleet.

attaining National Ambient Air quality standards for ozone and fine particulates. The EPA finalized the rule on July 6, 2011. Emission reductions will take effect starting January 1, 2012 for SO<sub>2</sub> and annual NO<sub>x</sub> reductions, and May 1, 2012 for ozone season NO<sub>x</sub> reductions; and


- Coal Combustion Residuals – pending rules would reduce available options for disposal or re-use of coal ash. Implementation is expected sometime in 2013.

Several recent studies have examined the potential impact of these rules. While the results vary widely, there is general consensus that plant de-rates and retirements will reduce significantly the total capacity of older oil and coal-fired plants in PJM; estimates range from roughly 5 to 19 GW.<sup>49</sup>

#### 4.8 Pricing Dynamics

Figure 15 presents trends for New Jersey wholesale energy prices and retail rates over the last five years. Wholesale energy prices, presented in weighted average LMP terms, rose gradually from 2006 to 2008, dropped by almost 50% in 2009, and then rose again in 2010.<sup>50</sup> Average retail rates are presented for residential, commercial, and industrial customers. The makeup of these retail rates, and the differences among them, are discussed in Section 4.10 of this Report.<sup>51</sup>

**Figure 15. New Jersey Average Wholesale Prices and Average Retail Rates**




<sup>49</sup> North American Electric Reliability Corporation, 2010 Special Reliability Assessment: Resource Adequacy Impacts of Potential U.S Environmental Regulations, October 2010; M. Celebi, F. Graves, G. Bathla and L. Bressan (Brattle Group), Potential Coal Plant Retirements Under Emerging Environmental Regulations, December 8, 2010; D. Eggers, K. Cole, Y. Y. Song and L. Sun (Credit Suisse), Growth from Subtraction, Impact of EPA Rules on Power Markets, September 23, 2010.

<sup>50</sup> Source: PJM 2006-2010 State of the Market Reports

<sup>51</sup> Source: EIA [http://www.eia.doe.gov/cneaf/electricity/epm/table5\\_6\\_b.html](http://www.eia.doe.gov/cneaf/electricity/epm/table5_6_b.html)

Wholesale electricity prices in New Jersey are expected to increase somewhat over the next decade. This expectation reflects forward fuel prices of relevance in setting wholesale electric prices in New Jersey and, to a lesser extent, load growth. The benchmark trading index for electricity in PJM is the Western Hub, a collection of pricing nodes located in the northwestern area of PJM’s service territory. At present, forward contracts for Western Hub power are available on NYMEX through 2015. Additionally, contracts are available for PSEG power, though those are less liquid and currently only contracts through the end of 2013 are available. The forward price curves for on peak power at the Western Hub and PSEG from April 8, 2011, are indicated in Figure 16, below:

**Figure 16. NYMEX Forward Curves for Western Hub and PSEG, April 8, 2011**



The prices indicated exhibit strong seasonal patterns, with price spikes occurring in the summer. Prices are highest in the summer because demand is highest. During the peak heating season, December through February, delivered gas prices are highest, thereby putting upward pressure on energy prices even though electricity demand is much lower. Western Hub prices beginning in 2014 cease showing the seasonal pattern – this is because power products traded for settlement more than a few years into the future are generally transacted on a calendar year basis.

#### 4.9 Retail Electricity Market and Customer Classes

Retail electric customers throughout New Jersey are served by the four EDCs that deliver electricity in their franchise service territories. The EDCs offer default supply service in the form of BGS. EDCs do not own generation, other than some renewables. However, unregulated affiliates of the EDCs are permitted to own and operate generation facilities in New Jersey. Customers are free to select a competitive supplier – referred to as a TPS – or take the default supply service from an EDC under BGS. Either way, the retail rates generally consist of three components: (i) generation services under BGS or provided by a TPS; (ii) distribution charges that cover the local distribution system and customer service; and (iii) other charges associated with state and federal programs. The generation services charge includes all of the components of full requirements electric supply, including the wholesale energy, capacity, and ancillary

services costs procured through the PJM markets, as well as the supplier's cost to hedge and manage both price and quantity risks. Distribution and customer service costs are regulated by the BPU, which also supervises the process by which BGS is procured. Other charges associated with State and federal programs are administered by the BPU or embedded in the generation services charge.

Retail electric customers are broken into several classes: Residential; small commercial/industrial; and large commercial/industrial.

- Residential customers generally pay a monthly service charge independent of energy use, with all other charges based on monthly energy usage. Virtually all residential customers are eligible for Fixed Price BGS, and most elect Fixed Price BGS, but a growing minority has selected competitive wholesale service from BPU-approved TPSs serving the residential market. The Fixed Price BGS rate is set annually based on the auction process described below.
- Small C&I customers with peak loads of 750 kW or less are also eligible for Fixed Price BGS, but a significant number have taken advantage of the offerings from a TPS in the C&I markets.<sup>52</sup> The rate structures for small C&I customers include customer, demand, and energy-based distribution charges, and State and federal policy cost components.
- C&I customers with peak loads above 750 kW may only take BGS under the Commercial Industrial Energy Price (CIEP) tariff, which reflects a fixed price covering capacity, ancillary services, and transmission plus a pass-through of the PJM hourly real-time energy price. Consequently, most large C&I customers have selected a TPS to avoid the volatility of the hourly real-time energy price. The distribution and state and federal policy components of large commercial/industrial rates generally reflect customer charges, demand-based charges, and energy-based charges.

#### **4.9.1 Basic Generation Service Auction Process**

BGS is a default service provided to any customer that does not choose a TPS.<sup>53</sup> Each year, an auction is conducted under BPU rules to procure one third of the Fixed Price BGS requirement for the following three years for each EDC. The BGS auctions also procure the entire CIEP BGS obligation for the following year.

The simultaneous multi-product, multi-round descending clock auction is designed to fill the requirements of each product for each EDC at the lowest cost. The BGS auctions are referred to as descending clock auctions because the auctioneer sets a price for each product in each round,

---

<sup>52</sup> The kW limitation for Fixed Price BGS has been periodically reduced. The limit was 1,000 kW through the 2010 BGS auction and was reduced to 750 kW for the 2011 BGS auction.


<sup>53</sup> Source: "Overview of the New Jersey Default Service Policy: Basic Generation Service", October 5, 2006, presented by Frank Perrotti, BPU

and bidders offer quantities for any or all products.<sup>54</sup> If there is excess product offered at a price, the auctioneer reduces the price by a “tick” and accepts another round of offered quantities. Bidders may reduce their total quantity offered and/or shift quantity from one product to another. A BGS auction ends when the required quantities are achieved for all products. All BGS suppliers are paid the final clearing price for each product.<sup>55</sup>

Each EDC sets its BGS rates for the year based on a pass-through of the costs of the winning bids, subject to BPU review and approval. For Fixed Rate BGS (less than 750 kW peak load), the rate is an average of the results of three previous BGS auctions conducted over a span of just over two years.

Results of the last six Fixed Price BGS auctions are summarized in Figure 17. Prices have dropped in each auction since 2008 (except for ACE and RECO in 2011, which rose slightly over the prior year), consistent with the trend in wholesale energy prices, as illustrated by the 36 month forward strip of PJM Western Hub on-peak energy prices. Suppliers generally hedge their BGS commitments with forward on-peak and off-peak energy contracts. Therefore, bid pricing is heavily influenced by the forward energy market.

**Figure 17. FP BGS Auction Results and Forward Energy Price**



<sup>54</sup> Auction quantities are defined percentages of the actual total load for each product, not a firm quantity of energy or capacity. Thus winning bidders take the risk that actual product quantities could be higher or lower than expected due changes in load growth, migration to or from competitive supply, or other factors.


<sup>55</sup> Under some conditions, some bidders may be paid a price from the prior round.

## 4.9.2 Competitive Retail Supply


As of October 2011, the BPU has licensed 91 TPSs to operate in New Jersey. Virtually all TPS companies offer commercial supply in at least one EDC territory, and some offer residential and/or industrial supply as well. Customers in PSE&G territory have the most choices in each service class, while those in RECO territory have significantly fewer options. Figure 18 shows the level of competitive supply penetration by year for all New Jersey load. Until 2010, there was virtually no residential load served by TPSs. The number of residential customers served by TPSs is shown as a percentage of total residential customers in

Figure 19 for each EDC. Residential penetration has been higher in PSE&G and JCP&L than in other territories. As of September 2011, about 9% of all residential customers were served by TPSs.

Figure 18. Total MW Load and Load Served by TPSs




**Figure 19. Percentage of Residential Customers Served by TPSs**



While C&I customers have had more options and greater incentives to switch from BGS to a TPS since the onset of deregulation, they too have waited until recently to switch, as indicated in Figure 20. While only about 21% of all C&I customers in New Jersey were supplied by a TPS as of September 2011, these customers represent about 61% of the total C&I MW load. About 78% of C&I customers subject to CIEP (demand greater than 750 kW) are supplied by a TPS.

**Figure 20. Percentage of C&I Customers Served by TPS**



For large customers ineligible for Fixed Price BGS, suppliers compete with one another by offering “extras” such as price certainty (in which the generation service rate is fixed) or load management services (in which the supplier controls the customer’s load shape to minimize consumption at times of peak real-time energy prices).


Competition for customers eligible for Fixed Price BGS is premised upon beating the announced BGS a year at a time. The BGS price is based on the average of the three previous procurements – customers are free to leave BGS or return to it at any time, unless bound by contract. Providers of both BGS supply and competitive supply hedge their price offers through the forward energy market, but the BGS price is derived from three auctions that blend prices over three year terms. Competitive supply prices are based on a single delivery year forward price. Hence, BGS represents a smoothed-out, long-term price of the wholesale electricity market while competitive supply is a shorter term one year outlook. When forward energy prices are declining, as they have been since the summer of 2008, competitive suppliers are in a position to beat the BGS price, and customers have an incentive to migrate to competitive supply. The rapid growth of both residential and commercial competitive supply share in 2009 and 2010, as shown in the charts above, explains this phenomenon, *i.e.*, steep slope upward reflecting increased customer choice. Should energy market forward prices begin to raise, the BGS price will tend to lag and



moderate the increase. Under these circumstances, competitive suppliers may find it difficult to keep or attract customers.<sup>56</sup>

Figure 21 shows the forward prices for each month of the next three energy delivery years (June to May) for the PJM Western Hub (on-peak) on a trading day during each of the annual BGS auctions from February 2006 through February 2011. Also shown (as dashed lines in the same color) are the arithmetic averages of the 36 monthly prices. As also shown in Figure 21, the average prices rise from the 2006 through the 2008 auction dates, then decline in subsequent years. Figure 22 shows how three 36-month prices are averaged to represent the forward energy component of the BGS rate in each delivery year. Figure 23 shows how these longer-term average prices compare to the simple 12-month forward average which is representative of a competitive supply energy price.<sup>57</sup>


**Figure 21. 36 Month Forward Energy Prices for PJM Western Hub (On-Peak)**




<sup>56</sup> Concern has been expressed about the ability of residential and small commercial customers in New Jersey to take advantage of cycles in energy prices. In times of declining prices, they elect competitive supplier offers, while in times of rising prices, they can return to BGS, creating migration challenges that are priced into the BGS.

<sup>57</sup> Competitive supply prices, like BGS prices, would also include components for load shape and quantity risk, capacity, ancillary services, and RPS costs. Forward on-peak energy prices are used here for illustrative purposes only.

**Figure 22. Average of 3 x 36 Month Forward Prices**



**Figure 23. Comparison of 3x36 Month Forward and 12 Month Forward Prices**



### 4.9.3 Renewable Portfolio Standard

Established under EDECA, New Jersey's RPS is one of the most aggressive in the U.S. The RPS requires each electricity supplier serving retail electricity customers in the State to procure 22.5% of the electricity it sells in New Jersey from qualified renewable energy resources by 2021. New Jersey established the RPS to drive the market deployment of new clean energy technologies, recognizing that expansion of renewable energy generation would provide significant economic development and environmental benefits, thereby advancing New Jersey's greenhouse gas reduction goals. Qualified sources include non-New Jersey connected facilities selling energy into the PJM region.

New Jersey's RPS goal for Energy Year (EY) 2011 was 5.492% for Class 1 resources and 2.5% for Class 2. 87% of the Class 1 RECs used to satisfy the EY 2011 goal came from renewable energy generated out of state.

U.S. energy policy has long subsidized conventional and non-conventional energy technologies, including tax breaks for oil and gas production from non-conventional or difficult to reach supply basins. The RPS mandate creates market demand that allows renewable energy technologies to achieve economies of scale in manufacturing and installation so that these technologies can compete better with conventional electric generation sources. The RPS has been complemented by programs administered by the BPU and the Economic Development Authority (EDA) that provide incentives for in-State renewable energy generation.

New Jersey's RPS establishes different requirements for different types of renewable energy resources:

- Class 1 renewable energy is defined as electricity derived from solar energy, wind energy, wave or tidal action, geothermal energy<sup>58</sup>, landfill gas (LFG), anaerobic digestion, fuel cells using renewable fuels and, with written permission of the DEP, certain other forms of sustainable biomass. The RPS for Class 1 renewable energy resources increases over time, reaching 20% by 2021. The Class 1 requirement includes carve-outs for solar and offshore wind, discussed below. Deducting the solar carve-out, the Class1 requirement is equivalent to 17.88% in 2021. Qualifying Class 1 electric generators (with the exception of solar and offshore wind) do not need to be located in New Jersey, but must deliver electricity into the PJM wholesale grid, which serves New Jersey. Qualifying solar electric generation must be located in New Jersey and connected to the distribution supply serving New Jersey.

As of January 2010, the Solar Energy Advancement and Fair Competition Act (SEAFCA or the Solar Advancement Act) requires a separate obligation for solar energy that requires electricity suppliers to procure an increasing amount of electricity from in-state solar electric generators, reaching at least 2,518 GWh by

---

<sup>58</sup> It is the goal of the Administration to include geothermal heating and cooling within the Class 1 definition.

2021, and at least 5,316 GWh of electricity by 2026 and each year thereafter.<sup>59</sup> Before the Solar Advancement Act took effect, the solar requirement was a percentage-based target that required suppliers to procure 2.12% of electricity sales from solar electric generators by 2021. Importantly, by establishing solar procurement targets in absolute GWh terms, the Solar Advancement Act insulates the solar industry from loss of renewable market share due to economic downturn or the anticipated increased penetration of EE and energy conservation. The artificial demand created by SEAFCA guarantees subsidies for solar in good and bad economic times. The implementation and costs associated with the Solar Advancement Act are discussed in Section 7.2.3.

OWEDA was enacted August 19, 2010. OWEDA calls for at least 1,100 MW (installed capacity) of offshore wind generation on the outer continental shelf in the Atlantic Ocean. Like solar, the offshore wind provision is also defined as a carve-out from the total Class I requirement. OWEDA and promulgated regulations are discussed in Section 6.2; and


- Class 2 renewable energy is defined as electricity generated by hydropower facilities no greater than 30 MW, and resource-recovery facilities approved by the DEP and located in New Jersey. Electricity generated by a resource-recovery facility outside New Jersey qualifies as Class 2 renewable energy if the facility is located in a state with retail electric competition and the facility is approved by the DEP. The RPS for Class 2 renewable energy resources is constant at 2.5% through 2021.

New Jersey is not the only state attempting to promote solar energy. As of 2010, there were an additional 15 states that have some form of preferential solar energy policy (Figure 24).

---

<sup>59</sup> The annual requirement is based on an “energy year.” Energy year 2021 runs from June 1, 2020 through May 31, 2021.

**Figure 24. U.S. States with Solar Provisions in Their RPS Policies<sup>60</sup>**



#### 4.10 Understanding Retail Electric Costs

The basic electric utility bill includes numerous costs and charges that can be classified under three groups: State and federal policy; distribution charges; and the wholesale energy commodity cost. When the BPU released information in 2010 about the breakdown of charges on typical residential electric and gas bills, attention in the press focused on the “unknown charges” that contribute to high energy costs. Although most of these charges are identified on the EDC’s bills, this was the “first time” information had been released about these “hidden taxes”. Whether or not they are really “hidden” or are “taxes”, legislators and regulators must consider these charges when developing cost effective policies.

The major categories of residential and small commercial electric bill line items are summarized in Figure 25. Note that these numbers represent 2010 load-weighted averages for the four New Jersey EDCs.<sup>61</sup>

- Transition charges include the Non-Utility Generation Charge and securitization charges for transition bonds and associated income tax effects. These latter charges were created to recapture costs of the EDCs that would otherwise be unrecoverable after deregulation.

<sup>60</sup> Source: DOE Database of State Incentives for Renewables and Efficiency

<sup>61</sup> All rate component averages were compiled by CEEEP and presented in “Analysis for the 2011 Draft New Jersey Energy Master Plan Update,” dated February 28, 2011.

- Societal Benefits Charges recover the costs of New Jersey’s Clean Energy Program (CEP), the Universal Service Fund, and Lifeline.
- Utility Administered EE and Renewable Energy Programs include the Energy Efficiency Economic Stimulus Program and the Solar Generation Investment Program.
- Sales and Use Tax is collected by the State on certain components of the retail tariff at a rate of 7%.
- Distribution charges recover EDC costs to own, operate and maintain their distribution systems.
- The BGS component represents all wholesale supply costs – energy, capacity, ancillary services, RECs, SRECs, and transmission.

**Figure 25. Average EDC 2010 Electric Rate Components (cents/kWh)**




Table 3 shows how the rate components illustrated in Figure 25 translate to an average residential home consumption of 700 kWh/month.

**Table 3. Rate Components of an Average Residential Monthly Bill**

Rate Component	Contribution to Monthly Bill
Transition Charges	\$ 11.84
Societal Benefits Charges	\$ 4.67
Utility Admin. EE and RE Programs	\$ 0.32
Sales and Use Tax	\$ 8.48
Distribution	\$ 25.47
BGS Subtotal	\$ 78.81
Total	\$129.59

**4.10.1 Basic Generation Service Components**

The BGS component in Figure 25 is comprised principally of wholesale energy and capacity costs, as well as several elements attributable to State or federal policies. Figure 26 below shows the composition of the BGS contribution to total retail cost. Allowance costs for SO<sub>2</sub> and NO<sub>x</sub> emissions are driven by federal environmental policy. Allowance costs for CO<sub>2</sub> emissions are driven by New Jersey’s participation in the Regional Greenhouse Gas Initiative (RGGI) and should decrease over time following New Jersey’s orderly withdrawal from RGGI in 2012. They increase the marginal cost of generation for various types of electric generation and influence the wholesale LMP energy price. The New Jersey Solar REC Impact and New Jersey REC Impact items result from State policy initiatives, but are not itemized in bills because they are internalized by BGS suppliers and form part of the BGS price determined at auction.

**Figure 26. Breakdown of Basic Generation Service in Average 2010 Electric Rate (cents/kWh)**




Table 4 shows how the rate components illustrated in Figure 26 translate to an average residential home consumption of 700 kWh/month.

**Table 4. BGS Components of an Average Residential Monthly Bill**

<b>BGS Component</b>	<b>Contribution to Monthly Bill</b>
PJM Transmission	\$ 4.45
Other BGS (Risk and Profit)	\$13.64
NJ REC Impact	\$ 0.17
NJ Solar REC Impact	\$ 0.63
PJM RPM Capacity	\$10.70
PJM Ancillary Services	\$ 1.29
SO <sub>2</sub> , NO <sub>x</sub> , & CO <sub>2</sub> , Allowance Cost	\$ 2.56
PJM LMP Energy (excl. allowances)	\$45.37
<b>BGS Subtotal</b>	<b>\$78.81</b>


Emission costs and REC costs included in the BGS component, along with transition charges, societal benefits charges, utility administered program charges, and the sales and use tax, can be categorized as “state and federal policy” costs, and are discussed in greater detail below.

#### **4.10.2 State and Federal Charges and Policies**

Policy decisions, *e.g.*, deregulation and adoption of RPS, add charges to utility bills or indirectly impact wholesale energy commodity costs. The general components of typical retail electricity bills in New Jersey are shown in Figure 27.



**Figure 27. Percentage Composition of Typical Electrical Bills**



If the indirect BGS policy-related components were grouped with the direct policy components, they would total 27% of the typical Secondary General Service bill and 22% of the typical Residential bill, as shown in Figure 27.<sup>62</sup> Some policies, such as emission allowance programs to control SO<sub>2</sub>, NO<sub>x</sub>, and CO<sub>2</sub> emissions, result in costs to generators that are embedded in the wholesale market energy price and passed indirectly to customers. Others are collected by the EDCs as energy-based (cents/kWh) charges to all distribution customers. These charges disproportionately impact high-volume electricity users, the C&I ratepayers. Because distribution charges are much lower for most C&I customers than for residential customers, the distribution charges expressed as a percentage of the all-in retail rate constitute a larger percentage of the bill.

It is important to note that while the costs of State and federal policies may show up as a line item on the EDC's bill, the benefits are not revealed. Certain ratepayer charges fund State EE programs, which can lower prices to all ratepayers. These programs are subject to a Total Resource Cost (TRC) test to determine if they will generate positive economic benefits for all ratepayers.<sup>63</sup> Presumably, these programs would not be funded if they did not save money for

<sup>62</sup> State policies are discussed in Section 6 of this 2011 EMP.

<sup>63</sup> The Clean Energy Program's (CEP's) energy efficiency elements use a TRC test, which measures the costs of a program as a resource option based on the total costs of the program, including both the participants' and the utility's

ratepayers and provide net economic benefits, but in the bill analysis below only EE costs are shown.<sup>64</sup> Direct benefits of such programs flow to the participants in terms of reduced energy bills due to lower usage. Indirect benefits, such as the reduction in wholesale electric prices due to lower demand, flow to all customers.

The CEEEP Report estimates, in cents/kWh, the average residential and small commercial rate impacts of various policy elements as shown in Table 5 below.

**Table 5. State and Federal Policy Rate Components (cents/kWh)**

	Secondary General Service / Small C&I	Residential Service
<b>Non-BGS Policy Components</b>		
Transition and Other Charges		
Regulatory Asset Recovery Charge	0.003	0.004
Transitional Energy Facility Assessment Unit Tax	0.274	0.292
System Control Charge	0.003	0.003
Solar Pilot Recovery Charge	0.000	0.000
Infrastructure Investment Surcharge	0.003	0.003
Non-Utility Generation Charge	0.507	0.505
Securitization: Transition Bond Charge	0.595	0.593
Securitization: Market Transition Charge Tax	0.278	0.291
<b>Societal Benefits Charges</b>		
Nuclear Decommissioning Costs	0.026	0.029
Manufactured Gas Plant Remediation Costs	0.030	0.025
Clean Energy Program (Energy Efficiency & Renewables)	0.305	0.292
Uncollectable Accounts	0.069	0.062
Universal Service Fund	0.192	0.192
Lifeline	0.062	0.062
Consumer Education Program	0.005	0.005
<b>Utility-Administered Energy Efficiency and Renewable Energy Programs</b>		
Demand Response Working Group	0.001	0.001
Residential Controllable Smart Thermostat Program	0.002	0.003
Integrated Distributed Energy Resource Expansion	0.002	0.003
Carbon Abatement Program	0.002	0.002
Energy Efficiency Stimulus Program	0.021	0.020
Demand Response Program	0.004	0.004
Solar Generation Investment Program	0.011	0.010
Solar Loan II Program	0.002	0.002
<b>Sales and Use Tax</b>		
Sales and Use Tax	0.935	1.211
<b>BGS Policy Components</b>		
New Jersey Solar Renewable Energy Credit Ratepayer Impact	0.090	0.090
New Jersey Renewable Energy Credit Ratepayer Impact	0.024	0.024
Sulfur Dioxide Ratepayer Impact	0.230	0.230
Nitrogen Oxide Ratepayer Impact	0.075	0.075
Regional Carbon Dioxide (RGGI) Ratepayer Impact	0.061	0.061
<b>Total State and Federal Policy</b>	<b>3.812</b>	<b>4.094</b>

The policy components – some of which are direct charges while others are indirect – are briefly addressed as follows:

---

costs. This test represents the combination of the effects of a program on both the participating and non-participating customers. The benefits are the avoided supply costs, federal tax credits, and the reduction in generation and capacity costs valued at marginal cost for the periods when there is a load reduction. The costs are the program costs paid by the utility and participants plus the increase in supply costs for the periods in which load is increased.

<sup>64</sup> The Solar REC Program is not subject to a TRC test.

- Transition and Other Charges consists of nine separate charges, most of which are related to electric deregulation in New Jersey. A number of these charges provide compensation to EDCs for electric generation assets and electricity supply contracts that were deemed “stranded”, *i.e.* uneconomic with the transition to competition;
- Societal Benefits Charges consist of seven fees, all of which EDCs collect on behalf of the State to pay for State-run programs, such as the CEP, EE and renewable energy market transformation programs, Lifeline, and the Universal Services Fund (USF);
- EDC-Administered EE and Renewable Energy Programs consists of EDC-planned and managed programs authorized under the Global Warming Solutions Fund Act that have been proposed by EDCs and approved by the BPU;
- Sales and Use Tax represents the tax collected on various components subject to the 7% New Jersey sales and use tax;
- New Jersey Solar Renewable Energy Certificate is the amount each customer must pay to support solar energy installations in New Jersey necessary for electric supplier RPS solar compliance. The charge reflects the total SRECs purchased by electricity suppliers;
- New Jersey Renewable Energy Certificate is the amount each customer must pay to support installation of Class 1 and Class 2 renewable energy sources necessary for electricity supplier compliance with RPS Class 1 and Class 2 requirements. The charge reflects the total RECs purchased by electricity suppliers;
- Sulfur Dioxide Allowance is an estimate of the cost impact on wholesale electricity prices of compliance with the federal emissions trading program limiting power plant SO<sub>2</sub> emissions;
- Nitrogen Oxide Allowance is an estimate of the cost impact on the wholesale electricity price of compliance with the federal emissions trading program limiting power plant NO<sub>x</sub> emissions;
- Regional Carbon Dioxide (RGGI) Allowance is an estimate of the cost impact on the wholesale electricity price of compliance with the RGGI emissions trading program limiting power plant CO<sub>2</sub> emissions. These costs should no longer appear following New Jersey’s orderly withdrawal from RGGI in 2012;

On their own, none of these charges appear significant on the average monthly utility bill, even though the totals paid by all ratepayers for a specific program may be high.<sup>65</sup>

---

<sup>65</sup> For example, a large solar energy developer provided information showing that in 2009 the average residential customer was charged 0.17 cents/kWh for all solar programs. That amount is small, but based on average customer use, the average residential customer paid over \$14 per year to subsidize solar energy. Residential customers as a whole paid \$45 million in total.

#### 4.11 EE and DR Program Evaluation

Cost/benefit analyses of EE and DR programs are important analytical tools used widely for evaluating the efficacy of program investments. However, these analyses can produce misleading results if no distinction is made between program participants and non-participants. This distinction is important because it avoids confusion regarding who bears what costs and how benefits are disseminated. A proper cost/benefit analysis requires an accurate measurement and allocation of costs and benefits to distinguish which ratepayers are bearing costs and/or receiving benefits. EE and DR programs that are ostensibly cost-effective may in fact be cost-effective for the participants who receive direct benefits, while the indirect benefits accruing to non-participants may be outweighed by the costs they incur.

A rate test measures the impact of program costs and benefits when averaged over all customers' load – both participants and non-participants. A rate test is a useful measure of program effectiveness and fairness. If the program causes average rates to decrease, the program should be considered equitable for non-participants. If the program causes average rates to increase, participants may benefit from reduced electricity usage or lower bills, but non-participants will have higher monthly bills. However, rate tests do not account for costs and benefits outside of the electric segment, *e.g.*, job creation, property taxes, and environmental impacts. A rate test is therefore a useful benchmark of efficiency and fairness, but it is not the only benchmark.

The primary benefit of the EE and DR programs is the participants' avoided cost of electricity, separated into the energy, capacity, and other wholesale cost components. Other retail costs may be avoided, too. Non-participants (along with participants) benefit if wholesale energy and capacity market prices decline as a result of the programs. In addition, any capacity revenues from qualified DR and EE managed by the EDCs participating in the RPM market would be credited to ratepayers.

EDCs pass the costs of EE and DR programs on to all ratepayers. To the extent that a program reduces a participant's peak load, and thus permits the participant to avoid a portion of transmission and distribution costs and other fixed charges, those costs will be shifted to non-participants, at least in the short term, to assure that the EDC recoups its costs in-full.


Some EE or DR strategies may be generous to participants in order to achieve aggressive targets. New Jersey must evaluate whether or not certain EE and DR programs, in particular, would clear the PJM capacity market without any financial support or, in the alternative, much less financial support than is embedded in the array of programs subsidized by New Jersey's four EDCs. In light of New Jersey's fiscal challenges, efforts must be made to strip away any largesse that constitutes a transfer of wealth from New Jersey's ratepayers to EE/DR program developers. While the Administration remains committed to increased EE/DR penetration to meet the State's planning goals, as discussed in Section 7.3 of this report, EE and DR programs are being evaluated to determine if PJM wholesale markets already provide adequate compensation to ensure program success, thereby obviating the need for continued State sponsorship and assistance.

## 5 Natural Gas and Other Fuels

### 5.1 New Jersey Gas Distribution Companies

New Jersey has one of the highest concentrations of natural gas use in the U.S. There are 2.9 million gas customers in New Jersey, 90% of which are residential customers. Four local distribution companies (LDCs) serve residential, C&I customers throughout the State, including natural gas-fired power plants that are located behind the citygate, *i.e.*, served by LDCs instead of pipelines. The four LDCs are Elizabethtown Gas Co., New Jersey Natural Gas Co., Public Service Electric & Gas Co. and South Jersey Gas Co. Roughly two-thirds of natural gas sent out is for commercial and home heating applications, and the remainder is for power generation and industrial use. A small amount of natural gas is compressed for vehicle use.

**Figure 28. Natural Gas LDC Service Territories**




### 5.2 Sources of Natural Gas

Most natural gas used in New Jersey is sourced from offshore and onshore production facilities in the Gulf Coast and transported by pipeline directly to New Jersey, or indirectly via major underground storage facilities in Pennsylvania along the pipeline routes. In the last two years, a

significant amount of natural gas from the Rocky Mountain States has captured market share in New Jersey as well. New Jersey does not rely on natural gas from western or Atlantic Canada.

New Jersey has about 1,500 miles of interstate transmission pipeline within the state.<sup>66</sup> The interstate pipelines that transport natural gas to New Jersey include the Transcontinental Gas Pipe Line (Transco), Texas Eastern Transmission, Algonquin Gas Transmission, Tennessee Gas Pipeline, and Columbia Gas Transmission. While Transco and Texas Eastern are the primary transporters to New Jersey, the other pipelines play an integral role in maintaining deliverability across New Jersey. The pipeline route systems for each of New Jersey's five interstate pipelines are shown in Figure 29.

**Figure 29. Interstate Pipelines Serving New Jersey**



New Jersey's LDCs are dependent on conventional underground storage facilities located in western Pennsylvania, and, to a lesser extent, West Virginia and New York, that provide incremental natural gas supplies to satisfy peak demands during the winter heating season, which runs from November through March. The Leidy, Ellisburg, and Oakford storage facilities have

<sup>66</sup> Source: Northeast Gas Association, Regional Market Update, December 2010, p.7.

vast underground storage capabilities, which provide valuable economic and operational benefits, in particular, the ability to withdraw natural gas to serve core customers during the heating season. Transco has a large above-ground liquefied natural gas (LNG) storage facility in Carlstadt, New Jersey, which is used to supplement conventional pipeline deliveries during cold snaps in New Jersey and New York. South Jersey Gas, New Jersey Natural, and PSE&G also have smaller LNG satellite tanks at the local level which are dispatched during cold snaps to bolster pressure behind the citygate. LNG supplied by these LDCs are earmarked for core customer send out during extreme cold or operating contingencies, and is not typically available for electric generation or transportation use.

The pipelines that serve New Jersey benefit from increased production by the Marcellus Shale region. Existing pipeline connections allow for the transportation of shale gas from Marcellus in addition to conventional production from the Gulf Coast. Shale gas is expected to increase substantially in the decade ahead, and may continue to capture increased market share for decades. There are a number of competing new pipeline proposals that are expected to expand pipeline deliverability into New Jersey and the New York metropolitan area, which would provide Marcellus Shale gas producers with improved access to these markets. New Jersey’s pipeline and LDC infrastructure is likely to be strengthened by these new pipelines. The Christie Administration seeks to leverage New Jersey’s natural gas infrastructure to foster the State’s environmental and economic goals.

### 5.3 Home Heating Oil

Although New Jersey has a high saturation rate of natural gas for home and commercial heating, distillate oil is also an integral fuel source for the State’s residential sector. On a per capita basis, New Jersey consumes a disproportionate share of heating oil, over 6% of total U.S. consumption of oil in the residential sector.<sup>67</sup> Residential sector energy use by fuel type is summarized in Table 6.

**Table 6. Residential Sector Energy Consumption, New Jersey and USA (trillion Btu)**

	<b>Natural Gas</b>	<b>Distillate Oil</b>	<b>Kerosene Oil</b>	<b>Liquefied Petroleum Gases</b>
NJ	232.6	39.7	0.2	5.5
<u>USA</u>	<u>4,898.90</u>	<u>601.6</u>	<u>27.7</u>	<u>507.4</u>
<i>NJ</i>				
<i>Share</i>	<i>4.7%</i>	<i>6.6%</i>	<i>0.7%</i>	<i>1.1%</i>

The prices of home heating oil, kerosene, and propane move in tandem with benchmark oil prices, *i.e.*, West Texas Intermediate (WTI) crude. Crude oil and oil products are easily transported around the globe, so WTI prices are affected by world markets. In contrast, natural gas prices are largely affected by continental market dynamics. As discussed below, there has

<sup>67</sup> Source: [http://www.eia.gov/state/seds/hf.jsp?incfile=sep\\_sum/plain\\_html/sum\\_btu\\_res.html](http://www.eia.gov/state/seds/hf.jsp?incfile=sep_sum/plain_html/sum_btu_res.html)

been a large oil-to-gas price differential in response to skyrocketing world oil prices in relation to relatively low cost natural gas prices in the U.S. While world oil markets are characterized by extreme price volatility, the favorable production outlook for domestic natural gas, in particular from Marcellus Shale, has dampened the historic price volatility in New Jersey. There are strong market incentives to lessen the use of distillate oil for home heating in favor of natural gas where it is available in New Jersey.

#### 5.4 Transportation Fuels

New Jersey relies heavily on gasoline and diesel fuel for transportation. According to EIA, gasoline accounted for 66% of the total non-aviation energy consumption for New Jersey in 2008. Diesel fuel accounted for approximately 17% of that market, in particular for freight.<sup>68</sup> New Jersey also uses residual fuel oil, primarily for large ocean-going vessels.

Overall, New Jersey uses about 3.3% of the energy used for transportation (including aviation) in the U.S. Transportation sector energy consumption by fuel type for the State and the U.S. are shown in Table 7.<sup>69</sup> New Jersey's high share of residual oil use is explained by the major Atlantic ports along New Jersey's seaboard.

**Table 7. Transportation Sector Energy Consumption, New Jersey and USA (trillion Btu)**

	Natural Gas	Aviation Fuel	Gasoline	Residual Fuel Oil	Distillate Oil	Other*	Total
NJ	1.9	195.5	522.9	67.5	107	3.4	898.2
<u>USA</u>	<u>644.80</u>	<u>2,909.90</u>	<u>16,836.90</u>	<u>810.20</u>	<u>5,528.30</u>	<u>153.10</u>	<u>26,883.20</u>
<i>NJ</i> <i>Share</i>	<i>0.3%</i>	<i>6.7%</i>	<i>3.1%</i>	<i>8.3%</i>	<i>1.9%</i>	<i>2.2%</i>	<i>3.3%</i>

Reflecting the pattern of high volatility in the crude oil markets, prices for gasoline and diesel fuel have been volatile in recent years. Since 2005, prices have exhibited a number of peaks in the fall of 2005 (attributable in part to the effects of Hurricane Katrina), in mid-2006, and in the summer of 2008. Each peak was followed by a large price decline. In recent months, oil prices have risen sharply – the conventional wisdom is that oil prices will remain high going forward in relation to historic averages due to geopolitical concerns, robust global demand, and production pressures. In March 2011, the average rack price for premium gasoline in Newark was \$3.04/gal and the price of diesel was \$3.12/gal.<sup>70</sup> Recent prices for gasoline and diesel at Newark are shown in Figure 30.


<sup>68</sup> See [http://www.eia.gov/emeu/states/hf.jsp?incfile=sep\\_sum/plain\\_html/sum\\_btu\\_tra.html](http://www.eia.gov/emeu/states/hf.jsp?incfile=sep_sum/plain_html/sum_btu_tra.html) for details

<sup>69</sup> Source: [http://www.eia.gov/emeu/states/hf.jsp?incfile=sep\\_sum/plain\\_html/sum\\_btu\\_tra.html](http://www.eia.gov/emeu/states/hf.jsp?incfile=sep_sum/plain_html/sum_btu_tra.html)

<sup>70</sup> Source: Bloomberg LP. The rack price is the price paid by gas stations to purchase fuel for resale to consumers.



**Figure 30. Gasoline and Diesel Rack Prices, Newark New Jersey**



Gasoline and diesel prices are lower in New Jersey than in surrounding states due to lower taxes and indigenous refinery capacity. According to EIA, taxes are a key driver of fuel costs, representing about 13% of the cost to consumers in February 2010.<sup>71</sup> Low State tax rates on gasoline and diesel fuel help to reduce the economic burden borne by New Jersey consumers. Table 8, below, shows the tax rates for gasoline, diesel fuel, and gasohol, a gasoline-ethanol mix, for New Jersey as well as a number of surrounding states.

**Table 8. State Tax Rates on Transportation Fuels (cents/gallon)**

	<b>Gasoline</b>	<b>Diesel</b>	<b>Gasohol</b>
NJ	10.5	13.5	10.5
NY	25.1	23.3	25.1
MA	21.0	21.0	21.0
CT	25.0	39.6	25.0
PA	31.2	38.1	31.2
DE	23.0	22.0	23.0
OH	28.0	28.0	28.0

Prices for gasoline, diesel, and other petroleum products move in tandem with crude oil prices, *i.e.*, WTI. Market indications show that oil prices are likely to increase over the next few years and then gradually decline. However, actual oil prices in the decade ahead are highly uncertain.


<sup>71</sup> Source: <http://www.eia.doe.gov/oog/info/gdu/gasdiesel.asp>

## 5.5 Fuel Market Outlook

Oil and natural gas are key fuels in New Jersey for generation of electricity, transportation, and heating. The pricing benchmark for oil is the WTI oil index, which is the physical delivery point for the NYMEX light sweet crude oil futures contract. Most residual and refined oil prices (including gasoline) move in lockstep with WTI. The benchmark for domestic natural gas is the Henry Hub, a liquid market trading point in Louisiana. New Jersey consumers pay delivered prices for natural gas that includes: (i) transportation to New Jersey along the five interstate pipelines serving the State; and (ii) local LDC charges for distribution service from the citygate to the burner-tip.

Figure 31, below, shows average monthly prices for WTI and Henry Hub gas since January 2001.<sup>72</sup> In the figure, the left y-axis shows the WTI price expressed in dollars per barrel. The right y-axis is calibrated to display both WTI and Henry Hub prices on a \$/MMBtu basis.

**Figure 31. Average Monthly Prices for WTI and Henry Hub**



The data indicate several important trends:


- Crude oil prices have increased dramatically over the past decade rising from around \$20/bbl in early 2002 to over \$130/bbl in June and July of 2008. Subsequently, oil prices hit a low of \$39/bbl in February 2009, and have recently rebounded to \$102/bbl in March 2011;

<sup>72</sup> Source: Bloomberg LP

- Oil prices are extremely volatile. Gas prices are much less volatile, in particular, in the last two years. Natural gas price oscillations have been much less than oil price movements; and
- Over the last decade there has been a significant change in the relationship between oil and gas prices, *i.e.*, oil-to-gas price ratio. Historically, WTI and Henry Hub were priced similarly when measured on an equivalent Btu basis. This tight price parity relationship is reflected in the narrow bandwidth between the red and blue lines in Figure 31. This price parity ratio was approximately 6:1, *i.e.* the price of crude oil expressed in dollars per barrel was six times the price of natural gas expressed in Btu terms (dollars per MMBtu). The historic price parity relationship diverged starting in 2006. By March 2011, the spot price of WTI had risen to \$102/bbl, while the spot price of natural gas was less than \$4.00/MMBtu, a price ratio of almost 26:1.

Fundamental dynamics in oil and gas markets portend a continuation of the wide price differential going forward. Figure 32, below, shows the forward price curves for WTI and Henry Hub from NYMEX, traded on April 8, 2011.<sup>73</sup> As in Figure 31, the y-axis on the left-hand side shows the price of WTI expressed as dollars per barrel while the y-prime axis on the right-hand side shows the price of both commodities expressed on a dollar per MMBtu basis.

**Figure 32. NYMEX Forward Price Curves for WTI and Henry Hub**



<sup>73</sup> Forward price curves are contract trading prices for future deliveries that result from trading on an open and liquid market. Forecasts, such as those prepared by the EIA, cover longer periods of time and may not reflect the latest market changes.


Market, geopolitical, macroeconomic, and legislative/regulatory factors will affect the relative price of oil and gas going forward. While natural gas prices may increase somewhat in the decade ahead, New Jersey expects strong production from Marcellus Shale and other shale formations throughout North America to temper the potential run-up in commodity prices. On a BTU price parity basis, the conventional wisdom is that natural gas will remain available and will be much less expensive than oil.

Expansion of the interstate pipeline network from the Marcellus Shale production area to the market center in New Jersey offers the State significant leveraging benefits to reduce New Jersey’s reliance on diesel fuel for transportation and distillate oil for home heating fuel. There may be other valuable fuel substitution effects as well that promote the State’s environmental and economic goals.

### 5.6 Understanding Retail Natural Gas Costs

The basic natural gas utility bill includes many costs and charges that can be broadly classified under the same three groups as the electric utility bill: wholesale gas commodity cost, distribution charges, and state and federal policy costs. The major categories of residential and small commercial natural gas bill line items are summarized in Figure 33. Note that the numbers represent 2010 load-weighted averages for Elizabethtown Gas Co., PSE&G, Northern New Jersey Gas Co., and South Jersey Gas Co.<sup>74</sup>

**Figure 33. Average LDC 2010 Rate Components**



<sup>74</sup> Rate component averages were compiled by Rutgers University CEEEP as presented in “Analysis for the 2011 Draft New Jersey Energy Master Plan Update,” February 28, 2011.

The various detailed line items are listed in Table 9 below with average 2010 values, grouped into the major headings of wholesale commodity cost, distribution charges, and State and federal policy costs.

**Table 9. 2010 Average Natural Gas Bill Components (\$/Therm)**

	Small General Service	Residential Service
<b>State and Federal Policy Components</b>		
Other Charges		
Weather Normalization Clause	\$0.001	\$0.001
Transitional Energy Facilities Assessment Unit Tax	\$0.022	\$0.022
Conservation Incentive Program	\$0.008	\$0.008
Energy Efficiency Program	\$0.004	\$0.004
Carbon Abatement Program	\$0.000	\$0.000
Transportation Initiation Clause	\$0.000	\$0.000
Utility Infrastructure Charge	\$0.001	\$0.002
Societal Benefits Charges		
Clean Energy Program (Energy Efficiency & Renewables)	\$0.024	\$0.024
Remediation Adjustment Charge	\$0.012	\$0.013
Universal Service Fund	\$0.013	\$0.013
Lifeline	\$0.005	\$0.005
Sales and Use Tax		
Sales and Use Tax	\$0.072	\$0.087
<b>Distribution Components</b>		
Distribution Components		
Monthly Customer Charge	\$0.017	\$0.084
Average Distribution Charge	\$0.247	\$0.304
Monthly Capital Adjustment Customer Charge	\$0.000	\$0.000
Capital Adjustment Distribution Charge	\$0.000	\$0.000
<b>Basic Gas Supply Service Components</b>		
Basic Gas Supply Service Components		
BGSS Charge	\$0.672	\$0.762
On-System Margin Sharing Credit	(\$0.001)	(\$0.002)
<b>Grand Total</b>	<b>\$1.097</b>	<b>\$1.327</b>

### 5.6.1 Basic Gas Supply Service Components

The wholesale Basic Gas Supply Service (BGSS) component in Figure 25 is comprised largely by the wholesale cost of natural gas delivered to New Jersey. As discussed in Section 5.5, the wholesale price of natural gas is driven by market forces and is beyond the control of the BPU or any other State agency. Largely beyond the jurisdiction of FERC as well, commodity gas prices

are indirectly affected by federal policy related to exploration and production, as well as to the development and regulation of interstate pipelines. Natural gas customers may choose the pooled cost of gas embedded in the BGSS default service, or they may contract with an alternative natural gas supplier. The average cost varies among rate classes primarily due to annual usage profiles. Residential customers generally use much more gas during the heating season, when market prices are high, than do C&I customers.


### **5.6.2 Distribution Charges**

The distribution charges on natural gas bills provide for recovery of the capital and operating costs of the distribution system which moves natural gas from connections with the interstate pipeline system to individual customer meters. These charges generally consist of a customer charge (dollars per month per meter) and a volumetric charge (\$/therm). The customer charge may be set by customer class or as a function of maximum daily delivery capacity (dekatherm per day). New Jersey's LDCs' distribution rates are regulated on a cost of service basis under BPU jurisdiction.

### **5.6.3 State and Federal Charges and Policies**

Policy decisions, *e.g.* deregulation, taxes, and efficiency programs, add charges to utility bills or indirectly impact wholesale energy commodity costs. Not all of these charges are identified clearly, explained, or understood, and this lack of transparency prevents policymakers and ratepayers from making informed decisions about important electricity policies. Figure 27 shows the contribution of policy-related charges to commodity and distribution charges for natural gas service to residential and small commercial customers.

**Figure 34. Percentage Composition of Typical Natural Gas Bills**



Policy-related components are discussed by group in the following bullets:

- Transition and Other Charges represent eight separate charges that cover costs associated with utility deregulation, infrastructure management, energy conservation and EE programs, rate adjustments for abnormal weather, and the costs of stimulus programs;
- Societal Benefits Charges cover five different fees, all of which the industry collects on behalf of the State to pay for State-run programs, *e.g.*, CEP EE programs, gas manufacturing site remediation program, and the USF (for low income residents); and
- Sales and Use Tax represents the total tax collected on various components subject to the 7% New Jersey sales and use tax.

It is important to note that while the costs of State and federal policies may show up as a line item on the LDCs' bills, the benefits do not materialize, *per se*. Certain ratepayer charges fund State EE programs, which can lower prices to all ratepayers. These programs are subject to a TRC test to determine if they will generate positive economic benefits for all ratepayers. Presumably, these programs would not be funded if they did not save money for ratepayers and provide net economic benefits, but in the bill analysis shown below only EE costs are identified. Direct benefits of such programs flow to the participants in terms of reduced energy bills due to lower usage. Indirect benefits, such as the reduction in wholesale natural gas prices due to lower demand, flow to all customers.

On their own, none of these charges appears significant on the average monthly utility bill, even though the totals paid by all ratepayers for a specific program may be high.



## 6 Recent Legislative and Administrative Initiatives

Since the issuance of the 2008 EMP, New Jersey has enacted several pieces of landmark legislation, promulgated new regulations intended to implement and advance the State's energy policy objectives, and developed a new State Strategic Plan. Collectively, these initiatives steer the course of New Jersey's energy future, "plac[ing] New Jersey at the forefront of a growing clean energy economy with aggressive EE and renewable energy goals and action items, and the development of a 21<sup>st</sup> century energy infrastructure."<sup>75</sup> Thus, some of the legislative and regulatory initiatives provide specific goals or requirements for particular technology sectors.

There have been recent changes in the regional economic landscape, wholesale energy markets, clean energy technologies, federal environmental and tax laws, and PJM market rules. These and other developments may alter investment and consumer priorities. It is important to periodically reassess these regulatory and legislative initiatives to ensure that they are still aligned with current policy goals. In a deregulated energy environment, there are instances where regulatory and legislative initiatives have had unintended consequences. Some conflict with other meritorious initiatives, while some worthwhile programs have not acquired sufficient traction to be implemented effectively.

A description of key legislation passed since the publication of the 2008 EMP is provided in the following sections. Where appropriate, noteworthy accomplishments as well as unforeseen issues warranting further evaluation are also described. Note that these statutes are organized by subject, and not chronologically. Additionally, below is a brief summary of the State Strategic Plan.

### 6.1 Initiatives to Promote a Diverse Portfolio of Efficient Generation Resources

**Long Term Capacity Agreement Pilot Program, P.L. 2011, Chapter 9, supplementing C.48:3** (enacted 1/28/11) This Act established the LCAPP, which was designed to promote the development of 2,000 MW of new baseload and/or mid-merit generation facilities for the benefit of New Jersey's electric consumers. The legislation required the BPU to complete proceedings within 60 days of the legislation's effective date, *i.e.* by the end of March 2011.

In accordance with the legislation, an Agent for the BPU conducted a competitive RFP process and recommended three gas-fired CC projects, totaling 1,948.5 MW of unforced capacity (UCAP). On March 29, 2011, the BPU approved the selection of these three projects and the form of the Standard Offer Capacity Agreement (SOCA) to be executed between each project and each of the four New Jersey EDCs. The selected projects are all located within New Jersey. Two projects, the Old Bridge Clean Energy Center and the Woodbridge Energy Center, are proposed to be in operation by June 1, 2015. The third project, Newark Energy Center, is proposed to be in operation by June 1, 2016. In the aggregate, the three SOCAs are expected to provide \$1.8 billion in net economic benefit on a present value basis over the 15-year SOCA terms, primarily due to lower wholesale energy prices. These projects are also expected to create approximately 2,400 construction jobs over a three-year period, and nearly 80 full-time

---

<sup>75</sup> "New Jersey Energy Master Plan," October 2008, p. 6.

equivalent jobs during operation of the facilities. Indirect and induced economic effects are expected to produce additional benefits. These projects are also expected to improve New Jersey's air quality and reduce the global carbon loadings by displacing higher emitting and carbon-intensive generation, roughly equivalent to a 250-MW coal plant.<sup>76</sup>

Prior to LCAPP being signed into law, PJM and the IMM sent a joint letter to the BPU expressing concern over the legislation and pointing out that RPM had provisions, *i.e.*, MOPR, that were designed to prevent "uneconomic offers" such as those that might result from LCAPP and which would "artificially depress RPM auction prices."<sup>77</sup> On February 11, 2011 PJM filed proposed changes with FERC to broaden MOPR provisions to eliminate any loopholes that would allow subsidized capacity to submit a capacity bid below its actual cost and thus clear in the RPM auctions (FERC Docket No. ER11-2875). Due to this mitigation risk, the economic rationale of the BPU's SOCA awards was not predicated on any capacity market benefits. However, MOPR mitigation could prevent any or all of these generators from clearing in the RPM auctions, which would effectively eliminate the benefit of the bargain associated with the three SOCA awards. FERC issued its Order on April 12, 2011 approving most of PJM's proposed modifications to MOPR, effective immediately. More discussion about FERC's approval of PJM's proposed MOPR modifications can be found in Section 7.1.2.

**Retail Margin Combined Heat and Power, P.L. 2009, Chapter 34, amending and making an appropriation, C. 48:3-51** (enacted 3/31/09) This Act authorized BPU to use \$60 million of Retail Margin Fund monies to provide grants for combined heat and power production (also referred to as cogeneration) and programs promoting EE and renewable energy. The Act supported the installation of CHP units at numerous business facilities throughout the State, which were ranked by the BPU after applications were received. The funds appropriated for these CHP projects were re-allocated as a budget balancing measure jointly by the Legislature and the Administration due to the declared fiscal emergency in FY 2010.

As further discussed in Section 7.1.5, there is significant market potential for expanded CHP in New Jersey. In the absence of funding through the Retail Margin Fund, support for CHP development through grants, loans, and loan guarantees will need to be derived from alternative sources.

**On Site Generation Facilities, P.L. 2009, Chapter 240, amending and supplementing C. 48:3-51** (enacted 1/16/10) This Act expanded the definition of "on-site generation" to include cogeneration facilities which service non-contiguous thermal load customers. The Act also clarified that a cogeneration facility is not a public utility, and extended the sales tax exemption for sales of energy by cogeneration facilities. The effect of these changes was to reduce the regulatory jurisdiction of the BPU over such non-contiguous cogeneration facilities, thereby reducing their operating costs.

---

<sup>76</sup> Levitan & Associates, Inc., "LCAPP Agent's Report, Long-Term Capacity Agreement Pilot Program," March 21, 2011

<sup>77</sup> Maryland also has approved legislation that would authorize in-State EDCs to contract for up to 1,800 MW of new generation. In addition to PJM's actions, Exelon *et al* filed a legal challenge in federal district court that is pending.

### **Prohibits drilling technique of hydraulic fracturing, S2576 (conditionally vetoed 8/25/11)**

This Act would have prohibited permanently a drilling technique known as hydraulic fracturing, which is used for the exploration or production of natural gas. On August 25, 2011, Governor Christie conditionally vetoed the legislation and proposed that the legislature consider a one-year moratorium on hydraulic fracturing to give the EPA and Department of Energy the opportunity to complete ongoing studies. In addition, Governor Christie directed the NJDEP to complete an evaluation of the drilling technique. Currently, no natural gas deposits in New Jersey are under consideration for exploration or extraction using hydraulic fracturing.

In conditionally vetoing this legislation, Governor Christie stated, “[w]e cannot ignore the fact that New Jersey has the fourth highest energy costs in the nation. Our residents – both individuals and businesses - rely on natural gas and, if this resource can be located and produced closer to home, it can be provided to New Jersey residents more cheaply. In addition to the potential economic benefits to our citizens, the use of natural gas as an energy source is consistent with good environmental policy. Natural gas is a much cleaner form of energy than coal or oil, emitting much less sulfur dioxide, fine particulates, volatile organic compounds (VOCs), and greenhouse gases than those energy sources. Accordingly, our draft Energy Master Plan seeks to encourage the development of in-state, natural gas-fired electrical power not only to reduce our energy costs, but also to protect our environment by eliminating our need for power from coal states and by accelerating the decommissioning of older, dirtier, and less efficient coal and oil-fired electrical generation plants in this State.”

## **6.2 Initiatives to Promote Renewable Energy**

**Offshore Wind Economic Development Act, P.L. 2010, Chapter 57, amending and supplementing C. 48:3-51 and 3-87, C.26:2C-51, C.34:1B-209.4** (enacted 8/19/10) This Act directs the BPU to develop an OREC program to support at least 1,100 MW of generation from qualified offshore wind projects. OWEDA also: (i) authorizes the BPU to accept applications for qualified offshore wind projects; (ii) sets forth the criteria to be used by the BPU in reviewing the projects’ applications; and (iii) authorizes EDA to provide up to \$100 million in tax credits for qualified wind energy facilities in wind energy zones.

A Special Rulemaking, as provided for by the Act, was completed by the Board on February 10, 2011, with the rules published in the New Jersey Register on March 7, 2011. A full rulemaking process has begun. The Special Adopted New Rules (N.J.A.C. 14:8-6) define the “cost-benefit” test that is a key provision of the legislation. Offshore wind projects accepted by the BPU “must demonstrate positive economic and environmental net benefits to the State.” The cost-benefit test is based on three factors: (i) positive and negative impacts on New Jersey’s electricity rates over the life of the project; (ii) impacts on New Jersey’s economy through the creation of employment and other direct, indirect, and induced socioeconomic effects; and (iii) net environmental impacts ascribable to the project. The cost-benefit test is intended to ensure that any subsidies in the form of ORECs that are ultimately borne by ratepayers are at least offset by the aggregated net benefits to New Jersey residents and businesses.

**Solar Energy Advancement and Fair Competition Act, P.L. 2009, Chapter 289, amending C. 48:3-51 and 3-87** (enacted 1/17/10)(SEAFCA). This Act extends the solar RPS requirements to 2026 and establishes a 15-year SACP schedule. The Act lifts the 2 MW cap on net metering

systems and extends the “shelf-life” of SRECs to three years. The Act provides that the BPU shall adopt “net metering standards, standards for electric power suppliers and basic generation service providers, safety and power quality interconnection standards and credit for generators.” The BPU prepared a Special Adoption to comply with the Act on March 30, 2011. The costs and consequences of implementing SEAFCA are further discussed in detail in Section 7.2.3.

**Tax Exemption for Renewables, P.L. 2008, Chapter 90** (enacted 10/1/08). This Act establishes an exemption from real property taxation for property installed in any residential, commercial, or industrial building that is certified by the local enforcing agency as a “renewable energy system.” The Act also requires the Commissioner of the DCA, in consultation with the BPU, to adopt “standards with respect to the technical sufficiency of renewable energy systems for purposes of qualification for the exemption.” The Act does not specify any timeframe for promulgating these regulations, and to date, no regulations have been issued. However, applicants for the exemption are required to submit a “Renewable Energy Application Form” with their tax returns. The form was developed by DCA and mandates compliance with the Uniform Commercial Code.

Normally, the value of improvements made to residential, commercial, or industrial buildings are reflected in a proportionate increase in the building’s tax assessment. That will no longer be true of the addition of a renewable energy system, if the system meets the standards adopted by DCA. Under this law, the taxing authority will not be permitted to consider any increase in value from the renewable energy equipment when assessing the property.

It is not likely that this exemption was intended to apply to large-scale renewable energy systems where the primary purpose is to sell excess energy not consumed on site into the electric grid, thereby generating income for the property owner or for a third party developer. Commonly, such systems are owned, financed, and operated by a third party developer who has entered into a power purchase agreement with a host property owner. Regulations can be developed to limit the exemption in cases where the renewable energy system is primarily intended as a commercial operation, acknowledging that the owner of the renewable system may be a different entity than the owner of the real property.

**Residential Development Solar Energy Systems Act, P.L. 2009, Chapter 33, and supplementing C.52:27D-141** (enacted 3/31/09). This Act requires residential developers to offer to install a solar energy system into a dwelling unit when a prospective owner enters into negotiations with the developer to purchase a dwelling unit. The Act provides that the Commissioner of the DCA, “in consultation” with the BPU, shall adopt “standards with respect to the technical sufficiency of solar energy systems to be installed pursuant to this act.” It further provides that the BPU shall adopt “orders, rules, or regulations” that provide for solar energy systems installed in accordance with its provisions “to be eligible for all applicable credits, rebates, or other incentives that may be available for the installation of solar energy systems.” This legislation presents complex implementation and enforcement issues. The Act does not specify a time period for promulgating these regulations and, to date, no regulations have been issued by either the DCA or BPU.

**Renewables as an Inherently Beneficial Use, P.L. 2009, Chapter 146, amending C. 40:55D-4** (enacted 11/20/09). This Act defines “inherently beneficial use” for purposes of zoning

variances and specifically includes facilities and structures that supply electrical energy produced from wind, solar, or PV technologies. Before this law was enacted, what was “inherently beneficial” was determined on a case-by-case basis and often through litigation. An applicant for a zoning or land use variance normally must prove that the positive aspects of the project outweigh the negatives. If, however, the proposed project is inherently beneficial, it meets the variance requirements by definition and must only show that the proposal does not create a “substantial detriment to the public good.” In cases where it is invoked to obtain approvals for development of a renewable project on farmland, this Act may be in conflict with State policies to preserve farmland.

**Brownfield and Contaminated Site Remediation Act Update, P.L. 2009, Chapter 302, amending C:10B-5 and 10B-6** (enacted 1/17/10). This Act authorizes grant funding of up to \$5 million per year from the Hazardous Discharge Site Remediation Fund, administered by the DEP, to municipalities, counties, or certain redevelopment agencies for projects that involve the redevelopment of contaminated property for renewable energy. While the Act does not authorize the adoption of regulations, the DEP and EDA, under their general authority, can promulgate regulations with respect to activities associated with its routine policies and practices.

**Farmland Assessment Act Update, P.L. 2009, Chapter 213, amending and supplementing C. 4:1C and C. 54:23** (enacted 1/16/10). This Act adds biomass, wind, or solar energy generation as complying with certain conditions in the definition of “agricultural use” for farmland assessment purposes. Biomass is defined as an agricultural crop, crop residue, or agricultural byproduct that is cultivated, harvested, or produced on the farm and used to generate energy in a sustainable manner. The Act provides that the Division of Taxation, “in consultation” with the Department of Agriculture, shall adopt “such rules and regulations as may be necessary for the implementation and administration” of the Act. The rules were proposed by the State Agricultural Development Commission in 2010 and will be adopted later this year.

The law places special conditions on preserved farmland, requiring: (i) no interference with the agricultural use of the land; (ii) ownership of the system by the landowner; (iii) provision of energy directly to the farm or reduction of the farm’s energy costs through net metering; and (iv) a cap on the total energy production limited to demand for the previous calendar year plus 10%. Further regulatory conditions may be warranted to be consistent with the State’s farmland protection policies.

**Solar and Wind Energy Commission, P.L. 2009, Chapter 239** (enacted 1/16/10). This Act creates the Solar and Wind Energy Commission to study and make recommendations regarding solar and wind energy installation feasibility on State-owned property, including buildings and land. The Act does not authorize any regulations, and this Commission was never constituted.

**Small Wind Systems, P.L. 2009, Chapter 244, supplementing C. 40:55D-66** (enacted 1/16/10). This Act prohibits municipalities from adopting ordinances regarding the installation and operation of small wind energy systems that unreasonably limit such installations or unreasonably hinder the performance of such installations. The Act also provides a procedure for deeming a small wind energy system to be abandoned. This Act does not authorize the adoption of regulations.

**Provides for equal opportunity for businesses that pay societal benefits charges to apply for certain energy-related incentives and funding, P.L.2011, Chapter 126, amending C.48:3-60.2 (enacted 10/16/11).** This Act directs the BPU to provide equal opportunity for certain types of funding incentives for businesses in all areas of the State that pay the societal benefits charge that is imposed pursuant to section 12 of P.L.1999, c.23 (C.48:3-60) to apply for, and receive, incentives or funding under programs that are financed by that charge. The legislation ensures that all businesses in New Jersey have access to renewable energy and energy efficiency incentives to drive job growth and economic development in all parts of the State. The Act takes effect February 16, 2012.

### **6.3 Initiatives to Promote Energy Efficiency and Conservation**

**Energy Savings Improvement Projects, P.L 2009, Chapter 4, amending and supplementing C. 18A, C.40A and C.52 (enacted 1/21/09)** this Act authorizes public entities to implement energy savings improvement programs by entering into a contract with an energy services company for the implementation of energy conservation measures through a lease purchase agreement of 15 or 20 years. The Act enables public entities to acquire new, efficient heating, ventilation, and air conditioning equipment, as well as other energy-saving improvements, such as insulation and more efficient lighting, without the need for large, upfront, capital expenditures. The DCA's Director of Local Government Services, the State Treasurer, and the BPU may "adopt such rules and regulations as deemed necessary to implement the provisions of this act." Although formal regulations have not been promulgated, DCA has issued "binding guidance" through Local Finance Notice 2009-11. In addition, DCA and the BPU are developing a model RFP for government agencies to use; the model should be finalized later this year. This legislation is anticipated to result in direct economic and environmental benefits to governmental agencies, and thus taxpayers, by reducing energy costs without incurring up-front capital expenditures.

**Uniform Construction Code Update, P.L. 2009, Chapter 106, amending and supplementing C. 52:27D-122.2 and 123, C. 52:27F-11 (enacted 8/6/09).** This Act authorizes the Commissioner of the DCA to amend the Uniform Construction Code's energy sub-code to establish enhanced energy saving construction requirements. Such requirements shall ensure that the anticipated energy savings statewide are proportionate to the additional costs of energy sub-code compliance. The Act also provides down payment assistance to certain purchasers of homes meeting enhanced energy sub-code requirements. DCA adopted regulations implementing the Act, which were effective September 7, 2010.<sup>78</sup>

### **6.4 Other New and Pending Legislation**

**Biofuels, P.L. 2010, Chapter. 101, supplementing C. 52:34 (enacted 12/8/2010).** This Act requires the State to purchase biofuels in lieu of fossil fuels when reasonable, prudent, and cost-effective.

---

<sup>78</sup> See 42 NJR 2043(a)

## **6.5 State Strategic Plan**

Released in October, 2011, the State Strategic Plan (SSP) titled “New Jersey's Development and Redevelopment Plan” calls for the State to focus its policies and investments on vibrant regions by fostering targeted job growth, supporting effective regional planning and preserving the State's critical resources. To carry out this mission, the SSP recognizes the need for alignment of government functions in order to deconflict regulations and policies among State agencies while leveraging human resources and capital. Partnerships among public, private, community and academia are equally important.

Targeted job growth is paramount to the SSP's economic growth strategy and will be accomplished through the identification of industry clusters that drive the State's economy. One such industry is "green energy", which is identified in the plan as an emerging niche industry in the State with opportunities for expansion. This sector will be impacted by the implementation of the EMP.

## 7 2011 Plan for Action

The Christie Administration's pursuit of environmental goals does not subordinate other worthwhile resource planning goals centered on reliability and economics. Reducing energy costs, encouraging employment and embracing environmental stewardship are laudable but often competing objectives. New Jersey's policy initiatives are designed to accomplish these goals in a cost-effective manner and consistent with the State Strategic Plan. New Jersey's environmental, economic, and reliability goals require that cost/benefit studies rationally measure total impacts, including direct energy costs, quantifiable environmental benefits, and indirect socio-economic benefits. This will lead to informed decisions that incorporate good tradeoffs among competing resource planning objectives. Informed decisions must consider energy risks and uncertainties, as evidenced by the divergence between oil and natural gas prices, the Gulf of Mexico oil spill, the debate over hydraulic fracturing of shale gas, stricter emission regulations, as well as Japan's nuclear power crisis. In August 2011, Governor Christie proposed a one year moratorium on in-State hydraulic fracturing, in order to evaluate the findings of ongoing federal studies.

No policy choice is without risk, and each has employment, environmental, and economic consequences. The Christie Administration's objective is to set forth the foundation for change that modernizes the generation resource mix in New Jersey and promotes fuel substitution in a way that saves money, stimulates the economy, assures reliability, and protects the environment.

In the past few years, New Jersey customers have paid relatively high energy power prices, driven by high natural gas prices and high capacity prices under PJM's RPM. While natural gas prices have declined significantly, capacity prices have remained high, reflecting tightening reserves in EMAAC. Domestic gas production has increased even though commodity prices have decreased, but New Jersey has not yet experienced the addition of efficient CC generation that would be expected to reduce electric energy prices throughout the State. Moreover, under the BGS mechanism, retail rates lag behind changes in the commodity gas market. Hence, New Jersey customers have enjoyed only partially the benefits from lower commodity prices, as the BGS mechanism reflects the procurement of natural gas supply when then forward prices were slightly higher than present commodity prices.

New Jersey can meet its renewable energy challenges through measured and cost-effective policy choices. Determining the cost-effectiveness of policy options requires a comprehensive analytic effort that considers all costs and benefits, both direct and indirect. In addition, cost-effectiveness must be calculated from both the perspective of program participants and non-participants. It is often the case that participants benefit from programs that are driven by admirable policy choices, *e.g.*, customer rebate programs that subsidize the purchase of efficient home appliances, or clean solar PV installations that encourage in-State manufacturing. It is not clear, however, if non-participants reap sufficient benefits in the form of cleaner air or lower power prices to offset the additional costs that then become enshrined in the retail electric bill. Going forward, New Jersey should implement more rigorous cost/benefit analyses to determine the cost-effectiveness of its energy policy options.

Consistent with EDECA and the near-term goals of the Global Warming Response Act, New Jersey remains committed to meeting its RPS target of 22.5% of state-wide electricity demand



from renewable energy sources by 2021. The RPS target includes both Class 1 and Class 2 resources and should be considered a floor, not a ceiling. The policy goals and action plans set forth in this EMP are designed to support this target in a way that ensures that worthwhile environmental objectives do not undermine other laudable resource planning objectives, in particular, reliability and economics, *i.e.*, price. Informed tradeoffs among these objectives – the environment, reliability, and economics – are therefore required to achieve the annual RPS targets. In gauging the impact of new renewable energy sources to meet the RPS, New Jersey must continue to evaluate job creation prospects and associated economic multiplier effects as well as the efficiency and fairness of incentives and subsidies. Against the backdrop of high energy costs, New Jersey’s current fiscal challenges remind policymakers that the method for achieving the RPS should be flexible – neither rigid nor absolute. New Jersey should formulate the incentives and portfolio of renewable energy sources that result in the most cost-effective energy alternatives possible. Mid-course corrections to achieve the RPS objectives that safeguard New Jersey’s need for reliability and economic benefits are encouraged. Emphasis should be placed on resources that provide a net economic benefit to the State by providing jobs and investment, in addition to clean energy.

New Jersey’s 22.5% RPS target in 2021 is a long stride in the march toward deep structural changes in New Jersey’s energy infrastructure in the 21<sup>st</sup> century. The Christie Administration recognizes that New Jersey must take a far longer view than ten years in order to pour the energy foundation for a clean and secure energy future for decades to come.

The Global Warming Response Act, P.L. 2007, c.112, adopts goals for the reduction of greenhouse gas emissions in New Jersey. The law requires the stabilization of statewide greenhouse gas emissions to 1990 levels by 2020, followed by a further reduction from all sources to 80% below 2006 levels by 2050. In concert with reliability and economic planning criteria and the long-range goals of the Global Warming Responses Act, New Jersey needs to formulate a vision of what its energy infrastructure will ultimately consist of in the first half of the 21<sup>st</sup> century.

The Administration supports a goal of securing 70% of the State’s energy needs from “clean” energy sources by 2050. This goal will be achievable if the definitional criteria for clean energy is broadened beyond renewables to encompass generation from natural gas power plants, which are less carbon-intensive than coal and other fossil fuels, and nuclear power, which is carbon-free.

The ability to meet a 70% goal utilizing only renewables may be unachievable based merely upon the practical economic realities. For example, to realize the required 25,000 megawatts (MW) of wind capacity by 2050, 5,000 wind turbines of 5 MW each, would need to be installed at a rate of at least two per week between now and 2050. This aggressive installation schedule does not begin to take into account other challenges which accompany renewables – intermittency, reliability, higher costs, and slow market penetration of new technologies.

Even if more out-of-state renewables are used to satisfy New Jersey’s RPS, substantial challenges will arise. There are reliability issues associated with wind energy transmission from other PJM states and siting new HV transmission infrastructure and PJM’s integration of renewables are problematic. Smart grid technology and other DR/EE technologies behind the

meter are an integral part of the resource mix. However they are unlikely to be scalable to meet a 70% goal by 2050 without undermining reliability and economic goals.

New Jersey has enjoyed reliable performance from the existing nuclear units. However, while carbon-free, nuclear energy produces radioactive waste; to date, the federal government has been unable to resolve the problem of secure long-term storage of radioactive waste. Moreover, the permitting of new nuclear units is problematic and uncertain. In addition to problems associated with the management of nuclear waste and safety concerns highlighted by the events in Japan, new nuclear is expensive, particularly when compared with state-of-the-art CC technology.

It is also important to note that, even if the State had a 100% renewable energy portfolio in 2050, additional GHG reductions in other sectors (transportation, highly warming gases, etc.) would be required to meet the Global Warming Response Act's (GWRA) 2050 GHG limit of 80% below 2006 levels by 2050. If the definition of clean energy is expanded to include carbon-emitting sources like natural gas, there will be a need for other GHG reduction strategies. These may include: preserving and expanding natural carbon sinks such as forests, soils and wetlands; implementing smart growth principle called for in the State Strategic Plan; reducing gases, such as certain halogenated refrigerants, to *de minimus* levels; cutting methane emissions from landfills; and virtually eliminating fugitive emissions from natural gas production, transmission and distribution.

Over the EMP planning cycle, New Jersey should craft a vision of the State's long-term clean energy goals through a stakeholder process. The stakeholder process should delineate the tradeoffs among competing resource planning attributes in the broader context of the 70% goal when clean energy is evaluated versus carbon free energy.

The remainder of this 2011 EMP identifies recommended policy options and action plans to manage energy in a manner that ensures a reliable energy supply at the lowest possible cost, stimulates the economy, creates jobs, and adheres to State's overarching environmental goals. While many of the proposed policy options and action plans can advance multiple goals, they are grouped into four sections, as follows:

- Conventional Generation Resources;
- Renewable Resources;
- Energy Efficiency, Conservation and Demand Response; and
- Innovative Technology Opportunities.

## **7.1 In-State Electricity Resources**

Competitive generators make investment decisions based on wholesale price signals, aided by State programs to assure stable and adequate revenues. New Jersey has many options to expand its in-state power supplies, from conventional generation technologies to alternative and renewable resources, in order to keep up with demand growth. New Jersey has the ability to induce the expansion of in-state resources like solar, wind and the new CCs that are the product of LCAPP.

Policy decisions regarding generation and transmission supply must remain mindful of New Jersey's membership in PJM. Transmission links to neighboring states allow New Jersey to obtain less expensive out-of-state energy, especially during low demand periods. In case of insufficient in-state generation, PJM also facilitates new transmission lines to assure long-term reliability. Out-of-state resources do not bring economic development, jobs, and property taxes to New Jersey. Therefore, the expansion of New Jersey's in-state electricity resources should continue to achieve sensible tradeoffs among competing resource planning objectives.

### **7.1.1 Advantages of a Diverse Supply Portfolio**

A diverse supply/demand portfolio is an effective hedge against the uncertainties and risks associated with energy production. Risks can be mitigated through a diverse portfolio of generation and demand-side options. More options provide greater flexibility to redress future events. The current economic slowdown provides New Jersey with an opportunity to consider diverse in-State supply options, as follows: (i) increasing conventional generation resources, *e.g.* LCAPP; (ii) encouraging indigenous renewable resources, *e.g.* offshore wind, solar PV, and biomass; and (iii) reducing peak demand through EE and DR, *e.g.* CEP or the Integrated Distributed Energy Resources (IDER) Program. These options can help moderate electric prices, reduce dependence on foreign oil, provide economic activity, and help protect the environment. New Jersey cannot be complacent in light of expected near-term retirements (identified in Section 4.7.2), particularly in light of the long lead time to develop and implement supply options.

### **7.1.2 Advantages of New Baseload and Mid-Merit Generation**

While a balanced and diverse generation portfolio requires baseload, mid-merit, and peaking resources, there are particular advantages to having additional baseload and mid-merit generation in New Jersey.<sup>79</sup> In-state baseload generation is provided mainly by nuclear plants, followed by coal-powered plants.<sup>80</sup> Baseload plants bring employment (during both construction and operation), taxes to the State and localities, and spending for local goods and services. Baseload plants also lower wholesale energy prices by displacing energy from more expensive plants. In New Jersey, the more expensive plants that run mid-merit or during peak demand conditions are oil and gas fired units.

Nuclear generation can provide a reliable source of inexpensive generation without air emissions. However, new nuclear power is expensive to construct, requires ample cooling water sources, and remains plagued by the lack of a federal solution for the long-term storage of spent fuel.<sup>81</sup> Arguably, the Fukushima disaster serves to highlight the efficacy of the U.S. nuclear industry's disaster preparedness in relation to that of Japan, but the risk of accidental radiation release, however low, may galvanize the public to object to any proposal to build a new nuclear

---

<sup>79</sup> These generation technologies are described in the Glossary.

<sup>80</sup> Mid-merit CC plants provide less energy than nuclear but more than coal in New Jersey.

<sup>81</sup> The federal government has not yet opened the Yucca Mountain repository, so spent nuclear fuel is being stored in storage pools or dry casks on plant sites. President Obama has opposed the activation of Yucca Mountain.

power plant in New Jersey. The retirement, in 2019, of Oyster Creek, the nation's oldest nuclear power plant, presents the State with a challenge, as the replacement of Oyster Creek generation has the potential to add generation that increases New Jersey's carbon footprint. In addition, PJM reports that Oyster Creek's geographic location has prevented significant transmission bottlenecks and overloads in the State, and that unless replaced by new comparable baseload generation, at least \$100 million in transmission upgrades will be required when Oyster Creek is retired, excluding new rights of way.

Coal-fired power plants are also expensive to construct. In light of the reduction in natural gas prices and, to a lesser extent, the cost of emission allowances, energy produced from coal plants is no longer much less expensive than energy produced from new CC plants, or even old-style gas-fired steam turbine generators. Many coal plants in PJM have had to retrofit increasingly expensive emission control equipment to meet air quality requirements. Coal plants produce a significant portion of New Jersey's greenhouse gas emissions. Some units are candidates for retirement; incentives for new generation are designed to shut down these older, dirtier, less efficient plants. While coal plants have historically produced reliability and economic benefits and have balanced the technology mix of generation resources in New Jersey, coal is a major source of CO<sub>2</sub> emissions and New Jersey will no longer accept coal as a new source of power in the State.

Natural gas-fired CC plants provide increasing amounts of mid-merit generation due to their high efficiency and low fuel prices. Around the time the PJM market was being deregulated, many merchant CC plants were constructed that relied on spot wholesale energy and capacity prices instead of long-term contracts. The majority of the merchant CC plants were added elsewhere in PJM, not in New Jersey. Given the high efficiency, low capital cost, low operating cost, low water usage, low emissions, and use of less carbon-intensive fuel, the Christie Administration encourages CC development. Under LCAPP, New Jersey could realize the benefit of 1,945 MW of state-of-the-art CC plants by 2016. System reliability would be enhanced, and material ratepayer savings would be expected from the LCAPP. The savings are explained by the anticipated reduction in wholesale energy prices in New Jersey attributable to the addition of efficient mid-merit generation.

FERC recently issued an order that modifies MOPR, thereby subjecting the LCAPP SOCA awardees to PJM mitigation.<sup>82</sup> Other potential modifications to PJM's RPM mechanism to improve the "bankability" of the price signal through the BRA may be pursued. Despite the promise of potential reform of the RPM, capacity prices have been volatile, making it difficult for project developers to attract capital to new generation projects based on BRA results. LCAPP sets forth a commercial template through a contract-for-differences. The EDC contracts with the SOCA awardees through LCAPP were designed to bridge the gap between variable wholesale capacity prices and an assured revenue stream, thereby fostering the commercialization of new generation plants in New Jersey. New Jersey's ability to realize the

---

<sup>82</sup> On April 12, FERC issued its Order in docket nos. EL11-20-000 and ER11-2875-000 where it largely adopted PJM's tariff changes to the MOPR, providing a revised floor to bid prices.

benefit of the bargain under LCAPP is hindered by actions taken by FERC that modified the MOPR, thus subjecting the LCAPP projects to the uncertain impact of mitigation.<sup>83</sup>

On May 27, 2011, the Board issued an Order initiating a new proceeding to continue investigating New Jersey's electric capacity needs as well as other issues associated with transmission planning, the proper functioning of the power market and barriers to and opportunities for new entry. On June 17, 2011 and October 14, 2011, the Board held legislative-type hearings in the matter, and will continue to explore these issues in the future.

### **7.1.3 Nuclear Generation to Satisfy the Global Warming Response Act**

The goals of the Global Warming Response Act were ambitious even before the announcement of plans to close Oyster Creek at the end of 2019. Notwithstanding the development of significant in-State renewables over the next eight years, additional CO<sub>2</sub>-producing fossil fuel generation will need to be dispatched to compensate for the loss of this carbon-free energy source. Unless the State pursues additional, in-state nuclear generation, a carbon-free generation resource, the current greenhouse gas reduction goals will be unattainable.

The 2008 EMP concluded that nuclear energy would be necessary to achieve the goals set forth in the Global Warming Response Act for two reasons. First, the development of new nuclear generation will displace operation of comparatively inefficient high-carbon generation. With its low marginal cost, nuclear can displace coal-fired units, leading to less pollution and fewer greenhouse gas emissions. Second, the Global Warming Response Act presumed the continued operation of the existing nuclear fleet through the 2020 and 2050 timeframes. Other economic considerations associated with the high and uncertain capital cost of a new nuclear plant should be explored in the broader context of the environmental and reliability benefits ascribable to the technology.

### **7.1.4 Transmission Solutions and Out-of-State Resources**

As described in Section 4.2.1, PJM is responsible for planning new HV transmission lines to serve regions with known transmission constraints and insufficient capacity resources. New Jersey benefits from local investment in such lines, *e.g.*, Susquehanna-Roseland, because the line costs are "socialized," in other words, apportioned across PJM based on load share. Under PJM's FERC-approved transmission rate design, New Jersey must likewise bear its proportionate share of other HV transmission projects elsewhere in PJM that do not confer any direct reliability or economic benefits in New Jersey. New Jersey will be the primary beneficiary of improved reliability and lower wholesale prices due to Susquehanna-Roseland. Transmission backbone projects like Susquehanna-Roseland often require significant amounts of land for rights-of-ways. In comparison to generation projects, transmission projects do not bring many jobs or tax revenues to New Jersey.

As discussed in Section 4, FERC provides financial incentives to TOs that construct new transmission provided the operation is turned over to an RTO, as is the case in PJM. The BPU

---

<sup>83</sup> Failure of the SOCA awardees to clear the BRA in multiple years may result in contract termination.

has evaluated the appropriateness and reasonableness of providing additional incentives to EDCs for capital improvements to their electric and gas distribution systems, including: (i) a surcharge mechanism that enables the EDCs to receive full recovery of and on investments without filing a base rate case; (ii) an after-the-fact true-up to reconcile estimates with actual costs; and (iii) other recovery mechanisms acceptable to the EDCs. Annual adjustments continue until the EDC's next base rate case at which time un-recovered costs are collected through base rates. This reduces the cost of capital, lowers project costs, and ultimately reduces the burden on ratepayers.

### **7.1.5 Policy Direction and Recommendations**

New Jersey should promote a diverse portfolio of new, clean, cost-effective in-state electric generation. The State must work with PJM and FERC, where possible, to ensure a reliable supply of energy and capacity at reasonable rates while advocating for policies that help control electricity costs, maintain system reliability, and adhere to environmental objectives. The recommended policy options follow.

#### **Construct New Generation and Improve PJM Rules and Processes**

Despite high capacity prices in New Jersey as a result of the RPM capacity market construct, new generation has not been built recently in New Jersey. Generators aver that capacity payments must be adequate and stable in order to attract capital for construction. LCAPP was designed to accomplish these objectives, thus resulting in the award of 1,948.5 MW of new in-state CC capacity. The expected value of the benefits to ratepayers under the LCAPP awards is \$1.8 billion on a present value basis over 15 years.<sup>84</sup>

The environmental benefits of this new capacity were outlined in the LCAPP Agent's report to BPU as follows. The addition of the estimated 1948.5 MW of capacity from the LCAPP process would displace incumbent generation with a portfolio of cleaner, more efficient gas-fired generation, with a significant net annual average reduction of pollutants and greenhouse gases. Overall, the annual reductions are equivalent, on an order-of-magnitude basis, to the annual emissions of roughly 250 MW of coal-fired generation at a 100% capacity factor. In addition, this displacement would result in lower emissions of NO<sub>x</sub> and SO<sub>2</sub> across the PJM region. Regional reductions in NO<sub>x</sub> and SO<sub>2</sub> will contribute to cleaner air for New Jersey, because these pollutants are precursors in the formation of ozone and haze, which are transported from upwind states in PJM to New Jersey. Emissions of mercury would be reduced regionally as well as locally. CO<sub>2</sub>, the principal greenhouse gas, is a global environmental concern, and therefore must be viewed from the system-wide perspective across the entire LCAPP modeled area. The LCAPP portfolio displaces more carbon-intensive oil or coal-fired generation and/or less efficient gas-fired generation thereby giving rise to a net reduction in CO<sub>2</sub> emissions in each year of the LCAPP forecast. All of the LCAPP projects propose to use state-of-the-art evaporative cooling tower systems, minimizing the use and discharge of cooling water. In addition, two of the three projects, the Newark Energy Center and the Woodbridge Energy Center, would be

---

<sup>84</sup> LCAPP Agent's Report to the BPU, March 21, 2011.

located on brownfield sites. The beneficial reuse of formerly impaired properties represents a significant environmental benefit that may confer additional economic benefits.<sup>85</sup>

In Orders issued April 12, 2011 and November 17, 2011, FERC announced that state-sponsored generation capacity offered into PJM's annual capacity auction would be subject to PJM's Minimum Offer Price Rule ("MOPR"),<sup>86</sup> even though such capacity had been exempt from the MOPR.<sup>87</sup> The November 17 Order will, barring successful legal action by the State of New Jersey, require that the LCAPP unit capacity be offered into the May 2012 RPM auction at an administratively-mitigated price level that may exceed the actual clearing price in that auction. If the LCAPP capacity fails to clear the BRA it will not be considered a capacity resource in PJM, will not receive RPM capacity payments, and will not meet the requirement to clear the auction specified in the contracts executed between the State and the three generation entities. Because the FERC-authorized PJM rules require that a new generation unit clear one annual BRA before being relieved of the offer price constraints imposed by the MOPR, the May 2012 auction will be watched closely to determine if the LCAPP units clear.

Based upon the outcome of the May 2012 RPM auction, the State will either begin to realize the benefits of new market entry by the LCAPP units, or be forced to seek alternate routes to secure needed capacity. While the State will continue to pursue aggressively all possible legal redress for FERC's imposition of the MOPR on LCAPP capacity resources, a more aggressive approach is available that would permit New Jersey to ensure a reliable source of electric power at a reasonable price. Originally offered as an alternative to LCAPP by FERC in its April 12, 2011, MOPR Order, the State could avail itself of the Fixed Resource Requirement ("FRR") alternative provided for in the PJM tariff.<sup>88</sup>

The FRR alternative involves opting out of the PJM RPM capacity market structure altogether. In place of RPM, the State would establish an FRR service area within which New Jersey would exercise full autonomy over the provision of electrical requirements – beyond the jurisdiction of FERC. An FRR service area is defined under the PJM tariff as a geographic area bounded by wholesale metering transparent to PJM's Office of the Interconnection.<sup>89</sup> Geographic areas corresponding to current RPM Locational Deliverability Areas ("LDA") located in New Jersey, such as the PS-North LDA, are bounded by the necessary metering and could, in whole or in part, be an FRR service area. A designated Load Serving Entity ("LSE") – which could be an existing electric distribution company or the State of New Jersey, under a public power authority model – would be responsible for ensuring the load requirements of all customers within the FRR service area, utilizing existing and new capacity resources such as those secured via the long-term contracts offered under LCAPP. Opting for the FRR alternative would entail extensive planning, but ultimately would enable the State to escape the encumbrances of FERC

---

<sup>85</sup> LCAPP Agent's Report to the BPU at pp 4-6.

<sup>86</sup> *PJM Interconnection, L.L.C.*, 137 FERC ¶ 61,145 (2011) at 87-91.

<sup>87</sup> *PJM Interconnection, L.L.C.*, 135 FERC ¶ 61,022 (2011) at 191.

<sup>88</sup> *Ibid.* at 192-193.

<sup>89</sup> PJM Interconnection, L.L.C., Reliability Assurance Agreement at Article 1.31.

and PJM, which have engaged in concerted efforts to halt New Jersey's efforts to ensure long-term electric power reliability for its citizens.

The State will monitor closely the implementation of the LCAPP projects to ensure that the projected benefits are delivered to ratepayers. The Christie Administration is committed to the pursuit of judicial remedies to the actions taken by FERC, which impair New Jersey's goals and objectives under LCAPP and is equally prepared to engage in available alternatives, such as the FRR alternative, should the realization of these objectives be obstructed. The aggressive action already taken by the Administration at both FERC and PJM on behalf of merchant capacity development in New Jersey is having an effect on the market. Merchant developers are responding with new capacity projects without the LCAPP incentives, despite the obstacles presented in the RPM construct, and despite rules authorized by FERC and implemented by PJM that impede such development..

New Jersey is opposed to a FERC-imposed paradigm that impedes in-state generation development while simultaneously imposing on our ratepayers an investment premium for transmission projects that import power from out-of-state generation sources far away from the State's loads. The expansion of incentive rate treatment for routine transmission upgrades, will be opposed strenuously by the State. FERC's adoption of incentive rate treatment for non-routine interstate transmission facilities must not become routine because it unjustifiably rewards transmission companies for simply being mindful of necessary system upgrades.

Our ratepayers expect and deserve FERC to protect their interests. New Jersey will continue to participate actively in and, as appropriate, challenge PJM's transmission system planning and wholesale market design processes and rules. The State should also evaluate ways to modify RPM rules to produce more equitable capacity price results across the region. New Jersey residents should be protected from paying premium capacity prices – averaging \$1.4 billion annually – while seeing very little of the anticipated new generation capacity that would modernize the current resource mix in New Jersey. This effort is inextricably linked with strategies to address the presence and exercise of buyer market power in the most concentrated markets in PJM. Incumbent generation entities possess structural market power in the markets serving New Jersey consumers. While their behavior is monitored and, where necessary, mitigated by the IMM, it should not rely so heavily upon administrative mitigation when a structurally competitive market can be achieved. Under a genuinely competitive market structure, administrative mitigation of price offers and market behavior would be unnecessary as the incentive to engage in these activities would be removed. The State will, therefore, engage in concerted efforts to facilitate greater competition in the markets by removing existing barriers to entry while continuing to support comprehensive market power mitigation rules.

PJM's current transmission interconnection process stifles approvals for interconnection and imposes unreasonable costs on merchant generators. Generators seeking interconnection enter a queue defined, not by project viability, but by the date of the interconnection request. This places viable projects with near-term in-service capability lingering behind projects with less, if any, practical viability. Placement in the queue subjects a generator to an ever changing assessment of transmission upgrades and costs. The uncertainty associated with this process causes viable generation projects, many of which rely upon external financing, to withdraw from the queue altogether. The State is committed to rationalizing this process through PJM and



FERC approval of a queue breakaway mechanism that would allow viable generation projects to advance in the queue based upon the state of their actual development and in-service date.

Rendering the transmission interconnection process even more problematic is the fact that transmission upgrade studies are performed, not by PJM or an independent engineering entity, but by the transmission owners themselves which may have generation affiliates in direct competition with the merchant generator requesting interconnection. The inherent conflict of interest in the process constitutes a barrier to entry for new market participants and new merchant capacity. New Jersey is committed to having independent third parties with no vested interest in impeding project development and ultimate interconnection, perform interconnection studies and necessary transmission upgrade cost estimates. Achievement of these overdue rationalizations of the transmission interconnection process will facilitate a more vital competitive generation market in New Jersey.

### **Replace Lost Nuclear Capacity**

The State cannot achieve its 2050 greenhouse gas reduction goal without a significant portion of the energy supply coming from nuclear technology. Oyster Creek will close in 2019, and a planning process has begun to explore how the State will replace Oyster Creek capacity.<sup>90</sup> Explicit tradeoffs among competing resource planning criteria should be examined in order to calibrate the reliability, environmental, and economic effects attributable to new nuclear, other carbon free technology options, versus “un-clean” technology options that contribute to greenhouse gas emissions.

Vexing economic, safety, and environmental questions have to be answered before the State can embark on or abandon the path of developing the next generation of nuclear power plants. As nuclear plants in New Jersey age and are decommissioned, the Christie Administration supports the consideration of new nuclear generation as a potential baseload resource, and the delineation of lessons learned from New Jersey, U.S. and global nuclear experiences. A State agency panel will be established to assess how or whether nuclear energy will play a role in the future diversified portfolio of in-state generation.

### **Expand Distributed Generation and Combined Heat and Power**

DG resources, such as fuel cells and emergency generators, produce power at or near the location where it is consumed, offsetting the host facility’s electric load. DG is dispatchable and can decrease the burden on the transmission grid and on generating plants during peak demand hours, thereby reducing wholesale power costs and the price of electricity to all customers, *i.e.*, both participants and non-participants. Operational safety and increased emissions associated

---

<sup>90</sup> There are a number of good reasons to locate a new plant on the Lacey Township property, including the presence of a highly-skilled workforce, community support for such an initiative, and the existing electrical transmission infrastructure.

with increasing DG penetration and permitting those generators to operate for more hours are important factors that must be considered in any policy decision.<sup>91</sup>

Cogeneration and CHP systems are designed around small to medium-sized power generators (2-25MW), in which otherwise wasted heat energy is captured and utilized, maximizing efficiency and energy savings by displacing the need for other sources of heating or cooling. The high capital cost of developing cogeneration and CHP facilities, combined with the difficulty of raising capital in the current economy, is a continuing industry challenge. Therefore, implementation of these projects would require support from State incentives, including loans and loan guarantees as well as a streamlined permitting process.<sup>92</sup>

CHP is also a viable and appropriate technology for State-owned, campus-type facilities such as prisons, developmental centers, juvenile detention facilities, and colleges. Much of the heating and cooling equipment in State institutions is aging and may be approaching or even be beyond their useful lives. New Jersey has experienced significant CHP development over the years. As these facilities age, the prospect of plant upgrades, repowerings, or replacement should be evaluated. The State will soon initiate a procurement process through the BPU and EDA for third party providers who would build, own, and operate these facilities, providing savings in EDC costs and reduced maintenance costs without the capital outlay.

District energy systems are the largest and most capital-intensive CHP systems. However, these systems can provide the greatest economic and environmental benefits, and present significant opportunities.<sup>93</sup> Developers of CHP and district energy systems often must construct both the central power plant and the underground heating or cooling distribution system. The Christie Administration is committed to developing 1,500 MW of CHP generation over the next ten years: 1,400 MW of C&I applications and an additional 100 MW from district energy systems.<sup>94</sup>

### **Promote Expansion of Gas Pipeline System**

FERC is responsible for the regulatory approval process of new interstate pipelines, including facility enhancements to existing pipelines. The Christie Administration is committed to the expansion of New Jersey's natural gas infrastructure in a manner that safeguards New Jersey's natural and cultural resources and prevents any adverse impact on safety and homeland security. New or expanded pipelines will confer energy price benefits by increasing the supply of lower

---

<sup>91</sup> Emergency generators typically have minimal emission controls. Peak demands that might economically justify dispatch often occur on days when air quality falls below national standards. One solution would be to require emergency generators to be equipped with appropriate emissions controls and grant air permits that would allow them to operate for a limited number of hours on high demand days.

<sup>92</sup> DEP is currently developing a suite of general permits which maintain high environmental standards and make the permitting process clearer and more predictable.

<sup>93</sup> District energy systems provide energy from a centralized location rather than multiple localized facilities. District energy systems tend to be more efficient and less polluting than multiple local energy generation systems.

<sup>94</sup> This goal is consistent with the conclusions presented in the August 2010 BPU/U.S. DOE study, performed by the Mid Atlantic Clean Energy Application Center, which indicated 6,000 MW of CHP market potential in New Jersey. Scaling this estimate towards actual projects and locations results in a more conservative and realistic estimate of 1,481 MW of new generation market potential.

cost gas from Marcellus Shale, thus reducing the wholesale cost of gas and power for LDCs and EDCs, respectively. Expansion of the gas pipeline system in New Jersey will also foster fuel substitution and will serve New Jersey's renewed interest in NGVs to lessen the State's reliance on expensive diesel fuel. Other program initiatives oriented around oil-to-gas conversions for home heating are likewise well served by expanding the interstate gas pipeline system into and within New Jersey.

## **7.2 Cost-Effective Renewable Resources**

One of New Jersey's most important policy goals is to moderate the electricity rates paid by consumers. For most businesses in New Jersey, energy costs are the second largest overhead item, behind labor-related expenses. As illustrated in Section 4.10, the all-in price of electricity includes cost components that underwrite various initiatives to advance societal goals. The State must reconsider all social policies that add to the cost of energy and must review, restructure, and reformulate the way the State promotes and subsidizes both traditional and renewable energy. This section focuses on the costs and benefits of subsidies for solar and wind power, which have received special treatment in New Jersey's renewable energy portfolio. New Jersey must ensure that investments in renewable energy that are socialized through electric rates not only advance the worthwhile goals of expanding New Jersey's "home grown" energy resources, but also create jobs in the State and provide a hedge against uncertain future costs of fossil fuels.

### **7.2.1 Subsidies for Renewable Resources**

Both State and federal mandates regarding the use of renewables are predicated on the need to establish worthwhile public policy goals to support renewable energy technology. New Jersey has been in the forefront of the national effort to encourage the development of renewable energy technologies that achieve a reasonable balance among environmental, economic, and reliability objectives. Absent such public policy goals, consumers and EDCs may lack the economic rationale to implement renewable energy sources given their high cost compared to conventional technologies.<sup>95</sup> The current price of fossil fuels, particularly the delivered cost of natural gas to power plants across PJM, renders renewable technology more costly than power production from many conventional resources, *i.e.*, coal, nuclear, gas-fired CC plants, peakers, and hydroelectric generation. More importantly, the stable outlook for natural gas prices in the decade ahead, largely due to prolific gas production from shale gas formations, portends stable wholesale energy prices in New Jersey and throughout PJM. Hence, a value gap explained by the higher cost of producing energy from solar, wind, and/or biomass facilities versus conventional wholesale power production in PJM is likely to persist until some indeterminate point in the future when the cost of producing conventional power outstrips the cost of renewable energy supplies.

Because the RPS has been implemented in stages, it has lacked a consistent, coherent, and formalized basis to plan for the addition of new renewable technologies that achieve a good

---

<sup>95</sup> Public companies, not-for-profit institutions, and individual investors may choose to invest in new renewable technologies, but subsidies are required to grow the renewable industry in New Jersey on a fast track in accord with New Jersey's aggressive renewable energy goals.

balance among laudable resource planning objectives, *i.e.*, environmental, economic, and reliability benefits. To date, New Jersey's policymakers have been thrust in the unenviable role of having to pick winners and losers among the crowded field of renewable energy technologies. The absence of a net economic benefit test coupled with a number of price incentives that fix the level of subsidy to support the increased entry of competing renewable technologies hinders the role and impact of the competitive market. Ultimately, it is the competitive market rather than New Jersey's policymakers that should rationalize the amount, location, and type of renewable technologies added to the resource mix to satisfy the RPS requirement.

Of critical concern, New Jersey remains committed to achieving the 22.5% RPS target by 2021. In light of the inescapable cost-burden that will be shouldered by all ratepayers to meet this target, the method of achieving this objective should be subject to rigorous quantitative and qualitative analysis and should not be driven by *a priori* assumptions and historical decisions. Going forward, emphasis should be placed on the development of renewable energy resources that confer net economic benefits to New Jersey oriented around the reduction of emissions, in particular, CO<sub>2</sub>, reduced (or stabilized) energy and capacity prices, the creation of jobs, investment in new manufacturing capability, and the consequent direct, indirect and induced socio-economic benefits properly ascribable to clean energy.

### **7.2.2 Solar PV Development**

The solar PV industry is growing steadily in the U.S. The solar PV project order backlog in the U.S. market has soared past 12 GW in 2011. Ranking second in the nation to California, New Jersey's solar industry has grown substantially, with about 11,000 solar PV projects totaling 490 MW Statewide. Federal tax credits bolstered by New Jersey's energy policy that has advantaged solar have induced consumers to "go green," thus supporting the trend toward increased solar in both the residential and commercial sectors, as well as other market segments. The annually increasing solar RPS carve-out, the reduction in solar installation costs, the expectation of continued technology progress, and positive reports from solar participants portend continued solar penetration rates in New Jersey.

Figure 35. Installed PV Capacity in Top 10 States<sup>96</sup>




Figure 36 shows the growth of installed capacity since 2001 under a succession of subsidy programs. Prior to 2010, most projects were entitled to rebates under CORE and REIP. The CORE program offered bonus incentives for New Jersey manufactured equipment. When the CORE program was replaced by the REIP rebate program, the bonus incentives evolved into the REMI program. The REIP closed to new solar applications beginning in 2011. Now, only the REMI program complements the SREC program. Virtually all of the installations in 2010 and 2011 are entitled to sell solar renewable energy credits under the SREC program. It is important to note that both CORE and REIP are entitled to SRECs, but the qualification life starts from the time the project was installed.<sup>97</sup> Therefore, a 2003 installed CORE project is eligible for SREC based revenue until 2018.

<sup>96</sup> Source: Solar Energy Industries Association, <http://www.seia.org/cs/research/SolarInsight>

<sup>97</sup> The SREC qualification life is the number of years a facility can create SRECs for New Jersey's Class 1 RPS market, after which it remains eligible to generate Class 1 RECs that can be traded in the Class 1 market or the voluntary market. Presently, the SREC qualification life is 15 years.

**Figure 36. Cumulative Solar PV Capacity in New Jersey by Program (Sept 2011)**




Table 10 shows the breakout of projects and capacity through September 2011, by program and market segment. In terms of installed capacity, commercial and residential solar projects amount to approximately 305 MW and 72 MW, respectively. The total rebate cost of the CORE and REIP programs, unitized over total installed program capacity, is \$2,899/kW.<sup>98</sup> The average residential rebate cost is \$3,042/kW, slightly higher than the average rebate cost across all segments.<sup>99</sup> In contrast, the average commercial rebate cost is \$2,831/kW.<sup>100</sup> As shown in Figure 36, well over one-half of the 490 MWs of solar PV installed in New Jersey was installed in 2011. Cumulative capacity under the SREC program is over 300 MW, well over half the total, but most of the costs of that program are deferred to the future via SRECs. Virtually all of the 2010 and 2011 installations are financed through SRECs.

<sup>98</sup> From Table 10:  $(\$315,909,861 + \$44,052,824) / (88,795.7 \text{ kW} + 35,336.1 \text{ kW}) = \$2,899/\text{kW}$

<sup>99</sup> From Table 10:  $(\$116,204,148 + \$33,825,360) / (24,848.6 \text{ kW} + 24,464.0 \text{ kW}) = \$3,042 / \text{kW}$

<sup>100</sup> From Table 10:  $(\$103,553,820 + \$9,088,370) / (30,289.6 \text{ kW} + 9,505.4 \text{ kW}) = \$2,831 / \text{kW}$

**Table 10. Summary of Solar Rebate and SREC Programs**

	<b>CORE Solar</b>	<b>REIP Solar</b>	<b>SREC Solar</b>	<b>Grand Total</b>
<b>Number of Projects</b>				
Commercial	486	335	927	1,748
Residential	3,414	3,159	2,780	9,353
Other	387	45	179	611
Total	4,287	3,539	3,886	11,712
<b>Rebate</b>				
Residential	\$116,204,148	\$33,825,360	\$1,610	\$150,031,117
Commercial	\$103,553,820	\$9,088,370	\$53,532	\$112,695,722
Other	\$96,151,892	\$1,139,095	\$13,202	\$97,304,189
Total	\$315,909,861	\$44,052,824	\$68,344	\$360,031,029
<b>Capacity (kW)</b>				
Residential	24,848.6	24,464.0	23,538.6	72,851.2
Commercial	30,289.6	9,505.4	265,929.4	305,724.4
Other	33,657.5	1,366.7	34,112.9	69,137.2
Total	88,795.7	35,336.1	323,580.9	447,712.8
<b>Average Project Capacity (kW)</b>				
Commercial	62.3	28.4	286.9	174.9
Residential	7.3	7.7	8.5	7.8
Other	87.0	30.4	190.6	113.2
Total	20.7	10.0	83.3	38.2
<b>Average Rebate (\$/kW)</b>				
Commercial	\$3,419	\$956	\$0	
Residential	\$4,676	\$1,383	\$0	
Other	\$2,857	\$833	\$0	
Total	\$3,558	\$1,247	\$0	

Table 11 summarizes New Jersey solar PV installations by market segment as of September 2011.<sup>101</sup> Commercial and residential solar projects account for about 94% of the total number of projects and 84% of the total installed solar capacity in New Jersey. The average installation

<sup>101</sup> Certain solar PV source data was provided in terms of MWdc and kWdc, indicating that the electrical output from solar PV is direct current (dc) that must be converted to alternating current in order to be utilized along with standard electric supplies or transmitted in local distribution systems. This EMP dropped the dc terminology for ease of comprehension.

size of a solar project is 38.2 kW and ranges considerably, from an average residential size of 7.8 kW to average commercial size of up to 175 kW.

**Table 11. New Jersey Solar Installations by Market Segment**

<b>Market Segment</b>	<b># Projects</b>	<b>Installed Capacity (kW)</b>	<b>% of Installed Capacity</b>	<b>Ave Size (kW)</b>
Commercial	1748	305,724.4	68.29%	174.90
Residential	9353	72,851.3	16.27%	7.79
School Public K-12	158	27,168.0	6.07%	171.95
Municipality	65	9,342.1	2.09%	143.72
Non Profit	147	9,698.6	2.17%	65.98
University Public Government Facility	22	5,423.1	1.21%	246.50
School Other	53	6,571.2	1.47%	123.99
Farm	41	5,378.9	1.20%	131.19
SUNLIT	65	3,803.8	0.85%	58.52
University Private	57	1,506.4	0.34%	26.43
	3	245.0	0.05%	81.67
<b>Total</b>	<b>11712</b>	<b>447,712.8</b>	<b>100%</b>	<b>1,232.64</b>

### 7.2.3 Solar RPS and Economics

This 2011 EMP recognizes the integral role that solar energy can play in New Jersey’s ability to meet its RPS objective as well as its role as an engine for economic growth. Since issuance of the 2008 EMP, New Jersey’s economy, like that of the U.S. as a whole, has experienced a sharp, reversal, while New Jersey’s solar industry has grown significantly. Any analysis of the costs of solar energy must take into account the fact that with current technology, PV solar is more costly than other energy sources.

Table 12 shows the comparative levelized costs of different fuel sources. Despite the significantly greater levelized cost of Solar PV, the State has pursued an aggressive solar program.



**Table 12. Levelized Cost of Generation<sup>102</sup>**

<b>Technology</b>	<b>Levelized Cost (\$/MWh)</b>
Hydro	86.4
Biomass	112.5
Offshore Wind	243.2
Onshore Wind	97
Solar PV	210.7
Advanced Nuclear	113.9
Conventional Coal	94.8
Combined Cycle	66.1

From 2001 through 2007, the development of solar energy was supported by the CORE rebate program. The cost of this program, which supported development of 40 MW of solar PV, was \$4.6 million/MW and \$184 million in rebates.<sup>103</sup> In April 2006, New Jersey adopted an RPS goal of 22.5% by 2020, including the requirement that 2% of the supply mix be derived from New Jersey-based solar facilities. Recognizing that the CORE rebate program could not support the cost of the solar development mandated by the solar RPS requirements, the BPU commissioned a study, the New Jersey Renewable Energy Solar (NJRES) Market Transition Paper, to examine the options for supporting the solar RPS. Released in August 2008, the NJRES Market Transition Paper estimated the cost to meet the 2% solar RPS by 2021 (2300 MW) to be \$10.9 billion.<sup>104</sup> This projection, and the recognition that CORE (replaced in 2009 with REIP) would not be able to support that large of an investment, led to the adoption of a market-based financing program through the creation of SRECs.<sup>105</sup>

SREC prices are set by the competitive market with quantities established by the RPS. Suppliers are required to purchase or produce SRECs to meet their respective solar energy obligations. Solar power systems are allowed to generate SRECs during their first 15 years of operation. To prevent an unlimited escalation of SREC prices, the BPU rules established the SACP. The SACP levels effectively establish a ceiling on the market price of an SREC. When the requisite quantity of SRECs is short relative to the solar PV requirement set forth in the Solar Advancement Act, SRECs tend to trade at or near the SACP (Figure 37). The cost of the SRECs and any SACP payments are included in the all-in cost of electricity borne by ratepayers throughout the State. By design, the SREC is intended to be the primary method of compliance with the solar requirements of the RPS. The SACP is a secondary method of compliance when SRECs are relatively scarce.

---


<sup>102</sup> [http://www.eia.gov/oiaf/aeo/pdf/2016levelized\\_costs\\_aeo2011.pdf](http://www.eia.gov/oiaf/aeo/pdf/2016levelized_costs_aeo2011.pdf)

<sup>103</sup> The CORE program continued through February 28, 2011 with a total of 86.4 MW installed at a total cost of \$311.7 million, or \$3,606/kW.

<sup>104</sup> Summit Blue Report May 9, 2007

<sup>105</sup> The REIP program provided 30,149 kW of capacity in 2009 and received rebates totaling \$40 million.

**Figure 37. New Jersey SREC Price as a Percentage of SACP**



While the current SACP extends through 2016, the Solar Advancement Act requires the BPU to set the SACP for another 15 years, through 2026. Although the Solar Advancement Act did not mandate action within a specific timeframe, the BPU has initiated a process to develop the next 15 year schedule upon establishment of the SACP schedule; the Solar Advancement Act prohibits the BPU from exercising its regulatory authority by reducing the amount of the SACP for the designated SACP period without specific statutory authorization.

The primary determinant of a solar developer or homeowner’s ability to recoup the cost of a solar installation is the value of the SREC. SACP values have been set administratively rather than by competitive market forces.

When the SACP was first established in New Jersey in 2003, it was constant at \$300/MWh, *i.e.*, \$0.30/kWh. In 2007, an eight-year SACP level was set in order to serve as a motivation for suppliers to procure SRECs in lieu of SACP. The SACP levels were set approximately \$100 above the SREC values that were calculated as needed to provide a return on investment of 12% to a diverse solar market, including the expectation of continued technology progress. The 8-year SACP schedule, approved by the BPU on September 12, 2007, is shown in Table 13 by Energy Year<sup>106</sup> as well as the proposed schedule.

**Table 13. Current SACP and Proposed 2017-2026 Schedules**

Energy Year	2009	2010	2011	2012	2013	2014	2015	2016
SACP	\$711	\$693	\$675	\$658	\$641	\$625	\$609	\$594
% Reduction		2.53%	2.60%	2.52%	2.58%	2.50%	2.56%	2.46%
Years in Schedule			1	2	3	4	5	6

Energy Year	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026
SACP	\$475	\$463	\$451	\$440	\$429	\$418	\$407	\$397	\$387	\$377
% Reduction	20.00%	2.54%	2.54%	2.54%	2.54%	2.54%	2.54%	2.54%	2.54%	2.54%
Years in Schedule	7	8	9	10	11	12	13	14	15	16

The rationale behind the establishment of a comparatively high SACP value has been the need to incubate solar technology in New Jersey in order to realize the benefits of green technology, including job creation in the manufacturing, installation, and operation phases of solar project development. Over the last few years, SREC values have converged on the administratively determined SACP value. Hence, SRECs have been high enough to support the installation of solar with a low cost for the homeowner or business. The ability to recoup rapidly investment on solar installations has doubtless benefited the solar industry and the participating household or business, but has not created significant benefits to the cohort group of non-participants who ultimately bear the cost of solar technology (Figure 38) is instructive to compare the SACP prices in New Jersey to those of other states having a solar RPS program. Figure 38 demonstrates that the SACP in New Jersey is the highest in the country.

<sup>106</sup> As defined by the Solar Advancement Act, by year in which it ends (not to be confused with PJM and BGS use).

**Figure 38. Solar Alternative Compliance Payments by State**





Figure 39 summarizes the historical number of SRECs traded and the SREC prices as documented by the CEP. The number of SRECs traded reflects a volatile saw-tooth pattern over time as discrete quantities of SRECs enter the market upon installation of new solar projects. In contrast, SREC prices have appreciated steadily over the last three years reaching \$600/MWh in 2011, *i.e.*, \$0.60/kWh, before dipping dramatically to the \$400/MWh range. Previous to this dip, the steady appreciation in SREC prices ran counter to the substantial solar technology progress that has been sustained in the U.S. and in New Jersey, and reflected the gap between what New Jersey’s suppliers are required to purchase to meet the solar purchase requirement and the quantity of SRECs available for trade. Today, that gap is narrowing – as is evident in the lower SREC prices – and is generally attributed to the overbuilding of solar capacity in New Jersey as a result of lucrative State and federal subsidies. What the future holds for SREC prices though is uncertain. The elimination of the federal tax credit in December 2011, for example, may cause the SREC price to rebound.

**Figure 39. Number of SRECs Traded and SREC Prices in New Jersey**



Furthermore, the increase in SREC prices until recently is not consistent with the historical decrease in solar PV module prices, illustrated in Figure 40.<sup>107</sup> Historical solar PV module prices are averages of various PV technologies such as multicrystalline silicon, monocrystalline silicon, and thin film. The lowest retail price for a multicrystalline silicon solar module is \$1.31/watt, monocrystalline silicon module is \$1.28/watt, and thin film module price is \$1.25/watt. Brand, technical attributes, and certifications affect pricing, and thin film modules typically are less expensive than crystalline silicon. Currently, the installed system pricing data shows that the largest U.S. projects are now being completed in the range of \$3,000-4,000/kW, approximately one-half the cost of comparable technology just four years ago.<sup>108</sup>

The CEEEP report tabulates solar capital costs in nominal \$/kW from a variety of studies and reports. The International Energy Agency 2010 report forecasts that solar capital costs for residential installations will decrease from \$6,000/kW in 2008 to \$3,333/kW in 2020. For

<sup>107</sup> Source: Solarbuzz tracks thousands of online retail prices for solar energy systems, mostly in the United States: <http://www.solarbuzz.com/facts-and-figures/retail-price-environment/module-prices>

<sup>108</sup> <http://www.solarbuzz.com/our-research/recent-findings/united-states-solar-photovoltaic-project-order-backlog-surpasses-12-gw>

C&I installations, the capital cost is projected to decrease from \$5,000/kW in 2008 to \$2,778/kW in 2020.<sup>109</sup>





Figure 41 compares grid-connected solar-system costs, including the cost of financing the solar installation, by class of service based on data from Solarbuzz.<sup>110</sup> Not surprisingly, residential costs of PV systems are significantly higher than commercial or industrial costs.

**Figure 41. Solar PV System Costs by Market Segment**



<sup>109</sup> International Energy Agency, “Technology Roadmap: Solar Photovoltaic Energy”, 2010.

<sup>110</sup> Source: <http://www.solarbuzz.com/facts-and-figures/retail-price-environment/module-prices>

According to the CEEEP Solar Report, the cost of New Jersey's solar RPS compliance is likely to exceed the \$10.9 billion estimate of the 2008 NJRES market study. New Jersey's solar energy policy accounts for approximately 2.5% of the cost associated with the State and federal policy component of the average residential electricity bill.<sup>111</sup> The solar cost component is expected to increase in response to the more aggressive solar production target through 2026 without a reduction in the RPS for other, non-solar Class I sources. Importantly, the solar production target is an energy target, not a percentage of total energy use in New Jersey. Therefore, the solar requirements are not reduced if load is reduced through aggressive conservation or EE.

In its adoption form, there was a 2% cap on the cost impact to electric rates attributable to solar, but this cap was eliminated by the Solar Advancement Act. Based on an analysis by CEEEP, when calculated against the cost of energy displaced by solar, this cost will be 2.6% of the total retail electric market in 2012, even though solar energy comprises less than 1% of the electric power.<sup>112</sup> In 2025, solar is projected to reach 6.5% of retail electric costs assuming that SRECs are priced at 75% of the SACP, while providing 5.4% of the electric power.<sup>113</sup> By 2020, New Jersey's solar requirement will increase the weighted average electricity costs by 0.92 cents/kWh, an increase of 4.5%. By 2025, the electricity rate is projected to increase by 1.58 cents/kWh due to the solar requirement.<sup>114</sup> If SACP prices govern due to a shortage of installed capacity, the 2020 increase could be as high as 1.23 cents/kWh, and the 2025 increase as high as 2.10 cents/kWh.

Holding aggregate State policy costs at or near current levels will not be possible because of the annual increases mandated by the Solar Advancement Act. From 2011 through 2015, the amount of solar energy mandated by the Act will increase by 260% with a total annual estimated SREC cost in 2015 of \$525,262,500.<sup>115</sup> At this growth rate, even the complete elimination of all other EE/DR and renewable energy programs would not be sufficient to offset the increased cost of solar energy, without passing on large cost increases to ratepayers. Nevertheless, under the Solar Advancement Act, the quantity of solar energy is mandated to increase through 2026, and beyond.

The challenging economic conditions experienced throughout New Jersey limit the amount of private equity and public indebtedness available for investment in renewable technology. The sheer magnitude of the public resources being directed to achieve the substantial step-up in solar technology throughout New Jersey can crowd-out investment in other renewable resources, in particular offshore and onshore wind, and biomass. Worthwhile investments in EE/DR and, conceivably, conventional resources such as the three new CC plants under the LCAPP procurement, may be impacted. To be in strict accord with the requirements of the Solar Advancement Act through 2026, the State would need to indefinitely postpone or cancel other

---

<sup>111</sup> Refer to section 4.10 of this report for a breakdown of average electric bill components.

<sup>112</sup> CEEEP Section VII. Solar Payback Analysis, Table 4. p. 106. Assumes SREC prices are at 75% of the SACP schedule; SREC prices are now trading at approximately 60% of the SACP.

<sup>113</sup> CEEEP Section VII. Solar Payback Analysis, Table 4. pp. 106.

<sup>114</sup> CEEEP Section VII. Solar Payback Analysis, Table 4. pp. 106.

<sup>115</sup> CEEEP Section VII. Solar Payback Analysis, Table 4. pp. 106.

renewable energy and EE/DR programs because funding is limited. Absent such indefinite postponements or cancellations, significant increases to retail rates throughout New Jersey are inevitable. Moreover, portfolio diversification objectives support a blending of renewable, conventional and EE/DR technologies rather than over reliance on one green technology. For these reasons, New Jersey should reevaluate the merit of being in strict accord with the requirements of the Solar Advancement Act through 2026. Similarly, in light of substantial solar technology progress and the current high SACP through 2016, it is reasonable for New Jersey to evaluate the reasonableness of the existing SACP price level authorized by the BPU through 2016.

Solar RPS requirements affect New Jersey in four major ways. First, the solar requirements lessen the amount of CO<sub>2</sub> and other power plant emissions associated with conventional power production from resources in New Jersey and from other resources in PJM. Second, the addition of solar PV also reduces the need for other resources to meet electricity demand. Third, the solar requirements raise retail electricity prices for non-participants, possibly reducing business economic activity due to indirect and induced economic impacts. Higher retail electricity prices may cause C&I entities to relocate, while reducing the likelihood of new manufacturing capability being formed in New Jersey.<sup>116</sup> Fourth, the solar requirements help to create a manufacturing and service industry in New Jersey. Construction and installation jobs create a transient, but significant economic gain for New Jersey, while ongoing operations and maintenance jobs result in direct, indirect, and induced economic and employment benefits.

Combining the economic impact of the additional cost of solar energy with job formation attributable to it helps to place the overall cost per job in perspective. The cost per job can then be expressed as a factor of the State's gross state product.<sup>117</sup> According to the CEEEP Solar Report, each in-state solar industry job currently nets out to a cost of \$386,866.<sup>118</sup> While the cost per job decreases over time, New Jersey's current solar policy will create 1,556 net additional in-state jobs by 2020, and decrease New Jersey's gross state product by approximately \$206 million or 0.04% per job.<sup>119</sup> Each year, New Jersey will create an average of 6.47 additional direct, one time installation jobs and less than 1 (0.19) operations and maintenance jobs per solar MW.<sup>120</sup>

There has been commendable technology progress in the solar industry over the last decade. There remain bright spots on the horizon as new solar PV technologies continue to demonstrate improved performance and lower cost. Some of these technologies could lead to significant

---

<sup>116</sup> CEEEP Solar Report, December 27, 2010, p. 1.

<sup>117</sup> The analysis assumes that there is no solar manufacturing in New Jersey. It does not account for any environmental benefits or any wholesale electricity price benefits ascribable to solar. If additional solar assembly and manufacturing employment results from the solar requirement, and/or if energy prices are lower due to accelerated solar penetration then the results presented in this section overstate the negative impact on New Jersey's economy.

<sup>118</sup> CEEEP, Section VI. Solar Economic Impact Analysis, Table 6, pp.103.

<sup>119</sup> CEEEP, Section VI. Solar Economic Impact Analysis, Table 5, pp.103.

<sup>120</sup> CEEEP, Section VI. Solar Economic Impact Analysis, Table 5, pp.100.




decreases in installation cost that may not have been considered, suggesting a decrease in the SACP in future years.

## 7.2.4 Onshore and Offshore Wind Development

New Jersey has not adopted a specific technology goal for onshore wind, a Class 1 renewable energy source. The development of onshore wind in New Jersey has been limited due to existing laws, regulations, and concerns regarding the impact on wildlife, including bird and bat migration, habitat protection, and the lack of high quality onshore wind resources. New Jersey's wind resource map shows low average onshore wind speeds, unsuitable for wind generation, but attractive wind speeds on the coast and offshore (Figure 42). The 7.5 MW Jersey-Atlantic Wind Farm is a coastal installation which has been operating since 2006.

Figure 42. New Jersey Onshore and Offshore Wind Resource Map



Although a wind resource map can be indicative of wind potential, actual wind measurements for a period of at least one year are needed to determine the feasibility of installing wind turbine

equipment at a specific site. The New Jersey Regional Anemometer Grant Program (NJ-RAGP) was funded initially by the DOE's Wind Powering America Program and is now run by the BPU's Office of Clean Energy (OCE). The NJ-RAGP has been available to New Jersey colleges and universities interested in administering and delivering the anemometer loan program.

Rutgers and Rowan Universities have installed anemometers for land owners for the purpose of collecting wind resource data for periods of approximately one year. This data is available to potential investors and other interested parties to understand better the local wind resource and the corresponding energy production. Richard Stockton College, Ocean County College, and The College of New Jersey are also partners under the New Jersey Anemometer Loan Program. These colleges assist New Jersey in providing wind resource data that may help lead to the increased deployment of small wind energy technologies throughout the State. Since the capital cost of onshore wind is much lower than either offshore wind or solar PV, it may be useful for New Jersey to take full advantage of any onshore wind potential in order to meet the RPS objectives in a way that reasonably balances economic, environmental, and reliability objectives.

Offshore wind has been supported by the Christie Administration for a number of reasons. It is renewable, has no carbon output, and has the potential to develop a manufacturing and support industry within the State, thereby creating direct, indirect, and induced economic benefits for many years to come. OWEDA is based on all three of these elements being recognized in the review and cost-benefit analysis of any proposed offshore wind project. Although the capital cost of offshore wind is roughly twice the capital cost of onshore wind, offshore wind has higher and more consistent capacity factors than onshore wind, thus helping to reduce the net cost of producing energy and RECs from offshore locations. Capital costs increase with water depth, so the further away from shore and the deeper the installations, the more expensive the wind plant. Coastal and shallow water installations have the advantage of offshore wind characteristics at a lower cost.

The 2008 EMP called for 1,000 MW of offshore wind generation by the end of 2012. It soon became apparent, however, that this goal was no longer feasible. Inherent delays in federal leasing on the outer continental shelf, the failure of any project to have begun construction, the decline in wholesale energy prices, and the controversy surrounding offshore projects elsewhere in the mid-Atlantic and New England states have stymied the offshore wind industry. In August, 2010 Governor Christie signed the Offshore Wind Economic Development Act (OWEDA) to jump start offshore wind development. OWEDA called for at least 1,100 MW of offshore wind generation to be subsidized by an OREC program. Depending upon the scale, projects proposed could reach 3000 MW of offshore wind. The BPU is confident that the 1,100 MW offshore wind target objective is achievable and has adopted new rules to implement the OWEDA (N.J.A.C. 14:8-6).<sup>121</sup> The rules balance costs and benefits in the broader context of the overall impact on New Jersey's manufacturing and employment objectives, as well as recognition of the potential benefits offshore wind energy has on the environment and retail electricity prices. To be eligible

---

<sup>121</sup> The BPU authorized the submission of applications for up to 25 MW of wind energy to be supplied by wind turbines in state waters off of Atlantic City.

for ratepayer financing through ORECs, projects must demonstrate net economic and environmental benefits to the State.

Currently, there are no offshore wind plants constructed in the U.S. No offshore wind projects that have completed project financing, with or without compensatory long-term power purchase agreements to shift the economic burden from developers to ratepayers. Hence, under the best of circumstances, new utility scale offshore wind projects are at least several years away. The Christie Administration intends that the OWEDA will incentivize the development of offshore wind manufacturing and construction companies in New Jersey. Since turbine blades for offshore wind plants are increasing in size, it is reasonable to assume that a turbine manufacturing facility will have to be located somewhere on the East Coast to provide blades for the growing list of proposed offshore wind facilities.<sup>122</sup> The Port of Paulsboro and the port district of the Port Authority of New York and New Jersey are well-positioned to become a major staging and assembly area to support New Jersey's offshore wind program objectives as well as programs in other mid-Atlantic and northeast states. The Port of Paulsboro is undergoing dredging and other infrastructure renovations suited for the assembly of offshore wind turbines before they are loaded onto barges for transportation to the wind farm site.

### **7.2.5 Biomass Potential in New Jersey**

New Jersey lacks indigenous fossil fuel resources, but the State has abundant “home grown” biomass potential. For the purpose of this EMP, biomass includes both agriculturally-derived fuel, as defined by statute,<sup>123</sup> as well as residential and industrial waste material that is used to produce energy, either directly or indirectly.

New Jersey residents generate more waste per capita than nearly any other state in the nation. Only 17% of that waste is converted into energy by the State's five municipal solid waste incinerators, leaving the rest as an untapped energy resource. Even though the State pursues policies and programs designed to encourage waste reduction and recycling, disposal options for large volumes of waste will be needed. Waste provides a variety of energy options involving multiple technologies for electric generation, transportation fuels, and small scale heating.

In September 2006, the BPU commissioned the New Jersey Agricultural Experiment Station (NJAES) to conduct an assessment of New Jersey's biomass and the potential for bioenergy production in the State.<sup>124</sup> The research yielded several findings, including:

---

<sup>122</sup> Vestas recently announced a 7 MW offshore turbine with a rotor diameter of 164 meters, which is significantly longer than Siemens' 3.6 MW offshore turbine with a rotor diameter of 107 meters.

<sup>123</sup> P.L. 2009, Chapter 213 defines biomass as an agricultural crop, crop residue, or agricultural byproduct that is cultivated, harvested, or produced on the farm and used to generate energy in a sustainable manner.

<sup>124</sup> Brennan, Margaret, David Specca, Brian Schilling, David Tulloch, Steven Paul, Kevin Sullivan, Zane Helsel, Priscilla Hayes, Jacqueline Melillo, Bob Simkins, Caroline Phillipuk, A.J. Both, Donna Fennell, Stacy Bonos, Mike Westendorf and Rhea Brekke. “Assessment of Biomass Energy Potential in New Jersey.” New Jersey Agricultural Experiment Station Publication No. 2007 1. Rutgers, the State University of New Jersey, New Brunswick, New Jersey, July, 2007.

- New Jersey produces an estimated 8.2 million dry tons of biomass annually;<sup>125</sup>
- Approximately 65% of that biomass could be available for energy production;
- This biomass could deliver up to 1,299 MW of power (approximately 9% of New Jersey's electricity demand) or the equivalent of 335 million gallons of gasoline equivalent biofuel by 2020, if all of the available biomass is used for energy production;
- Energy from waste is an attractive option due to the existing infrastructure to collect waste, the high cost of waste disposal, and the challenges of siting any new landfills in the state; and
- Agriculture and forestry management comprise the majority of the remaining biomass produced in the State.

In combination with new State incentives, these findings are still relevant and can be used to facilitate the development of energy from this renewable resource. Practicality and cost effectiveness of the biomass resource development in New Jersey should be investigated and confirmed before any substantial new incentives are implemented.

NJAES also conducted a study of the potential for crop residues as a bioenergy resource.<sup>126</sup> NJAES estimated the harvestable crop residue production derived from a variety of crops produced in New Jersey, and found that the annual available production may be as high as 316 thousand dry tons, with an energy equivalent of up to about 5 million MMBtu. This estimate assumes that a minimum of 30% of the crop residue remains on the soil for conservation purposes. These biomass materials may be used as a heating fuel, either by direct combustion or converted to pellets, briquettes, or other densified forms for more efficient transportation and handling. Other methods of energy conversion include pyrolysis and gasification, and fermentation processes such as cellulosic conversion to ethanol, which can be used as a transportation fuel. To be economical, facilities that convert biomass to biofuel will require more than 10,000 contiguous acres of biomass supply within 30 miles of the facility, a situation that no longer exists in New Jersey, unless the facility can also utilize waste biomass from municipal solid waste.<sup>127</sup>

To advance biomass energy use in an environmentally responsible and sustainable manner, and as mandated by existing legislation and BPU regulations, the DEP is developing an objective and systematic process of sustainability determinations that will facilitate environmental permitting

---

<sup>125</sup> This total includes biogas and LFG quantities converted to dry ton equivalents on an energy basis. This does NOT include biomass that is currently used for incineration or sewage sludge because these are not classified as Class I renewable feedstocks in New Jersey.

<sup>126</sup> Helsel, Zane R., and David Specca, "Crop Residue as a Potential Bioenergy Resource," Fact Sheet FS1116, Rutgers New Jersey Agricultural Experiment Station, December 2009.


<sup>127</sup> Note that certain provisions of the Farmland Assessment Act Update, P.L. 2009, Chapter 213 place restrictions on the use of biomass on preserved farms.

of qualified biomass projects meeting the sustainability criteria of: (i) superior environmental performance (including meeting state-of-the-art (SOTA) air quality standards); (ii) socio-economic sustainability; and (iii) reduction of greenhouse gas emissions.

Currently, the State’s RPS rules qualify LFG and certain forms of sustainable biomass (with written permission of DEP) as Class 1 renewable energy resources. However, waste-to-energy (WTE) is a Class 2 renewable energy resource. As noted in Section 4.9.3, the Class 1 RPS requirement increases each year, whereas the Class 1 requirement remains constant at 2.5%. This distinction has resulted in a much lower incentive for Class 2 resources, reflected in the lower price for Class 2 RECs shown in Figure 43.

Since 2009, however, the price for Class 1 RECs has fallen dramatically, recently converging on the price of Class 2 RECs for the current vintage. This trend is consistent with REC markets elsewhere in the U.S., primarily reflecting the increasing supply of renewable energy, and to a lesser extent, renewable technology progress and the decline in load growth. The price gap between Class 1 SRECs and other RECs has resulted in substantial development of solar projects, and minimal development of other Class 1 or Class 2 renewable technologies. The current REC market, coupled with the lower outlook for natural gas and energy prices, offers little incentive to utilize New Jersey’s indigenous biomass resources. Moreover, if the State’s offshore wind initiative is implemented fully, the OREC carve-out will diminish the demand for conventional Class 1 RECs, putting further downward pressure on Class 1 REC prices.

**Figure 43. Class 1 and Class 2 REC Prices<sup>128</sup>**



<sup>128</sup> Source: Bloomberg LP

When waste is used directly as an energy resource, 80% or more of the hydrocarbons are converted to energy. These efficiencies can be achieved, not only through incineration, but also by utilizing plasma gasification, pyrolysis, and in-vessel anaerobic digestion. Potential energy products include heat, electric power, biogas, and bio-liquids. These energy conversion technologies can be designed, permitted, and operated with state-of-the-art pollution control systems in conformance with strict emissions limits.

The State must consider opportunities to support further use of biomass as an energy source and consider innovative mechanism for the development of new plants that can make use of a variety of biomass types to produce electricity as well as fuels.

### **7.2.6 Policy Direction and Recommendations**

Technology progress, coupled with the solid operating performance to date of residential, C&I solar technologies, portends continued solar penetration in New Jersey. On a going-forward basis, emphasis should be placed on the commercialization of viable, lower cost solar technologies that increase solar penetration in New Jersey at lower incremental cost while continuing to add to the quantity of SRECs available to suppliers throughout New Jersey.

During 2010, and through the first six months of 2011, New Jersey saw a surge of solar energy facilities due to the high prices of SRECs, the 30% federal investment tax credit, and the dramatic decline in prices of photovoltaic panels. Many of these projects were purely investor-driven, grid-supply projects, proposed and installed without regard for appropriate land use or energy policy concerns. While BPU has concluded that the most practical use of solar is as distributed generation, these large projects in the less populated portions of the State means that energy is being sent directly to the grid, in parts of the State where the distribution system was not engineered to handle intermittent supply. Further, because the large projects are dependent on revenue from SRECs, they connect at the distribution level and this has limited the ability of the EDCs, particularly ACE, to accept net-metered projects. Going forward, these issues should be addressed.

The SREC market for EY 2012 was supplied fully within the first two months and, as a result, SREC prices dropped from a spot market high of close to \$600 to a low of \$160. The current estimates are that, by the end of 2011 (mid-way through EY 2012), the State will have over 500 MW of installed solar, putting New Jersey ahead of the RPS schedule by 18 months. The Administration proposes to take action to provide relief to the solar industry and give certainty to the financial community, provide continued opportunities for market participation in all sectors, and have minimal impact on ratepayers while leaving room for ratepayer investment in all technologies.

#### **Accelerate the RPS**

A temporary acceleration of the RPS would provide some interim relief for the current market in SRECs and an opportunity for the industry to adjust. This acceleration would require increasing the RPS over the next three years and reducing the outlier years of the RPS schedule to minimize

the impact to ratepayers<sup>129</sup>. This should provide the foundation for the solar industry to continue to develop and receive SREC payments trading within a reasonable range and would facilitate a reduced SACP schedule.

### **Reduce the SACP**

In order to minimize the rate impact of RPS acceleration and reduce the cost burden borne by non-participants in New Jersey's solar market, the State has initiated action to materially reduce the SACP. The efficacy of lower cost C&I programs coupled with the anticipated continued cost decline in installing solar PV support a step-down in the SACP levels through 2025.

According to the CEEEP analysis, with SREC prices starting at \$500/MWh and declining 2.5% every year, the cost of a new solar installation can be recouped in about five years for a C&I project of 10-1,000 kW, and in ten years for a residential or small commercial project of less than 10 kW.<sup>130</sup>

There have been a number of proposals to modify the SACP schedule; within the industry, there is general agreement that a reduction in the overall schedule is warranted to reflect the continuing downward trend in installed costs. The BPU will propose a new schedule following the release of the EMP.

### **Return to the Percentage Obligation for Solar**

The Solar Advancement Act should be amended to change from the explicit GWh requirement for solar energy to the original requirement defined as a percentage of total energy. A fixed GWh schedule cannot predict and accommodate the likely changes in the economy and energy demand that will occur over time and neglects opportunities for new renewable technologies which may be developed during the same period. The rigid schedule assumes only one viable source of renewable technology and marshals all ratepayer investments into that one technology. To prevent a potential negative impact on the solar market from the Administration's focus on EE, the BPU should be authorized to increase the overall percentage of solar required in the RPS in the event of a noticeable impact from EE programs.

### **Promote Solar PV Installations that Provide Economic and Environmental Benefit by Limiting SREC Eligibility**

Behind-the-meter C&I solar installations offer an economic benefit that is not provided by subsidizing the installation of residential or grid-supplied solar.<sup>131</sup> Projects that offer a "dual benefit" for commercial and industrial, as well as government and school applications should take priority for approval. Legislative expansion of SREC eligibility modifying the definition of "connected to the distribution system" would have the effect of promoting grid-supply solar

---

<sup>129</sup> SRECs currently have a shelf life of three years; the Administration would support an extension to five years.

<sup>130</sup> CEEEP Section VII. Solar Payback Analysis, Table 1. pp. 104.

<sup>131</sup> Behind-the-meter refers to projects connected on the customer's side of the electric meter that generate power for the property owners' use. Grid-supplied systems export the generated power to the electric grid for sale.

projects and BPU should be provided with the review and certification authority for such projects to ensure compatibility with land use, environmental, and energy policies. Decreasing energy costs will reduce the overall cost of doing business in New Jersey, leaving revenue for expansion, job growth, and job retention. Brownfields and landfills, in particular, are well-suited for the development of large solar generation. Some of these properties cannot be developed for general commercial or residential purposes and may not provide adequate revenue to the towns and counties where they are situated. However, solar development can offset the costs to cap and or remediate these sites and should be encouraged where local government has determined it to be the best use of the property.<sup>132</sup> Local governments should be allowed to collect property taxes from the property owners, based on the enhanced value of the site.<sup>133</sup>

Although a number of utility-scale solar installations have been proposed for, and installed on, what were previously working farms, the Christie Administration does not support the use of ratepayer subsidies to turn productive farmland into grid-supply solar facilities. To date, public and private entities in the Garden State have spent over \$1.4 billion to preserve almost 2,000 farms, covering nearly 200,000 acres.<sup>134</sup> The policy of encouraging the development of renewable resources should not impact the preservation of open space and farmland. While the Christie Administration will not presume to limit the disposition of private property, New Jersey should not subsidize the loss of productive farmland. Rules proposed by the State Agricultural Development Commission under the 2009 Farmland Assessment Act Update, but not yet finalized, should provide safeguards for property that has been designated as preserved farmland. Other safeguards should be implemented as experience dictates.

### **Increase Transparency**

Participants in New Jersey's solar industry will benefit if all proposed projects, other than residential, are required to register with the BPU. The increased transparency will assist in development of economic forecasts and planning for the future of the program

### **Expand Opportunities for Solar**

Many New Jersey residents are not able to take advantage of individual PV systems. Barriers to entry include the high up-front cost, the unfavorable orientation of the rooftops of their homes, and the lack of home ownership, among other things. Solar systems through which numerous residents are connected behind-the-meter to a centrally located unit can drive down the cost of solar for individuals and provide a net environmental benefit. The avoided use of electricity through the EDC will reduce the associated GHG and criteria pollutant emissions from fossil fuel generating facilities. Although beneficiaries have been reluctant to pay for requisite distribution

---

<sup>132</sup> The DEP maintains an inventory of closed landfills on which solar installations could be located.

<sup>133</sup> P.L. 2008 c 90 does not allow local jurisdictions to increase property taxes for installed solar systems and P.L. 2009 c 146 defines solar as "inherently beneficial use" which limits local jurisdictions on zoning and development of solar.

<sup>134</sup> Source: New Jersey Farmland Preservation Statistics, SADC, April 2011.



system upgrades, rules to equitably allocate these costs among the owners of the centrally located system must be considered.

The BPU is conducting a review of the program by which the EDCs can offer long-term (10-15 year) SREC purchase contracts to solar system owners in their respective service territories. The program was intended to allow the utilities the flexibility to get the best contracts and prices for SRECs they were obligated to purchase, thereby reducing costs to ratepayers. The Administration supports an extension of this program.

### **Maintain Support for Offshore Wind**

On February 10, 2011, the Board adopted new rules for offshore wind to codify the statutory requirements of the OWEDA. The rules provide a framework for approving applications for projects and setting OREC prices. They will remain in effect until August 2012 when the State will readopt the regulations. The Board will have 180 days to approve or deny applications once they are submitted. The application requirements include a cost benefit analysis for the project as well as a proposed OREC pricing method and schedule. The burden remains on the applicant to propose a reasonable OREC price which can be fixed for the proposed term or for every contract year. It is assumed that OREC pricing would represent the project's revenue requirement after tax credits and other subsidies, minus the estimated value of the spot energy market and capacity prices. If the BPU finds the proposed OREC price is too high, the BPU has jurisdiction to approve a lower OREC price that would still allow the applicant to satisfy the cost-benefit standards.

These rules intend to avoid the previous mishaps of the solar rebate and SREC programs. With an eye toward transparency, the OREC price must expose all the costs of the offshore wind project, including the cost of the requisite debt and equity capital needed to finance the offshore project. The OREC price should be sufficient to attract capital on reasonable cost terms for the offshore wind projects before the BPU, not for future offshore wind projects that may be constructed at a later date with different technology, or improved information about operation and performance, among other things.<sup>135</sup> Water depth is a critical factor in determining the cost of construction of an offshore wind project and the various projects that apply for ORECs might be sited in water depths that require different foundation designs.

New Jersey may be the first or second state in the U.S. to see the construction of an offshore wind facility. New Jersey will benefit on multiple levels from lessons learned in Europe and China, and should actively monitor technology and operating developments in Europe and China in the years ahead.

---

<sup>135</sup> The foundation designs used for current offshore wind projects in Europe and China are the monopile, the gravity foundation, and the tripod foundation. In deeper waters, a jacket foundation, similar to a lattice tower has been proposed for some projects. Two floating wind turbine designs are now in the pilot stages in Europe but could become commercialized in the near future and can be sited in much deeper water and therefore further from shore at the same or lower cost than traditional foundation designs.

## **Promote Effective Use of Biomass and Waste-to-Energy**

New Jersey's abundant biomass resources – municipal and industrial solid waste, and crop and forestry residues – remain a largely untapped resource, with only 31 MW of biomass fueled energy currently being generated. Use of these indigenous, cost-effective, clean energy sources will be encouraged. In doing so, the State recognizes the distinction of the diverse uses of biomass to produce both electricity and fuels from newer technologies than municipal solid waste mass burn incineration. This distinction will result in technology-specific policies.

The State will review the use of municipal solid waste as a fuel as part of a comprehensive update of the State Solid Waste Management Plan. As identified by the EMP Biomass work group, developing a viable biomass to energy program is a difficult task hindered by lack of data, in-state experience with technologies, and economic factors. To substantially increase New Jersey's biomass capacity, an aggressive technology development program needs to be pursued that includes blending of biomass technologies with other renewables.

In order to facilitate this, the Administration considered revisiting the Class 1 and 2 qualification requirements as a mechanism to provide incentives, particularly in light of the discrepancy between the prices of solar Class 1 and other Class 1 RECs. However, following input from the EMP work group on biomass, it was determined to leave this distinction intact, and instead pursue a public-private partnership effort designed to build and operate biomass to power and biomass-to-fuel/energy plants. This would be done in conjunction with the DEP and other appropriate State agencies to ensure consistency with the State's Strategic Plan goals, as well as those for air and water quality protection.

Utilization of biofuels in transportation and heating will likely be a growth area, especially in light of federal subsidies and renewable fuel standard mandates. Taking into account "food-to-fuels" and sustainability concerns about current generation biofuels, emphasis should be placed on research and development of second and third generation biofuels (those made from sources like the organic components of MSW, forest residue and agricultural waste) that alleviate those concerns.

To facilitate this process, there will be a need for additional research to better assess the economic aspects of agricultural and other rural feedstocks as well as to better understand the urban and industrial feedstock potential to support any new biomass to fuel facilities.

The State should not encourage the conversion of agricultural lands dedicated to the production of food crops, such as fruits and vegetables, to the production of biofuel crops. Land best suited to the production of biofuel crops is that which does not support the growth of higher-value fruits or vegetables crops. Examples include: marginal land on fruit and vegetable farms; preserved farmland (which must by deed be kept in agricultural production); or land formerly dedicated to dairy or horse farming which does not have the proper soil to grow nutrient-dense crops important to the food system.

## **Support Other Renewable Technologies that can Incubate New Business for New Jersey**

New Jersey should encourage emerging cost-effective renewable energy technologies, such as wave, tidal power, or biomass (Section 7.4.1), that have the potential to incubate new businesses in the State.

Wave and tidal power are being developed around the world. In Great Britain, the Crown Estate, (*i.e.* property owned by the monarchy), has entered into lease agreements for projects with a potential capacity of up to 1600 MW. In Spain, a pilot wave project of 1.39 MW was installed in 2006 with plans to expand to a grid-connected wave power station. The first grid connection of a wave energy device in the U.S. was completed in Hawaii in September 2010 as part of a program with the U.S. Navy. In 2008, the National Renewable Energy Laboratory (NREL) estimated that New England and the Mid-Atlantic states have 100,000 GWh/year of wave resources, while the U.S., including Alaska and Hawaii, has a total of 2.12 million GWh/yr.<sup>136</sup>

In order to explore further the potential for innovative technologies in the energy sector, the BPU established an EMP work group on innovative technology. They were asked to assess the near term viability of technologies as well as evaluate barriers to technology deployment and how best to utilize the resources of the States business incubators.

### **7.3 Cost-Effective Conservation, Energy Efficiency, and Peak Load Reduction**

The most cost-effective way to reduce energy costs is to use less. Passive energy conservation, the use of energy-efficient appliances, equipment building materials/practices, and active DR programs result in the reduction in total energy use. Reducing customer usage during on-peak hours to ensure reliable electricity during the hottest and most humid days of the year is less costly than expanding the supply chain infrastructure – new power plants, transmission lines, and both primary and secondary distribution facilities. Reduced on-peak demand also tends to reduce wholesale electricity prices by avoiding the utilization of the least efficient generation dispatched sparingly to meet the highest demand level. Thus, reducing peak demand results in benefits that are enjoyed by all ratepayers, even those who have not taken any actions to reduce their electricity use.

#### **7.3.1 Peak Demand and Energy Reduction Goals**

The October 2008 EMP, set as a goal “...to place New Jersey at the forefront of a growing clean energy economy with aggressive EE and renewable energy goals and action items, and the development of a 21<sup>st</sup> century energy infrastructure.” The 2008 EMP was designed to achieve New Jersey’s 2020 and 2050 greenhouse gas targets while maintaining affordable, adequate, and reliable energy supplies. The 2008 EMP proposed to reduce projected peak demand, energy use, and natural gas use by about 20% across the board by 2020 relative to the BAU outlook. As discussed in Section 7.3.3, New Jersey’s peak demand reduction target remains aggressive but

---

<sup>136</sup> W. Musial, “Status of Wave and Tidal Power Technologies for the United States”, Technical Report NREL/TP-500-43240, August 2008.

has been adjusted to reflect PJM's outlook of more modest peak load growth over the forecast period.

In theory, there are great potential economic, environmental, and reliability benefits associated with these goals. However, the potential economic burden of aggressive peak demand reduction, in particular, must be tested. The extent to which there may be compensating environmental and reliability benefits is not presently quantified. Hence, New Jersey must implement specific measures to ensure that the peak demand reduction and the energy use reduction goals are reasonably protective of New Jersey's economic and reliability interests, and also make meaningful progress toward the State's environmental goals.

While EE and conservation reduce overall electricity use, only a portion of the EE and conservation induced load reduction is coincident with on-peak demand. Thus, the goal of reducing peak demand will require a substantial increased penetration rate of DR throughout New Jersey. While the cost savings to electric customers resulting from aggressive promotion of DR through 2020 may justify the effort, New Jersey must assess on a rigorous basis whether or not the resultant benefits associated with incremental DR are greater than the costs. Rival technology options to meet or avoid anticipated load growth must be evaluated. Hence, New Jersey's EDCs, DR program developers, and government bodies, in particular, the BPU and OCE, should conduct the required engineering economic analysis, as well as environmental assessment, in order to validate the merits of the goals set forth in this EMP. Likewise, performance benchmarks applicable to the benefits and costs, and environmental benefits ascribable to energy reduction targets should be developed by New Jersey's EDCs.

Under the revised natural gas usage forecast, maintaining the goal set in the 2008 EMP would result in reducing natural gas consumption by 231 Bcf in 2020.<sup>137</sup> This amount represents 32% of the revised baseline level. For reasons discussed below, the State does not believe that this goal is reasonable, realistic, or consistent with the environmental or energy security goals delineated elsewhere in this document. The natural gas reduction goal must be reviewed by the BPU, LDCs, and other stakeholders in light of more ambitious fuel substitution goals centered on the reduction of diesel fuel and distillate oil use in New Jersey. The BPU's recent SOCA awards from LCAPP may result in the addition of 1.945 MW of clean burning, state-of-the-art CC plants. Moreover, New Jersey's natural gas infrastructure is expected to be fortified in response to the availability of lower cost gas from the Marcellus Shale. Accordingly, the Christie Administration does not support the 231 Bcf target natural gas reduction set forth in the 2008 EMP. Economic and environmental goals will be served better by increasing rather than decreasing total natural gas use throughout New Jersey, while striving for more efficient use of natural gas for each application.

### **7.3.2 Energy Efficiency and Conservation**

The best way to lower individual energy bills and collective energy rates is to use less energy. Energy conservation results from consistent consumer behavior changes and actions, such as

---

<sup>137</sup> 231 Bcf = 238 trillion Btu at 1,031 Btu/cubic foot.

turning off lights and lowering thermostats. EE also results from technological measures, such as insulation for rooftops and installing more efficient lighting and heating systems, to replace less energy-efficient systems. Reducing energy costs through conservation and EE lessens the cost of doing business and enhances economic development. As collective energy use is lowered, New Jersey should realize a return on investment in the form of reduced energy bills.

EE measures implemented under the CEP Energy Efficiency Program between 2003 and 2010 saved approximately \$4.29 for every \$1 invested in the C&I sector, and \$1.80 for every \$1 in the residential sector.<sup>138</sup> These savings, however, are calculated on the basis of *total* customer load in each sector. As discussed in Section 4.11, only those customers who participate in the various EE program opportunities realize a direct reduction in their electricity or gas usage, and hence a direct reduction in their bills. The societal benefit charges in the EDC and LDC rates that socialize the cost of the EE investments and other subsidies are paid by *all* customers, including those who do not or can not take advantage of the EE programs. To the extent that EE measures reduce peak demand and thereby drive down the cost of energy, *all* ratepayers will enjoy the indirect savings in the form of lower rates. For this reason, a TRC test should be performed to assess the net benefit of EE subsidies and investments.

A strong EE program should also offset other macroeconomic pressures, such as increased costs of other goods and services. According to CEEEP, a strong EE program should result in an estimated net increase of 1,850 jobs by 2020.<sup>139</sup> Additional savings result from EE participation in RPM, the PJM capacity market. EE resources participated for the first time in the 2012/13 RPM, yielding 569 MW of new capacity across PJM. In the 2013/14 RPM, 679 MW EE resources cleared in the auction. While EE measures are passive resources, the addition of DR under PJM rules is tantamount to a permanent reduction in demand in the Delivery Year.<sup>140</sup>

Currently, the following organizations are responsible for administering and implementing EE programs: Honeywell International, Inc., TRC Energy Services, Inc., EDCs, and the New Jersey OCE. Below is a list of the State's EE programs.<sup>141</sup>

### **Residential Energy Efficiency Programs**

- Residential HVAC - Electric and Gas – This HVAC program provides rebates to customers that purchase high efficiency heating and cooling equipment such as furnaces and central air conditioners.
- Residential New Construction – This program provides financial incentives to builders that construct new homes meeting the New Jersey Energy Star Homes

---

<sup>138</sup> Source: Analysis for the 2011 Draft New Jersey Energy Master Plan Update by Rutgers, February 28, 2011, page 95.

<sup>139</sup> Id., page 97.

<sup>140</sup> EE resources may participate in the RPM market for up to four years after installation, as long as the energy-efficient equipment, devices, systems or processes remain operational.

<sup>141</sup> As approved by the Board in its December 6, 2010 Order in Docket Nos. EO07030203 and EO10110865.

standards which use less energy than homes built to meet the minimum requirements of existing codes.

- Energy Efficient Products – This program provides financial incentives and support to retailers that sell energy efficient products, such as appliances or compact fluorescent light bulbs.
- Home Performance with Energy Star – This program recruits and trains contractors that install EE measures in existing homes, and includes incentives for the installation of EE measures and enhanced incentives for moderate income customers.
- Residential Marketing – This budget is for all marketing activities related to promoting the residential programs.
- Residential Low Income – This program provides for the installation of energy conservation measures at no cost to income-qualified customers.

### **Commercial, Industrial and Local Government Energy Efficiency Programs**

- C&I New Construction – This program provides rebates and other incentives to C&I and local government customers that design and build energy efficient buildings.
- C&I Retrofit – This program provides rebates and other incentives to C&I and local government customers that install high efficiency equipment in existing buildings.
- Pay-for-Performance New Construction – This program will provide incentives for new buildings based on the level of energy savings delivered rather than a prescribed rebate for the installation of a specific measure.
- Pay-for-Performance – This program will provide incentives for existing buildings based on the level of energy savings delivered rather than a prescribed rebate for the installation of a specific measure.
- CHP – Incentives for CHP are now included as part of the Pay-for-Performance program. The 2011 CHP budget is for commitments made prior to discontinuing the program. Additionally, the State will be initiating a procurement process for development of additional CHP by third-party providers in 2012.
- Local Government Audit – This program offers subsidized EE audits to municipalities and other government entities.
- Direct Install – This program provides incentives for the installation of EE measures in small commercial buildings.
- C&I Marketing – The C&I marketing budget is for all marketing activities promoting the C&I programs.

## Other Energy Efficiency Programs

- Special Studies – These studies are funded by the green jobs training grants previously approved by the Board.

### 7.3.3 Peak Demand Reduction

Although electricity load rises to peak levels for a relatively small number of hours each year, the generation, transmission, and distribution system must be designed to meet that peak demand reliably. Supplying energy during peak demand hours is the most expensive energy produced on the system, as gas or oil fired GTs that start up quickly, but operate at comparatively low efficiency levels are called on to produce energy. Providing adequate capacity is also expensive because there has to be enough energy sources, and the PJM transmission system has to be able to transmit that energy in spite of contingencies, *e.g.* the failure of a power plant or transmission line. Even though much of PJM’s bulk power system is utilized only during peak demand hours, providing reliable service requires substantial investment in generation, transmission and distribution infrastructure. It may be more cost-effective to reduce electricity use during peak hours rather than invest in conventional supply chain infrastructure to serve peak demand.


There are various ways to address peak demand growth – through EE, building new generation, and expanding DR. Load can be curtailed, partly or fully, or shifted diurnally when demand is lower. Load shifting occurs when a consumer chooses to schedule energy consuming activities outside of the normal daily peak use periods. This can be as simple as a commercial entity scheduling an energy intensive activity to be done at night, or a residential customer deferring the use of a dishwasher or washing machine until later in the evening. More complex technology like thermal storage stores energy at night for use the following day. Load shifting does not necessarily reduce total energy consumption, but “shaves” or clips peak load. Clipping peak load also renders more efficient the use of the transmission and distribution systems. Load shifting typically requires implementation of retail rates that incentivize customers to use electricity when it is least expensive.

As defined by PJM, DR is a customer’s voluntary reduction in electricity use, such as turning off or not using certain appliances, shutting down commercial or industrial processes, or turning on back-up generation, in response to PJM’s dispatch instructions or pricing signals. From PJM’s perspective, customer DR is a dispatchable resource that can participate in RPM as long as it can reduce reliably its demand or load. Participation of DR in RPM has increased dramatically since its inception in the 2007/08 Delivery Year. Figure 44, below, illustrates DR and EE participation in the PJM’s RPM in the seven BRA starting from 2007/2008 BRA.<sup>142</sup>

---

<sup>142</sup> Starting from 2012/13 BRA, the Interruptible Load for Reliability (ILR) category has been eliminated and the former ILR resources have been included in the DR.

**Figure 44. Demand Side Participation in RPM from 2007/08 BRA to 2014/15 BRA<sup>143</sup>**



Since the adoption of the 2008 EMP, the Board has issued orders to encourage an increase in DR by all classes of customers, both in regulated EDC-operated programs, as well as in the competitive wholesale markets. These actions have advanced several of the recommendations made in the 2008 EMP.

New Jersey's IDER Program was selected as a Smart Grid Demonstration Project by the Electric Power Research Institute (EPRI) as part of its Smart Grid Initiative. In October 2009, the U. S. DOE granted the IDER Program a Smart Grid Investment Grant of \$12.6 million, as part of the federal American Recovery and Reinvestment Act (ARRA), which allows for an additional expansion of 15 MW. The IDER Program monitors and controls non-critical customer electrical loads, in this case central air conditioners, at an individual and an aggregated level by circuit, substation or other operational grouping. The technology has been installed at over 17,000 residences to date, supporting approximately 23 MW of capacity, and will expand to approximately 38 MW over the next three years. While approved for residential customers and small C&I applications, only residential participants have enrolled in the program, to date.

For large C&I customers, the BPU approved a program proposed by the Demand Response Working Group that provides incentive payments to Curtailment Service Providers (CSPs) who registered new and incremental capacity of C&I customers into the PJM ILR Program for the

<sup>143</sup> Source: [http://pjm.com/markets-and-operations/rpm/~media/markets-ops/rpm/rpm-auction-info/20110513-2014-15-base-residual-auction-report.ashx](http://pjm.com/markets-and-operations/rpm/~/media/markets-ops/rpm/rpm-auction-info/20110513-2014-15-base-residual-auction-report.ashx)



2009/10 Delivery Year. The purpose of this program was to jump start competition of New Jersey DR in the PJM capacity market by providing a financial incentive in the form of a supplemental premium payment of \$22.50/MW-day to the CSPs for new and incremental capacity. This program was successful in demonstrating that with a small incentive, significant DR resources would enter the market.

#### **7.3.4 Policy Direction and Recommendations**

##### **Promote Energy Efficiency and Demand Reduction in State Buildings**

New Jersey will lead by example with an initiative to increase the EE of State owned and/or operated facilities and buildings. Energy Savings Improvement Programs (ESIP) will be used for EE and energy conservation improvements, renewable energy upgrades, and the expansion of other green oriented programs, in particular, DR and CHP.

As noted in Section 6, the use of third parties as Energy Service Companies was authorized by the ESIP Act, P.L. 2009, c. 4. This law enables State government to improve facilities without up-front capital investments. Operating costs will be lowered by using performance-based contracting for capital improvements to energy related equipment, such as lighting upgrades, HVAC replacement, and installation of building automation systems. The cost savings of the energy conservation measures will pay for the capital improvements and provide additional savings to the State in the form of lower utility bills. The “State Energy Savings Initiative Oversight Committee,” appointed by the Governor, will design the framework for a successful program. The newly created State Energy Office within the BPU will have the responsibility of implementing the program through audits of state facilities and buildings and prioritizing those facilities with the greatest potential for energy savings thus reducing energy cost to the State. The Governor’s Office will stay engaged until this initiative becomes routine practice for departments and the success of EE measures becomes apparent.

New Jersey will also continue to participate in DR programs that are economically sensible initiatives and that meet the TRC test. Maximizing DR program development is a laudable goal, but one that requires the formulation of performance benchmarks to ensure that the benefits to all ratepayers are greater than the underlying costs in relation to conventional supply chain options to meet peak demand. The Christie Administration encourages reliance on third-party providers that have the requisite “know-how” and access to capital to structure DR programs that obviate the need for capital investment by the State. Some of New Jersey’s largest energy users – the Department of Corrections and the Department of Human Services – should be participants in third party DR program initiatives that depend on merchant based revenue streams administered by PJM. The Christie Administration will seek other government opportunities for participation in DR programs that facilitate the aggressive demand reduction target by 2020.

##### **Incorporate Aggressive Energy Efficiency in Building Codes**

###### Uniform Construction Code

Incorporating aggressive EE requirements within the New Jersey Uniform Construction Code (NJUCC) will assist in reaching our goal of reducing energy use in both new and existing

buildings. Enhanced standards address numerous aspects of the building envelope, lighting, motors and heating, and HVAC equipment. Revisions to the NJUCC were adopted in September of 2010 naming the International Energy Conservation Code (IECC 2009) as the energy subcode for New Jersey for new low-rise residential construction. The IECC 2009 also includes a reference to the ASHRAE Standard 90.1-2007 for all other new construction. The IECC 2009 achieves an additional 15% reduction in energy consumption through code required EE when compared to the 2006 IECC for new construction. Reductions in energy consumption for existing buildings would be dependent on when the building was constructed and the type of project that occurred based on the NJUSS rehabilitation subcode.

The EE revisions would add requirements for enhanced standards for the building envelope, lighting, motors and HVAC equipment that will increase the EE for all new building construction as well as renovations to existing buildings. The goal of the added revisions is to make these buildings 30% more efficient than the prior codes. The analysis for overall EE does not incorporate changes and savings from these code changes because they have not yet occurred. In addition, the International Code Council, the publisher of the IECC, has published a 2012 edition, which is estimated to add an additional \$3,000 to the cost of a new home; the payback in energy savings is less than 7 years and is estimated to be 15% above IECC 2009. This is 30% above the IECC 2006 Code and 50% over the 2003 Model Energy Code, which was in effect at the time the 2008 EMP was developed.

New Jersey was awarded \$387,000 from the U.S. Department of Energy for energy code training of inspectors, building officials and design professionals. As a result, DCA trained 1,569 individuals; 957 were trained in the implementation and inspection of the 2009 IECC for new low-rise residential construction and 612 were trained in the implementation and inspection of ASHRAE 90.1-2007 for commercial construction. As the State moves forward with implementing these new code requirements new opportunities for future code updates will be identified that can provide additional cost effective conservation and efficiency.

### NJ Green Building Manual

In 2007 a new law was enacted requiring the creation of a Green Building Manual for New Jersey. The DEP lead the development of this manual, which included broad stakeholder involvement. The manual was completed this year and is posted on the Rutgers University Center for Green Building web site. If approved by DCA, this manual will serve as a resource for State and local governments, building owners and developers who wish to apply for State grants that reward or require consistency with green building standards.

### Building Retrofits

The State will utilize benchmarking and energy auditing as mechanisms to identify those buildings that will benefit most from improvements, or retrofits. Benchmarking is the first step in any successful EE program. C&I customers can partner with their EDCs or other vendors to develop a profile of their energy use and cost on a unit of area basis. Once this “baseline” is established, a preliminary or walk-thru audit can help identify high energy uses within the facility, such as lighting, heating, cooling, office or manufacturing equipment. If additional

measures require further study, the utility company or a professional auditing firm can be employed to identify costs and potential savings opportunities.

The CEP has invested in EE and renewable energy projects at the commercial, residential, and local government level. These programs have been funded through the SBC. As discussed above, the method to fund EE and renewable energy programs moving forward will be re-evaluated. Energy Savings Improvement Programs can be used by public entities to improve facilities without up-front capital investments, while maintaining or lowering operating costs.

### Appliance Energy Efficiency Requirements

New Jersey has been at the forefront of advocating and supporting the use of EE measures in residential homes. Programs such as combustion appliance testing, which tests the efficiency of fuel burning appliances, *i.e.*, gas furnaces, stoves, and hot water heaters, under the Home Performance with Energy Star have produced significant energy savings. Additionally, there have been rebate programs to encourage the purchase of new energy efficient appliances, such as air conditioners and dehumidifiers.

The federal government, under the ARRA and the Energy Security Act, is required to adopt new EE appliance standards. Given the broader authority of the federal government to require manufacturers to improve the EE of their products, the BPU and DCA staff will monitor the new standards and continue to conduct annual reviews to determine whether the new higher efficiency standards are meeting our needs, or whether State-specific actions will be necessary. The BPU will cooperate with the Legislature and consider adopting the higher standards as they become available, including the costs and benefits of such changes.

### Sub-Metering

Sub-metering enables tenants in commercial and multi-tenant residential buildings to monitor their own utility use. Instead of paying a flat rate as part of their rent, tenants would be billed for actual use of electricity, water and/or gas and thereby be encouraged to reduce their energy use and costs by conserving and/or, investing in energy efficient appliances.

Current State regulations allow for sub-metering of commercial and/or industrial accounts, but the practice is not allowed in existing multifamily residential buildings. Most residential tenants pay for utilities as part of their rent, with little or no knowledge of their actual use or the real cost to their household. This makes it difficult to encourage EE measures or to use real time energy pricing opportunities.

Representatives of multi-family residential buildings have advocated for this, and a petition is currently pending before the Board to authorize sub-metering for new construction. Apartment residents have opposed sub-metering by landlords or building management due to concerns that this would become a new cost to residents and a new source of revenue for property owners. Residents have also expressed concern that sub-metering can be unfair in older buildings with substandard insulation or older, inefficient HVAC and appliances. However, the benefits associated with better transparency and knowledge of energy use points to the need to work with these associations and building owners.

## **Redesign the Delivery of State Energy Efficiency Programs**

We continue to recognize the value of the EDCs in delivering EE and conservation programs. The EDCs already have access to the potential consumers of these resources through the monthly billing statements, call centers, field offices, and field activities. Billing statements as well as online tools can highlight conservation and EE programs when customers are paying closest attention to the cost of energy in their homes or places of business. With the appropriate education and training, EDC employees can convert routine customer interactions into effective outreach for these programs.

The C&I sector represents 65% of the overall electric power used in the State and returns the greatest savings for the dollars invested. Identifying opportunities for EE in this sector will require outreach to thousands of businesses, building owners, and lessees. Success will depend upon the ability to deliver improvements that reduce energy use and costs immediately, with a reasonable pay back period on investments.

The LDCs and EDCs have experience developing and implementing EE programs for their customers. Most of these EE programs are simple and cost effective. EDC programs such as the Powersaver air conditioning cycling by JCP&L and ACE reduce peak demand and provide cost savings for the residential customer. PSE&G has a number of programs such as the Direct Install Program for Government Facilities that provide similar benefits.

The BPU will evaluate several alternatives and recommend a structure that can optimize the delivery of effective EE programs to a wide array of customers. This will involve a review of past practices of State management through the BPU's OCE, and consideration of a new way to provide capital for EE and renewable energy programs that can eliminate the need for cost incurrence through the SBC.

The Board has initiated a process to streamline the delivery of EE programs and transition to increased use of revolving loans that will reduce costs to ratepayers for the delivery of these programs. The BPU released a Request for Information (RFI) in July of 2011, to solicit interest from potential program administrators in the delivery of all BPU administered EE and RE programs, performance based contracting, and administering new revolving loan programs. Numerous comments were received in response to the RFI.

With input from the EMP Work Group on Clean Energy Funding, the BPU is now developing a RFP that will establish the goals of the program including: increased use of revolving loans; consolidated program administration (from 3 contractors to a single contractor); use of performance based contracting and other incentives designed to reduce costs and improve delivery of energy efficiency programs. This RFP is under development and is expected to be released in early 2012. This will make consideration of an energy efficiency utility unnecessary.

Increased use of revolving loan programs would eventually allow the programs they support to become self-sustaining. SBC funds could then be re-directed and/or the charges to ratepayers could be reduced.

## **Monitor PJM's Demand Response Initiatives**

PJM has implemented many incentives and resources to support DR. Recent FERC rulemakings strengthen the economic rationale for DR, thereby making it easier for new DR programs in New Jersey to participate successfully in the capacity and energy markets administered by PJM.

PJM's long-term vision appears to be that Price Responsive Demand (PRD), the next generation of DR, will be the ultimate solution to customer DR participation. In PRD programs, customers respond to market prices and voluntarily reduce their electricity usage when wholesale prices warrant. PRD would be enabled by advanced metering devices. Smart meters and electricity price display devices, coupled with dynamic retail rate structures linked to wholesale market prices, would allow customers to react on a voluntary basis. In light of New Jersey's aggressive peak demand reduction target in 2020, New Jersey must continue to monitor DR and PRD initiatives in order to gauge any impact on New Jersey.

The retail rate design of PRD customers must vary in some fashion in response to wholesale market prices. PJM recognizes that PRD requires coordinated efforts between PJM and their member states that have jurisdictional authority over retail rates. In addition, advanced metering and dynamic tariff design would necessitate coordination among EDC, load serving entities, CSPs, and others who provide electricity and DR services to customers.

In addition to monitoring the PJM initiatives, the BPU needs to be proactive in promoting cost-effective DR activities which are not recognized and supported by PJM programs. For example, thermal storage presents an option that should be explored to determine if it can deliver significant peak load reductions. Currently, it is not eligible under any existing or proposed PJM programs.

Further expansion of merchant DR is likely to continue because additional incentives are on the horizon. Thus, in March of 2011, FERC issued Order 745 which removed the remaining barriers for entry of DR into the wholesale markets. The final rule is designed to allow dispatchable DR resources to participate and be compensated in the energy market.

## **Expand Education and Outreach**

Implementation of any of the above measures will require education of consumers, including students and homeowners, business owners, developers, building owners, and all levels of government. State agencies, EDCs, non-profits, and membership organizations can assist in delivering information to consumers about energy conservation measures and EE tools.

Despite the success of the OCE's Energy Efficiency Program that requires initial investment by the participants, residential consumers have shown reluctance to make investments in these programs without incentives (in the form of rebates). In an attempt to make the benefit of these technologies known to the general public by providing rebates on purchases, the program may have instead given consumers an incentive to delay such purchases until rebates are available. Education is needed about the other "green" reason to install energy efficient products – long term cash savings.

The C&I sector represents 65% of the overall electric power used in the State and returns the greatest savings for the dollars invested in EE and conservation measures. Identifying opportunities for this sector will require outreach to thousands of businesses, building owners, and lessees. Success will depend upon the ability to deliver improvements that reduce energy use and costs immediately, with a reasonable payback period on investments.

Together with its partners, the State can develop and deliver valuable information through web sites, workshops, conferences, and literature on such topics as energy conservation, EE, DR, on-site generation (including CHP), and renewable energy systems. As part of the implementation phase of this EMP, education and outreach programs will be developed jointly with all appropriate partners.

### **Improve Natural Gas Energy Efficiency**

Since publication of the 2008 EMP, natural gas has become a more attractive energy source, largely due to its lower commodity cost and fewer emissions of pollutants. It is now being used by a larger percentage of residents and businesses, as well as for electricity production. In the narrow context of traditional gas use for industrial, commercial, and residential customers, including power generation in New Jersey, the Christie Administration recognizes the merit of reducing natural gas consumption by 231 Bcf by 2020 with respect to baseline use of natural gas. That this goal represents a 32% reduction from the baseline forecast is commendable, but it may be no longer consistent with the Administration's emphasis on LCAPP generation and the reduction in oil usage, particularly for freight applications and mass transit, including passenger service. Natural gas EE remains a worthwhile goal with respect to increasing the penetration rate of high efficiency gas burning appliances, gas-related EE programs, and general conservation trends. Going forward programs aimed at increasing the number of CNG truck, bus and vehicle engines will reduce oil use, but increase natural gas use. New Jersey should evaluate what infrastructure changes regarding slow and fast fill stations, fleet availability and maintenance, and labor are required to retrofit existing vehicles in order to accelerate the substitution of natural gas use for oil.

## **7.4 Innovative Energy Technologies and Businesses**

New Jersey has a long history of being the birthplace of innovation. New Jersey is home to world-class universities, renowned private and public research institutions, and abundant entrepreneurial businesses. Collectively, they have the intellectual capital to develop new, clean, cost-effective sources of electricity, to utilize fuels and electricity more efficiently, and to lessen reliance on gasoline and diesel fuel as the primary transportation fuel. In this section, the array of innovative energy technologies associated with meeting New Jersey's electricity, fuel, and transportation requirements is explored. Behind-the-meter options are part of the energy technologies of relevance. Options geared toward the displacement of premium fossil fuels for truck, transit, and passenger vehicles are also explored.

### **7.4.1 Energy Technologies to Simulate Economic Growth**

The EMP work group on innovative technologies evaluated over 30 energy-related technologies and programs using a variety of factors including economic, social and environmental, current

regulatory support or constraints as well as the near-term viability of the technology. Their analysis resulted in a prioritized list of energy efficiency, renewable and storage technologies, as well as recommendations regarding the importance of testing and verification, education and outreach, and market development through government purchasing.

Based upon this analysis the most highly rated overall technologies/solutions were:

1. Testing and verification by independent third parties;
2. Energy monitoring systems;
3. Tidal power/micro-hydro systems;
4. Solar PV;
5. Advanced metering;
- 6.(tie)Advanced building systems and Market development by New Jersey government policies;
7. Increased education, awareness, and training;
- 8.Wind turbines; and
9. Mass wall building systems.

Other technologies with more long-term potential were also considered and are set forth below:

### **Fuel Cells**

The first fuel cell was built over 150 years ago; fuel cell technology is not technically innovative. Insofar as fuel cell technology has not established a significant market share in New Jersey, it is included in this section. Fuel cells generate electricity by combining hydrogen and oxygen in a relatively low-temperature electrochemical reaction. The nature of this electrochemical reaction means that fuel cells are not subject to the thermodynamic cycle efficiency limits that are characteristic of steam or combustion-based generating technologies. Hence, the potential generation efficiency of fuel cells can be high. In addition, the low operating temperature produces comparatively low NO<sub>x</sub> emissions. In recognition of their extremely low emissions, fuel cells are exempt from New Jersey's air emissions permitting requirements. If a hydrogen source is available, fuel cells themselves produce no CO<sub>2</sub> or carbon monoxide (CO) emissions. When used with hydrocarbon fuels, such as natural gas, fuel cells require a reformer to create hydrogen gas. The production of hydrogen gas also results in the release of CO<sub>2</sub> and low levels of CO.<sup>144</sup>

---

<sup>144</sup> Natural gas is the predominant source of hydrogen in commercial fuel cells, but bio-gas has also been used successfully.

There are many fuel cells that are operational in the U.S., but to date the technical promise associated with this technology has been stymied by the high capital cost of installing the resource. Losses associated with the design and material selection in fuel cells have limited the efficiency of commercial units to roughly 40%, far lower than the theoretical efficiency underlying the technology. Because fuel cell efficiency levels are lower than state-of-the-art CC plants and the capital cost is much higher, fuel cells have not been economically competitive with more conventional generation options in most commercial applications.

Unlike many generating technologies, fuel cells can be scaled up or down in size without much loss in efficiency. Furthermore, much of the fuel energy in a fuel cell that is not converted to electricity is available as heat, so that their total fuel utilization efficiency when used in institutional or commercial CHP applications can be high. The fuel cell technologies that have been most successful in this niche market are phosphoric acid and molten carbonate systems, which range from 100 kW to 1 MW in size.

### **Energy Storage**

Typically, large-scale energy storage is used to provide electricity during periods of peak demand, and thus serves as a source of peaking generation. On a smaller scale, energy storage is used to reduce demand, and acts as a substitute for peaking generation. Either way, energy storage tends to flatten the load curve, and can lower costs for all customers by reducing the need for peaking generation sources.

One of the difficulties inherent in the widening use of renewable electric generation technologies such as wind and solar energy is the intermittent nature of the resource. The availability of electrical energy storage would facilitate the integration of renewable energy as a reliable capacity resource by effectively shifting renewable energy to meet demand during peak times. As the percentage of intermittent renewable energy use increases, electrical energy storage becomes more important.<sup>145</sup> Despite the increasing need, the energy industry still is looking for a reliable and affordable technology for the storage of large quantities of electricity beyond traditional technologies, *e.g.* pumped storage hydroelectricity (discussed below).

A number of new energy storage technologies exist. The challenge is to make them robust, reliable, and economically competitive, while matching the most suitable technology to each energy source or location. In most cases, energy storage costs are considerably higher than more traditional reliability options for distribution and transmission systems.

Usually, a decade is needed to develop a battery from research to commercialization. While venture capital has poured into the energy storage space over the last five years, according to staff scientist Venkat Srinivasan at The Battery Program at Lawrence Berkeley National Laboratory, major capital investment in energy storage will come from power producers and

---

<sup>145</sup> Several studies indicate that when renewable energy sources reach 25% of our generation mix, storage will be a critical component of PJM's ability to safeguard grid reliability objectives. Currently, intermittent resources are backed overwhelmingly by conventional, gas-fired generation.



other industry stakeholders in collaboration with universities and research institutions. Government's ongoing support is also an important driver.

### Pumped Storage Hydroelectricity

Pumped storage hydroelectricity provides lower-cost, on-peak electricity, and is the energy storage system currently in widest use in New Jersey. Pumped storage works by moving water between two reservoirs. During off-peak hours, low-cost electricity is used to pump water from one body of water (the lower reservoir) to another located at a higher elevation (the upper reservoir.) During hours of high-peak demand, water is released from the upper reservoir and flows through a turbine to generate electricity.

Siting of the upper and lower reservoirs requires a very specific geographic terrain for pumped storage. New Jersey has one pumped storage facility, the 400-MW Yards Creek Station in Warren County. In northwestern New Jersey, the dams and related infrastructure that could be used for pumped storage hydropower were built to maintain river water flows and to prevent salt intrusion into the river systems. This primary use limits their viability as a peak generation resource. Also, reservoir levels tend to be low during the hot summer months, particularly during droughts, so water cannot be released to satisfy generation needs.

### Thermal Energy Storage

Thermal energy storage systems typically produce chilled water or ice during off-peak periods for use during peak demand to supply building or process cooling systems. Princeton University and the Trenton District Energy System use stratified (layered) chilled water to displace electric powered chillers, which would otherwise have run on-peak to provide building cooling. Recently, Richard Stockton State University installed the first aquifer thermal energy storage system in the U.S. that stores chilled water during the winter for use during the summer cooling season. The American Society of Heating Refrigeration and Air-conditioning Engineers has endorsed thermal energy storage as a cost-effective technology for new C&I buildings and as a significant retrofit opportunity.

### Compressed Air Energy Storage

Compressed air energy storage systems pump air into an underground cavern or some other type of containment during off-peak periods and subsequently release it to power turbines during times of peak demand. Such systems are not efficient, however. If suitable storage is available and if there is a large diurnal price spread, the economic potential associated with compressed air energy storage technology could be harnessed.

World-wide, there are only two large-scale compressed air energy storage facilities, a 110 MW plant in McIntosh, Alabama and a 290 MW plant in Germany. The technology shows some promise for the future – new facilities are in development in New York, California, and Iowa. The Iowa facility is being sited next to an existing wind farm, and is being promoted as a means

of storing wind energy for use when it is needed.<sup>146</sup> In New Jersey, PSEG Global entered into a joint venture with Dr. Michael Nakhamkin to form Energy Storage and Power LLC, to develop what they consider to be the second generation of large-scale compressed air energy storage technology.

New Jersey's dependence on natural gas fired generation and the wholesale market dynamic that has narrowed the diurnal price spread under deregulation, do not bode favorably for the commercial applicability of this technology.

### Flywheels

One of the most straightforward ways to store energy is in a spinning flywheel where electrical energy is converted into the kinetic energy of rotation by running it through a motor/generator, which accelerates the flywheel. The kinetic energy is extracted from the flywheel when it is needed by the motor/generator, which slows the wheel down and produces electricity.

Regionally, U.S. DOE awarded a \$24 million stimulus grant to PJM for a 20 MW energy storage facility based on flywheel technology. The federal funding to PJM is the fourth highest grant award for an energy storage project, and the only grant award for frequency regulation. This award should help advance the technical examination of energy storage solutions with respect to PJM's efforts to integrate intermittent resources. In practice, in order to keep size and costs reasonable, the flywheel has to spin very fast, yet be strong enough to keep from coming apart. Flywheel storage systems are only commercially available in a form that can deliver small amounts of power for short periods. More technical research into utility-scale flywheel projects is anticipated in the years ahead. While flywheel storage systems provide short bursts of energy to maintain transmission system integrity, flywheels represent promising innovative technology that could hedge against unanticipated drops in wind-based energy production. In conjunction with New Jersey's support for offshore wind, New Jersey should monitor the technical and commercial developments that may support the installation of flywheels to promote grid reliability objectives in response to increased wind penetration in New Jersey.

### **Smart Grid**

A smart grid extends and improves the functioning of the existing electrical grid, *i.e.*, transmission and distribution system, by overlaying the capability of two-way digital communications. Instead of adjusting the supply of electricity in response to unpredictable demand, a smart grid allows for accelerated development of DR. When reserve margins deteriorate due to unanticipated operating contingencies and/or extreme temperature conditions, smart grid technology allows for price signals to trigger cycling or the shut off of non-essential loads. Smart grid technology has broad commercial applicability across governmental, industrial, commercial and residential classes of service throughout New Jersey. While smart grid technology is already widely used in the industrial and commercial sectors, the extension of this technology to the residential level has the potential to contribute to New Jersey's economic, environmental and reliability objectives. Residential participants with smart grid technology

---

<sup>146</sup> In 2010, Iowa generated 15.4% of its electricity from wind power, the highest of any state in the country.

could control individual appliances, such as refrigerators, water heaters or air conditioners, to respond to real-time price energy signals. Small-scale DG and energy storage systems could also respond to real-time price or dispatch control signals.

In a smart grid system, storage and demand reduction technologies would work in tandem, thereby serving to even out the customary peak/trough consumption pattern. According to DOE, a smart grid would use digital technology to improve reliability, security, and efficiency (both economic and energy) of the electric system, and would enable dynamic optimization of electric system operations, maintenance, and planning.<sup>147</sup> Smart grid technology would cover the following portions of the electric system:

- Delivery infrastructure, *e.g.*, transmission and distribution lines, transformers, and switches;
- End-use systems and related distributed-energy resources, *e.g.*, building and factory loads, DG, storage, and electric vehicles;
- Management of the generation and delivery infrastructure at the various levels of system coordination, *e.g.*, transmission and distribution control centers, regional reliability coordination centers, and national emergency response centers;
- Information networks, *e.g.*, remote measurement and control communications networks, inter and intra-enterprise communications, and public internet.

Smart grid technology continues to be refined in the U.S. Widespread implementation is years away. New Jersey expects that smart grid technology will be an integral part of the energy balance throughout the State. To that end, New Jersey is involved in a smart grid demonstration project in the JCP&L service area. This demonstration project involves a two-way communications network that enables JCP&L to monitor available load for control and to measure load reductions associated with central air conditioning systems.

### **Smart Metering**

Smart meters are advanced meters which allow consumers to monitor and manage their level of energy use by providing two-way information about when and how much electricity is being consumed. Two-way communication provides customers with timely access to energy usage, thereby allowing customers to respond to dynamic pricing signals by avoiding usage and/or participating in DR programs.

The two fundamental elements of any smart meter are: the capability to measure and record customer consumption in real-time or short intervals, such as in 1-minute, 5-minutes, 15-minutes, 30-minutes, or 60-minutes increments; and reliance on two-way communications between the meter and the utility. However, smart meters alone, however, cannot ensure that customers will be able to respond to electricity price signals, and to reduce demand during peak

---

<sup>147</sup> Source: U.S. DOE, Smart Grid System Report, 2009, p. iv.

periods of electricity use. Such meters need to be able to communicate with in-house communication displays or be integrated with in-home load controllers. In addition to these customer benefits, smart meters also provide greater functionality and cost savings to the EDCs. Smart meters support improved customer services and allow the EDCs to remotely control load, connect/disconnect customer service, identify outages, and detect meter tampering and electricity theft more rapidly and cost-effectively.

Smart meters can be supported by various communication technologies, including combinations of existing fixed radio networks, broadband over power line, wireless, and other networks. Prospectively, smart meters and two-way communications could support a dynamic integrated energy management system on both the customer and utility side of the meter. Such an energy management system could support dynamic systems control, electricity distribution operations, data management, efficient building systems, DG such as customer-sited renewable energy and energy storage systems, automatic control of smart customer appliances, equipment and devices, and plug-in hybrid vehicles.

There are a number of barriers to smart meter implementation. Smart meters are more expensive than traditional meters, as are two-way communication costs. There has been a lack of standardized communications protocols, but some progress is being made. Of critical importance, smart meters must be able to communicate not only with the EDC, but also with evolving technologies, equipment, the smart grid, and the computer chips in future smart appliances. The installation of smart meters prior to standardized communication protocols has exposed ratepayers to stranded costs resulting from obsolete equipment. The smart meters of tomorrow will have to be built with the capability to communicate with the evolving smart grid.

Currently, in New Jersey, all customers with demand of 1,000 kW and above, *i.e.* large industrial and commercial customers, have interval meters that store power use data at regular intervals and two-way communications that support dynamic pricing. Depending on the utility, customers with demand above 500 kW or 750 kW have interval meters, but are not required to have two-way communications. New Jersey should continue to monitor smart metering technology advances in the broader context of gauging the increased market potential of smart grid technology.

## **Wave Energy**

New Jersey's ocean wave resource has the potential to provide at least 9000MW of electric power in average wave conditions. The vast area of the Outer Continental Shelf (OCS) provides ample opportunity for wave energy conversion systems to be located up to 100 miles offshore New Jersey. Average wave heights and power increase with distance from shore in depths where moorings are economically viable due to the mild slope of the OCS. Benefits of wave energy technology include its minimal environmental impact, lack of visual impacts, predictability and offshore location where resource value is high and multi-use conflicts are minimal. While wave energy offshore the Pacific Northwest are 2-3 times that of the mid-Atlantic, the mid-Atlantic has attracted interest from entrepreneurs, industry and academia, especially since the early phases of the offshore wind industry because of the potential synergies that can be realized by co-locating wind and wave (and possibly solar and tidal) installations. The magnitude of the wave energy resource offshore New Jersey, minimal environmental impacts, and synergies with

other renewable resources makes wave energy a promising addition to New Jersey's renewable energy future.

### **Geothermal Heat Pump Systems**

The fragmented geothermal industry in New Jersey has the potential for significant growth with appropriate policy, academic, and financial support. Geothermal energy is a renewable source that is constantly available and provides the best heating and cooling solutions for residential, commercial, and industrial applications in New Jersey. In fact, geothermal heat pump systems are at least four times as efficient as electrical systems used for heating and cooling, which can result in the reduction of energy needs by as much as 60%. The savings that are realized can translate to a 2-10 year payback period on installed systems. This technology can lead to dramatic peak demand reductions; a 4000-home geothermal heat pump retrofit project in Fort Polk, LA cut summer peak demand by 43% and reduced electric consumption by 33% in this city of 12,000 people. Geothermal heat pump systems will certainly benefit New Jersey by allowing its residents to reduce energy costs and the electricity demand from the PJM grid. BPU can advance geothermal heat pump systems in the State by creating incentive programs similar to that of solar to assist in reducing installation costs. In addition, BPU, DEP, and NJCAT can work together to verify the performance of innovative systems that are most efficient and affordable to New Jersey residents.

Of the higher ranking technologies/processes recommended by the work group the following have been explored in some detail:

### **Tidal Energy**

New Jersey's extensive Atlantic shoreline can be harnessed for tidal energy production. Use of 1% of the shoreline could support roughly 500 MW of clean, renewable energy. There are large direct, indirect and induced socioeconomic benefits associated with harnessing tidal energy along New Jersey's shoreline.

There are three primary methods of extracting energy from tides. The most promising of the three methods is tidal stream generators.<sup>148</sup> Tidal stream generators are similar to wind turbines, except that they extract energy from the moving water of tidal currents rather than air movement. In relation to air, water is dense. Thus, more power can be extracted at lower velocities and from a smaller swept area compared to wind turbines. Among all forms of renewable energy, none is as consistent or predictable as tidal power.

Unlike wind turbines, there is no standardized design for a tidal stream generator. Many prototypes have been tested. The most common type is the axial flow turbine, which is similar in design and operation to the now-standard propeller-type wind turbine. Other types include

---

<sup>148</sup> The other two are tidal barrages and dynamic tidal power. Tidal barrages are essentially hydropower dams across the entire width of an estuary. They have very high cost, and there are few usable sites. Dynamic tidal power is a theoretical method of much larger scale, with a structure extending 20 miles or more from the shore into shallow coastal water with strong tidal currents parallel to the coast.

horizontal or vertical-axis cross flow turbines (such as the Darrieus rotor) and oscillating devices that use the principle of hydroplanes. These designs may also use ducts or shrouds to direct the flow through the turbine and increase the output and efficiency.

The New Jersey Department of Transportation (DOT) Office of Maritime Resources is involved in a proof of concept partnership that will install a turbine system in Point Pleasant on the Manasquan River by early 2012. DOT is also leading a review of the top 20 potential in-State tidal turbine transportation sites. DOT could incorporate tidal power into Marine Transportation System projects and facilities, and into bridge applications. An example of such a project is the potential placement of water turbines in the Point Pleasant Canal from which energy gained could be used to power the Point Pleasant Station of the New Jersey State Police Marine Services Bureau.

Another tidal power site is under consideration in Salem adjacent to a DOT owned bridge. The initial power production estimates, with ten turbines installed, are a minimum of 3.5 million kWh per year. Pending the findings of an on-going assessment, up to thirty tidal turbines could be installed in the Salem River project.

The proof of concept partnership will reveal economic and operational information that will help guide New Jersey's assessment of the potential long term role this renewable technology may play in meeting the State's environmental, economic, and reliability objectives.

### **Offshore Wind Turbines**

Over the past decade, wind turbines have developed into a significant source of renewable energy across the globe. Major wind developments in Europe and Asia have culminated in 147 GW of installed wind capacity, some of which is offshore wind.<sup>149</sup> In Europe, there are nearly 3,000 MW of offshore projects.<sup>150</sup> China is presently embarked on an ambitious offshore wind development initiative. Over 40,000 MW of onshore wind power capacity has been installed in the U.S. including 8 MW in New Jersey.<sup>151</sup> While many offshore wind projects have been proposed along the Atlantic seaboard, to date there have not been any offshore wind projects that have been constructed or financed. As discussed in Section 7.2.4, a number of offshore wind projects have been proposed off the coast of New Jersey and may be developed in response to State incentives aimed at jump starting the large commercial potential associated with offshore wind technology.

Offshore locations offer important advantages over onshore, including higher wind speeds, higher capacity factors, and fewer siting issues. The main drawback to offshore wind turbines is the much higher installation cost and, to a lesser extent, operating costs associated with the offshore location. OWEDA directs the BPU to develop an OREC program to support at least

---

<sup>149</sup> GWEC – Global Wind Report, p. 11.

<sup>150</sup> Ibid, p. 39.

<sup>151</sup> Source: U.S. Dept. of Energy, Wind and Water Power Program:  
[http://www.windpoweringamerica.gov/wind\\_installed\\_capacity.asp](http://www.windpoweringamerica.gov/wind_installed_capacity.asp)

1,100 MW of offshore wind projects.<sup>152</sup> Governor Christie signed the legislation at the site of the future Port of Paulsboro, where offshore wind equipment and materials could be staged and assembled.

## **Solar Technologies**

In addition to the technologies identified by the work group there is a recognition that solar technology will continue to evolve and become more cost-effective.

New Jersey's aggressive solar RPS carve-out coupled with its subsidies has allowed the State to become a U.S. leader in solar installations. The success of the market based SREC program has led other states to adopt similar incentive market based programs. However, as previously mentioned, ratepayers ultimately pay for the subsidies. It is this reason why the state must foster solar efficiency, material, and technological breakthroughs aimed at reducing solar costs. Not only will these benefit ratepayers in terms of reducing SREC costs but will also create additional economic opportunities for the entire solar industry.

Today, the majority of solar conversion devices make electricity available as the end use form of energy by using either concentrating solar thermal technologies or photovoltaic cells. Concentrating thermal solar technologies utilize the sun as the heat source to boil water into steam which in turn is used to spin a large turbine to produce electricity. This process is similar to many power plants that exist today except that fossil fuel combustion is used as the heat source instead of the sun. Photovoltaics (PV) convert sunlight directly into electricity in a one step process, i.e. photons in and electrons out, typically using semi conducting materials. Both solar technologies are currently not cost competitive with traditional forms of energy generation and will require technological breakthroughs increasing efficiency and reducing material costs.

Nationally, the Department of Energy (DOE) SunShot Initiative aims to dramatically decrease the total costs of solar energy systems by 75% before the end of the decade<sup>153</sup>. Reaching this goal will make solar energy cost-competitive with conventional forms of electricity without subsidies and enable widespread deployment across the United States. To accomplish this, the DOE is supporting efforts by private companies, academia, and national laboratories to drive down the cost of solar electricity to about \$0.06 per kilowatt-hour. This in turn will enable solar-generated power to account for 15–18% of America's electricity generation by 2030. Under the SunShot Initiative, the U.S. Department of Energy funds selective research and loan guarantees for high risk, high payoff concepts – technologies that promise genuine transformation in the ways we generate, store, and utilize solar energy projects.

---

<sup>152</sup> The Act is described in Section 6 of this report.

<sup>153</sup> U.S. Department of Energy, SunShot Initiative. See <http://www1.eere.energy.gov/solar/sunshot/> for more information.

## 7.4.2 Innovative Technology Opportunities in Transportation

There are multiple energy sources being discussed for transportation – freight, mass transit, and passenger vehicles. Fuel source options available will vary by the nature of the transportation type but are aimed at lessening New Jersey’s dependence on traditional gasoline and diesel fuel to propel ships, trains, trucks, buses, and passenger cars in furtherance of the State’s environmental and economic objectives. The BPU assembled an EMP work group on alternatively fueled vehicles designed to assess the various categories of vehicles and fuels, identify opportunities and barriers to increased use of alternatively fueled vehicles and suggest what the state can do as a fleet owner.

In addition, the State is a member of the Transportation Climate Initiative (TCI) which is a collaboration of 12 northeast and mid-Atlantic jurisdictions that are seeking to develop a clean energy economy and reduce greenhouse gas emissions in the transportation sector. Through this multi-state initiative New Jersey will be involved in numerous efforts to improve infrastructure for AFVs, improve freight efficiency, improve communication in the region and promote sustainable communities.

### Freight

The transportation of freight in New Jersey is by over-the-road trucks, ships and rail. Air freight is a small and specialized transportation issue and presents few energy alternatives. Ships and barges represent the largest means of transporting bulk cargo. Most ships and tugs utilize diesel fuel. A small number of large ships can use heavier fuel oil, but they are often too large for New Jersey ports. The most significant opportunity for energy savings and emission reductions is to provide onshore or dockside steam and electric service to ships in port. These ships frequently use main engines or dedicated generators to provide shipboard power, which is inefficient, has high emissions, and may release pollutants to the water.

Railroads provide both passenger and freight transportation. The inter-modal capabilities and proximity of population centers to New Jersey ports is an important part of the State’s competitiveness. Trains provide the lowest cost and least air emissions per ton of freight transported per mile. Freight engines are diesel or diesel-electric and have limited options for alternative fuels, other than including a blend of bio-diesel in the fuel supply.<sup>154</sup> While the supply of bio-diesel and potential for including a 5% to 20% blend is feasible, the withdrawal of the federal subsidy for bio-diesel heightens the economic challenge associated with the potential use of this new fuel supply.

Trucks are the dominant means to move freight and goods within New Jersey. Due to the need to provide range and load capability, only two fuels meet the needs of heavy truck engines: diesel fuel (bio or petroleum); and CNG for NGVs. Interstate trucks and many existing vehicles are not compatible with CNG due to the limited availability of refueling infrastructure, but state and regional incentives to increase the availability of CNG refueling stations along interstate

---

<sup>154</sup> Diesel engines drive locomotive wheels directly; diesel-electric engines drive generators that run motors at the drive wheels.



highways have the potential to induce heavy vehicle class conversion from expensive diesel fuel to much lower cost CNG.

NGVs offer a complementary technology to other new technologies designed to supplant gasoline and diesel fuel usage for transportation. CNG for NGVs has been commercialized around the globe for decades. Hence, NGV is not technically an innovative energy technology to meet New Jersey's environmental and economic goals. However, CNG market penetration in New Jersey has been stalled in relation to the growth of CNG in other states and Europe. High diesel fuel costs coupled with expensive emission compliance costs make CNG a viable alternative to conventional diesel engine and internal combustion vehicles. CNG has been demonstrated to work efficiently for waste haulers, package, and beverage delivery services operating in a comparatively small radius around urban areas. In addition to lessening New Jersey's reliance on oil, the conversion of fleet vehicles that haul freight has the potential to enhance New Jersey's environmental objectives as tailpipe emissions from CNG do not include oxygenated hydrocarbons associated with diesel fuel.<sup>155</sup> There are some dedicated fleet vehicles fueled with CNG, the most prominent of which are waste collection trucks that start and return to the same depots daily and have a limited operational radius. Importantly, the size and weight class of the heavy truck vehicles do not allow for electric battery operation, thereby rendering conversion to CNG for freight application a potentially worthwhile initiative in accord with New Jersey's economic and environmental objectives.

### **Mass Transit**

New Jersey has the nation's largest statewide public mass transportation system providing more than 895,000 weekday trips on 240 bus routes, three light rail lines, and 12 commuter rail lines. With 165 rail stations, 60 light rail stations and more than 18,000 bus stops linking major points in New Jersey, New York, and Philadelphia. About 10% of the state's work force uses mass transit to get to and from work, the highest statewide rate in the nation.

The majority of the buses are newer reduced emissions diesel powered, with 76 Compressed Natural Gas (CNG) buses in service. Replacement CNG buses are on order for all 76 with deliveries scheduled by June 2013. CNG has been demonstrated to work well for bus fleets, service vans and jitneys.

Most of the light rail and over half of the commuter rail systems use electric power and regenerative braking (an excellent energy conservation technology that captures braking energy to supply auxiliary power to the train and puts the excess power into the grid for use by a following train). Less than half of the passenger trains use diesel engines and 35 older diesel locomotives are being replaced with new technology multi-fuel locomotives that can use electric, diesel or biodiesel fuel. Programs are in place to reduce idling of both rail and bus diesel

---

<sup>155</sup> According to the DOE, tests were performed at West Virginia University's mobile chassis dynamometer laboratory that indicated that CNG trucks had much lower emissions than diesel trucks: CO was 75% lower, NO<sub>x</sub> 49% lower, hydrocarbons and nonmethane hydrocarbons 4% lower, and CO<sub>2</sub> 7% lower. See DOE/NREL Truck Evaluation Project, United Parcel Service CNG Truck Fleet: Final Results, August 2002, p. 28.

engines. There is an opportunity to introduce bio-diesel blends in diesel vehicles without adversely effecting emissions or performance; when it is economically feasible.

Mass transit in New Jersey provides an efficient mode of transportation that helps reduce traffic congestion and also has positive environmental impacts by reducing emissions. Technology progress, including the blending of bio-diesel fuel, offers New Jersey potential economic and environmental emissions improvements in the years ahead.

### **Passenger Vehicles**

Passenger vehicles continue to be dominated by gasoline fuel. Small inroads have been made by high-tech diesel engines, electric vehicles, and gas/electric hybrid vehicles, all of which offer outstanding miles-per-gallon. Despite some early success, CNG has not been accepted broadly as a passenger vehicle fuel. Efforts elsewhere in the U.S. to enable slow fill CNG for passenger vehicles have potential applicability in New Jersey over the long term, but the renewed emphasis on NGVs is placed on fleet conversions around major metropolitan areas rather than passenger vehicles.

The most discussed opportunity in vehicles has been all-electric and plug hybrid electric vehicles. At this time, Chevrolet, Honda, Nissan, and Toyota offer all-electric or plug hybrids, with Ford and other companies expected to follow suit. Even with new developments in battery technology, the market penetration of the all electric or plug in hybrids is expected to be small in the next five to ten years. Furthermore, there is much uncertainty about the rate of technology progress regarding advanced battery design, the impact of federal and State incentives, and the public's appetite for electric vehicles in response to escalating and volatile gasoline prices. Currently, the residential electric distribution system is adequate for only limited numbers of electric vehicles. A large expansion of this market would require off-peak charging, which residential meters do not support, and an increase in infrastructure. Nevertheless, several states have adopted programs to promote electric vehicles, and these programs should be followed and evaluated for possible application in New Jersey.

Electric vehicle batteries can be used as a distributed energy storage resource. Coupled with smart grid technology, electric vehicles have the potential to plug-in to the electric grid, thereby providing a valuable injection when market conditions warrant. As the distribution system reflects the advent of smart grid technology and metering advances, a number of vehicles to grid applications may promote the increased penetration of electric vehicles coupled with the addition of new "renewable" technology that supplants or reduces the need for conventional resource additions.

As we look at the benefits of CNG, electric battery, and other transportation fuels, we need to recognize that existing State and federal fuel taxes provide the funds to build and maintain the intrastate and interstate highway system. In New Jersey, fuel taxes also support mass transit and

the Transportation Trust Fund. Departures from the *status quo* may affect the ability to fund these societal costs on an equitable basis.<sup>156</sup>

### **7.4.3 Policy Direction and Recommendations**

The Christie Administration supports initiatives that capitalize on emerging technologies for clean energy solutions in power production and transportation. While the market will determine the winners and losers, promising new technologies will require State leadership in order to build the necessary infrastructure, foster investment, and promote market penetration. The specific recommendations below identify those promising technologies that are in early stages of implementation, those that appear to have the greatest potential, and those that are “too early to call.” The State must continue to monitor the evolving development and improvement of innovative energy technologies and businesses.

#### **Encourage Use and Development of Highly-Rated Near Term Technologies**

Based upon the ranking of technologies available in the near term (section 7.4.1) the State should evaluate programs opportunities to support increased development and use of these technologies.

#### **Monitor Progress in Fuel Cell Technology**

Despite the lackluster economic performance associated with fuel cell technology to date, fuel cells still hold promise for DG applications, particularly in conjunction with CHP. New Jersey should monitor PSEG Global’s joint venture and other worldwide developments pertaining to compressed air energy storage facilities. New Jersey should monitor technology progress regarding solid oxide fuel cells which has the potential to improve its economic and operational performance.

#### **Monitor Progress in Energy Storage Technologies**

Despite its promising future from a technical perspective, the primary barrier to implementation of energy storage projects is the high cost of available technologies. New Jersey should continue to monitor the evolving development and improvement in energy storage technologies. Closer examination of the life cycle costs and cost allocation issues should be addressed.

#### **Evaluate Smart Grid Demonstrations**

New Jersey expects that smart grid technology will be an integral part of the energy balance throughout the State. The JCP&L demonstration project will allow parties to evaluate the cost effectiveness of smart grid technologies and to measure energy savings and DR. This information will inform future decisions regarding the use of the technology, how it will be paid for, how the technology will be deployed, and many other policy-related issues.

---

<sup>156</sup> This policy issue is also being discussed at the federal level; options include instituting a vehicle-miles-traveled tax and a diversion of state taxes collected on electric bills for transportation projects.

## **Consider Expanding Dynamic Pricing and Smart Metering**

New Jersey will consider expanding implementation of smart meters and gradually expose customers with lower energy demands to dynamic pricing. Dynamic pricing customers will need the operational functionality that smart meters provide to allow such customers to see and to respond to electricity prices. The smart meters of tomorrow will have the built in capability to communicate with the evolving smart grid. This feature will strengthen New Jersey's ability to monitor smart metering technology advances in the broader context of gauging the increased market potential of smart grid technology.

## **Improve Transportation Efficiency**

Utilization of different alternative fuels will play an important role in reducing reliance on petroleum, improving the State's air quality, and reducing greenhouse gas emissions from the transportation sector. In addition, while some alternative fuels may have a broader application certain alternative fuels may work best in specific applications. At this time electricity and natural gas are the best alternative fuels for passenger vehicles, urban delivery vehicles, and medium to heavy-duty vehicles that currently run on diesel fuel. LNG has applicability for longer distance trucking applications.

In the realm of mass transit, the BPU will work with New Jersey Transit to pursue opportunities to increase the use of newer, more efficient fuels for trains and buses.

The state supports the growth of the EV industry, and will encourage investment by the industry in infrastructure necessary to meet development consistent with federal requirements and market demand. The BPU, working together with DOT and DEP, will continue to monitor and evaluate the impact of battery powered vehicle design on the electric grid. Substantial modifications may be required to the primary and secondary distribution systems to support an increase in the number of electric vehicle users in New Jersey. State agencies should also continue to promote expedited permitting for charging and promote public private partnerships to advance EV awareness and establish NJ as a market for the industry. Utilizing distributive generation opportunities to advance EV infrastructure is already happening in the State and should be encouraged, such as utilizing solar carports to fuel EV charging stations at business locations.

In light of the enormous potential of Marcellus Shale the BPU, working with other State governmental entities and New Jersey's LDCs, should assess the economic and environmental merit of promoting the substitution of NGVs for diesel fueled trucks. High conventional fuel costs and emission compliance requirements constitute market incentives to switch fleets to CNG, but other regulatory inducements may be required to accelerate the transition. A sensible first step is the promulgation of other incentives to induce waste haulers, package and beverage delivery services operating in a comparatively small radius around urban areas to switch from diesel fuel to CNG. The BPU and other State government entities should explore what State and federal incentives may be available to promote fuel substitution for diesel fueled trucks and vehicles. New Jersey's gas utilities should provide guidance on the construction, operation and maintenance of CNG fueling stations for business fleets. CNG has been demonstrated to work well for municipal bus fleets, service vans and jitneys for small passenger service, as well. Although the prospect of CNG for passenger vehicles is eclipsed by all-electric and plug-in

hybrids, New Jersey should continue to monitor technology developments affecting this promising fuel for passenger vehicles in the long run. Relative to longer distance trucking applications, the State should consider exploring the use of LNG, potentially via Northeast/MidAtlantic LNG refueling hub network connecting major trucking nodes.

### **Evaluate Creation of a Transportation Infrastructure Bank**

The State should explore the potential of establishing a funding source that can assist in financing the development of much-needed infrastructure to support the increased use of alternatively fueled vehicles. This would be accomplished in conjunction with the other state agencies, utilities, local government, fleet operators, the New Jersey Clean Cities Coalition and other stakeholders.

### **Create a Technology Evaluation and Verification Process**

In order to get ideas to market successfully, New Jersey must adopt a technology evaluation and verification process. Such a process encourages collaboration between vendors and users of technology. Through this program, teams of academic and business professionals perform a comprehensive evaluation of vendor specific claims. The result is an independent, third party confirmation of claims that provides valuable information to business and governmental decision-makers. The New Jersey Corporation for Advanced Technology (NJCAT), established by the Energy and Environmental Technology Verification Act continues to perform independent third-party verifications on the performance claims of innovative technologies to satisfy the requirements of certain DEP regulatory programs. Presently, the DEP is standardizing the verification process by requiring innovative energy and environmental technologies that seek DEP permits to be verified by NJCAT in accordance with acceptable protocols. NJCAT is a public-private partnership designed to promote the retention and growth of technology-based businesses in emerging fields. The State will evaluate the current role of NJCAT, as well as alternative methods of carrying out this function and make a recommendation on a process going forward. In addition, the DEP is working on a guidance document for evaluating the systems that convert biomass and other potential feedstocks into acceptable alternative fuels, and the use of the alternative fuels for power generation and transportation.

### **Support New Jersey's Technology Incubator Network**

The New Jersey Business Incubation Network (NJBIN) offers an extensive array of services to client companies, professional partners/service providers, and investors. The incubators are the home to exciting technology companies in their early stages. Access is provided to high growth, emerging, internet-protocol based technology companies that are looking to invest in these early stage companies. Through their support for emerging companies and the connections provided, the incubators can play a leading role in helping New Jersey start ups become market and industry leaders. The State should continue its support of the incubator network.

### **Funding New Technologies**

The EDA, New Jersey's bank for businesses, continues to leverage State dollars for projects that will yield job growth in the State. EDA will continue to explore opportunities for new funding

mechanisms including revolving loan funds that can provide funding and capital for new technology projects. Examples of EDA's new "Green Funding Programs" include: Edison Innovation Green Growth Fund which offers loans up to \$1 million to Class 1 renewable or energy efficient clean energy technology companies that are seeking funding to grow; the Energy Efficiency Revolving Loan Fund which loans up to \$2.5 million to support 100% of eligible project costs of commercial or industrial entities that receive funding under the BPU Pay for Performance Program or Large Energy Users Program.

### **Establish a Higher Education Roundtable**

Collaboration among New Jersey's institutions of higher education and the business community will provide connections and resources to advance new technology initiatives. The State Strategic Plan calls for this collaboration noting that "every day our colleges and universities are incubating new ideas, professors are recognized worldwide for their knowledge and skills and these institutions house great new technology that can be maximized." The establishment of an Innovation Roundtable that makes the resources of our institutions available to innovators and entrepreneurs will benefit all parties. This roundtable will provide a venue for "proof of concept" opportunities.

## **Acknowledgements**

This Energy Master Plan is a product of the State of New Jersey. There were many individuals who contributed to its development through their research, analysis, writing, editing, and fact-checking. Specifically, the preparation of the 2011 New Jersey Energy Master Plan included the combined efforts of staff at the:

New Jersey Board of Public Utilities, New Jersey Department of Community Affairs, New Jersey Department of Environmental Protection, New Jersey Department of Health and Senior Services, New Jersey Department of Human Services, New Jersey Department of Transportation, and New Jersey Department of Treasury.

The Center for Energy, Economic and Environmental Policy at the Rutgers Edward J. Bloustein School of Planning and Public Policy was instrumental in the development and analysis of the data used in this Plan.

The members of the four Energy Master Plan workgroups assembled by the BPU to provide specific recommendations on clean energy funding, alternatively fueled vehicles, innovative technology and biomass.

Recognition and credit is also given to Levitan and Associates, Inc., who provided extensive technical input as well as a thorough review of the Plan.